

DEXTER HYSOL AEROSPACE INC;THE DEXTER CORPORATION -- EA-934 PART B --  
8040-00-016-8662

===== Product Identification =====

Product ID:EA-934 PART B

MSDS Date:01/01/1987

FSC:8040

NIIN:00-016-8662

Kit Part:Y

MSDS Number: BCVJY

=== Responsible Party ===

Company Name:DEXTER HYSOL AEROSPACE INC;THE DEXTER CORPORATION

Address:2850 WILLOW PASS ROAD

Box:312

City:PITTSBURG

State:CA

ZIP:94565-3237

Country

:US

Info Phone Num:415-687-4201

Emergency Phone Num:415-687-4201

CAGE:33564

=== Contractor Identification ===

Company Name:DEXTER CORPORATION ADHESIVE & COATING SYSTEMS

Address:2850 WILLOW PASS ROAD

Box:312

City:BAY POINT

State:CA

ZIP:94565-3299

Country:US

Phone:202-483-7616

CAGE:33564

===== Composition/Information on Ingredients =====

Ingred Name:DIETHYLENE TRIAMINE

CAS:111-40-0

RTECS #:IE1225000

= Wt:13.

OSHA PEL:1 PPM

ACGIH TLV:S, 1 PPM; 9192

Ingred Name:NON-HAZARDOUS MAT

ERIALS(TYPE NOT SPECIFIED)

= Wt:87.

=====  
===== Hazards Identification =====

Effects of Overexposure:SKIN/EYES:CORROSIVE & CAN CAUSE CHEM.  
BURNS;INHAL:IRRITATING & CHEST DISCOMFORT & BRONCHIAL SYMPTMS

=====  
===== First Aid Measures =====

First Aid:EYES/SKIN:FLUSH W/PLENTY OF WATER;WASH SKIN THOROUGHLY W/SOAP  
& WATER;FOR EYES,FLUSH IMMEDIATELY FOR 15 MINUTES & GET MEDICAL  
AID.INGESTION:GIVE WATER OR MILK IF SWALLOWED,DO NOT  
INDUCE  
VOMITING.GET MEDICAL AID.

=====  
===== Fire Fighting Measures =====

Flash Point:>300F/149C (EST)  
Extinguishing Media:DRY CHEMICALS,WATER SPRAY OR FOG, FOAM  
Fire Fighting Procedures:WEAR SELF-CONTND.BRTHG APPART(SCBA)FIRE  
FIGHTNG CONF.SPACE  
Unusual Fire/Explosion Hazard:DENSE SMOKE & TOXIC GASES MAY BE  
LIBERATED FROM HEAT OF FIRE.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:WEAR PROTECTIVE CLOTHING,  
GLOVES, & SAFETY  
GLASSES;SCRAPE UP & TRANSFER TO METAL CONTAINER -WIPE UP REMAINING  
RESIDUE W/SOLVENTS,OBSERVING SOLVENT FLAMMABILITY CAUTIONS, OR USE  
DETERGENT.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:KEEP PRODUCT COOL IAW LABEL  
INSTRUCTIONS; DO NOT HEAT MIXED ADHESIVE ABOVE 125F UNLESS CURING  
SURFACES TO BE BONDED;OBSERVE CAUTIONS FOR HEAT BUILD-UP  
Other Precautions:FOLLOW RECOMMENDED CURING SCHEDULE;DO NOT  
HEAT MIXED  
ADHESIVE(>125F); FAILURE TO OBSERVE CAUTIONS MAY RESULT IN  
EXCESSIVE HEAT BUILD-UP WITH RELEASE OF TOXIC GASES.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH APPRVD MASK FOR TOXIC DUSTS WHEN CURED  
PRODUCT DRY SANDED,ETC.  
Ventilation:LOCAL EXHAUST:RECOMMENDED WHEN SANDING CURED PRODUCT;MECHAN  
Protective Gloves:IMPERVIOUS TYPE  
Eye Protection:SAFETY GLASSES/GOGGLES  
Other Protective Equipment:AS NEEDED TO PROTECT SKIN & CLO

THING  
Supplemental Safety and Health  
MSDS DATED:JAN 10,1986

===== Physical/Chemical Properties =====

HCC:B2  
Boiling Pt:=207.2C, 405.F  
Vapor Pres:~.37  
Vapor Density:3.8  
Spec Gravity:0.951  
Evaporation Rate & Reference:LOW  
Solubility in Water:COMPLETE  
Appearance and Odor:AMBER LIQUID W/AMMONICAL ODOR  
Percent Volatiles by Volume:LOW

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZING AGENTS  
,STRONG LEWIS OR MINERAL ACIDS.  
Stability Condition to Avoid:MFR DOES NOT INDICATE ANY  
Hazardous Decomposition Products:CO, NO\*X, ALDEHYDES, ACIDS &  
UNDETERMINED ORGANICS.  
Conditions to Avoid Polymerization:AVOID MIXING RESIN & CURING AGENTS  
IN BATCHES (>) 1 LB.TOTAL

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF AS A HAZARDOUS WASTE IAW TO DOT  
HAZARD CLASS; IF ITEM DOES NOT MEET ANOTHER CLASS,DISPOSE OF AS  
ORM-E; DISPOSAL  
METHOD CAN BE LAND BURIAL OR CHEMICAL INCINERATION  
AS REGULATED BY ALL GOVERN MENTAL AGENCIES

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to ver

ify and  
assume responsibility for the suitability of this information to their  
particular situation.