View NSN Online: https://aerobasegroup.co.il/nsn/9150-00-066-2382

Product ID:SSILICONE FLUID SWS-101

MSDS Date:05/07/1990

FSC:9150

NIIN:00-066-2382

MSDS Number: BCXBQ === Responsible Party ===

Company Name: WACKER SILICONE CORP

Address:3301 SUTTON RD

City:ADRIAN State:MI ZIP:49221 Country:US

Info Phone Num:517-263-5711

Emergency Phone Num:517-263-5711

CAGE:4M

768

=== Contractor Identification ===

Company Name: WACKER SILICONE CORP

Address:3301 SUTTON RD

City:ADRIAN State:MI ZIP:49221 Country:US

Phone:517-263-5711

CAGE:4M768

======= Composition/Information on Ingredients ========

Ingred Name:POLYDIMETHYLSILOXANE

CAS:9016-00-6

RTECS #:TQ2690000 Fraction by Wt: 100.0%

Other REC Limits: NONE SPECIFIED

========= Hazards Identification ============

LD50 LC50 Mixture:LD 50 FEMALE RAT>34,600 MG/KG

Routes of Entry: Inhala

TOXIC.MAY CAUSE TEMPORARY EYE IRRITATION.
Explanation of Carcinogenicity:DATA PER MGF MSDS. Effects of Overexposure:MAY CAUSE TEMPORARY EYE IRRITATION.
Medical Cond Aggravated by Exposure:PRE-EXISTING CONDITIONS MAY BE WORSEN.
======================================
First Aid:EYES AND SKIN:FLUSH WITH LAR GE AMOUNT OF WATER FOR ABOUT 15-20 MINUTES;SEEK MEDICAL ATTENTION IMMEDIATELY.INHALATION:REMOVE TO FRESH AIR;CALL A PHYSICIAN.INGESTION:SEEK MEDICAL ATTENTION IMMEDIATELY.
============ Fire Fighting Measures ============
Flash Point Method:PMCC Flash Point:>460F,>238C Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY
CHEMICAL.
Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHE MICAL FIRE. USE WATER
SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.
Unusual Fire/Explosion Hazard:NONE EXPECTED
======== Accidental Release Measures ==========
Spill Release Procedures:SCOOP UP GROSS QTY. COVER SUFACE WITH A DRY POWDER,BRUSH BACK & FORTH,SWEEP UP.REMOVE REMAINING DUST OR POWDER WITH A SAWDUST-TYPE SWEEPING COMPOUND.
========= Handling and Storage ==========
Handling and Storage Precautions:STORE IN COOL,DRY AND WEL L VENTILATED
AREA.KEEP CONTAINER CLOSED WHEN NOT IN USE. Other Precautions:CLEAN UP SPILLS COMPLETELY AS RESIDUE IS SLIPPERY.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE NORMALLY REQUIRED IF USED WITH ADEQUATE VENTILATION. Ventilation:NORMAL ROOM VENTILATION. Protective Gloves:AS REQUIRED Eye Protection:SAFETY GLASSES/GOGGLES
Other Protective Equipment: APRON, EYE-WASH FACILITIES Work Hygienic Practices: AVOID CONTACT WITH EYES AND SKIN

tion:UNKNOWN Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:N/RTE:PER MSDS MATERIAL IS NONE

;DO NOT BREATHE VAPORS/MIST/DUST.WASH THOROUGHLY AFTER EACH USE. Supplemental Safety and Health CLEAN UP SPILLS COMPLETELY AS RESIDUE IS SLIPPERY.VISCOSITY GRADE IS 1.0 CST.
========== Physical/Chemical Properties ==========
HCC:V6 Vapor Pres: