View NSN Online: https://aerobasegroup.com/nsn/8040-00-139-3674

Product ID:356 MSDS Date:01/01/1985 FSC:8040 NIIN:00-139-3674 MSDS Number: BDBKW === Responsible Party === Company Name: ESSEX CHEM CO Emergency Phone Num:714-521-0430 CAGE:KO201 === Contractor Identification === Company Name: ESSEX CHEM CO CAGE:KO201 Company Name: ESSEX CHEMICAL CORP SPECIALTY CHEMICAL DIV Address:14370 GAN NET ST Box:City:LA MIRADA State:CA ZIP:90638-5221 Country:US Phone:310-944-8867 CAGE:17299

Ingred Name:TOLUENE (SARA III) CAS:108-88-3 RTECS #:XS5250000 Fraction by Wt: 5% OSHA PEL:200 PPM/150 STEL ACGIH TLV:50 PPM; 9293 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Effects of Overexposure: HEADACHE, NAUSEA. REMOVE TO FRESH AIR.

======= First

Fi	rst Aid:SKIN:WASH,SOAP AND WATER.EYES:WATER FLUSH,CALL
	DOCTOR.SWALLOWED:DO NOT INDUCE VOMITING,CALL DOCTOR OR HOSPITAL FOR
	FIRST AID.

Flash Point:OVER 200F SCC Extinguishing Media:FOAM FOG DRY CHEMICALS Unusual Fire/Explosion Hazard:NONE

Spill Release Procedures: FLUSH WITH WATER INTO RETAINING AREA OR CON TAINER.

Handling and Storage Precautions: KEEP AWAY FROM SPARKS AND FLAME.STORE AT NORMAL AMBIENT ROOM TEMPS. Other Precautions: USE ADEQUATE VENTILATION.

====== Exposure Controls/Personal Protection ==========

Ventilation:LOCAL-CROSS VENT. Protective Gloves:COTTON Eye Protection:SAFETY GLASSES Other Protective Equipment:NA Supplemental Safety and Health

======= Physical/Chemical Properties ======

HCC:N1 Spec Gravity:1.021 Evaporation Rate & amp; Reference:1 Appearance and Odor:VISCOUS WHITE PASTY LIQUID WITH MILD LATEX ODOR Percent Volatiles by Volume:40

Stability Indicator/Materials to Avoid:YES

Waste Disposal Methods:USE LOCAL,STATE AND FEDERAL REGS. BREAK EMULSION-DISCARD WATER AND BURY RESIDUE IN LANDFILL.

Disclaimer (provided

with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.