

NONFLUID OIL CORP -- NFO RDO320 -- 9150-00-142-9556

===== Product Identification =====

Product ID:NFO RDO320

MSDS Date:01/01/1987

FSC:9150

NIIN:00-142-9556

MSDS Number: BDBWM

=== Responsible Party ===

Company Name:NONFLUID OIL CORP

Address:298 DELANCY ST

City:NEWARK

State:NJ

ZIP:07105-3009

Country:US

CAGE:76736

=== Contractor Identification ===

Company Name:NONFLUID OIL CORP/NFO TECHNOLOGIES, INC

Address:298 DELANCY ST

City:NEWARK

State:NJ

ZIP:07105-3009

Country:US

Phone:201-344-3451/800-424-9300(CHEMTREC)

CAGE:76736

===== Composition/Information on Ingredients =====

Ingred Name:NON HAZARDOUS INGREDIENTS

Fraction by Wt: 100%

ACGIH TLV:5 MG/CUM AS MIST

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SEE E

FFECTS OF OVEREXPOSURE.

Effects of Overexposure:MILD IRRITATION OF SKIN & MUCOUS MEMBRANES

Medical Cond Aggravated by Exposure:NONE GIVEN

=====
First Aid Measures
=====

First Aid:SKIN-WIPE OFF & WASH W/SOAP & WATER. EYE-FLUSH W/COPIOUS AMTS
WATER & SEE DOCTOR. INHAL-REMOVE FM EXPOSURE;GET TO FRESH AIR.
INGEST-ADMINISTER & SEEK MEDICAL AID.

=====
Fire Fighting Measures
=====

Flash Point Method:COC

Flash Point:400F

/204C

Lower Limits:1.0

Upper Limits:6.0

Extinguishing Media:CARBON DIOXIDE,DRY CHEMICAL,FOAM,WATER FOG
(CAREFUULLY TO PREVENT FROTHING)

Fire Fighting Procedures:USE SLF-CONTND BREATH APPARATUS W/FACE SHIELD
IN ENCLOSED AREAS.

Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedures:STOP FLOW. ELIMINATE IGNITION SOURCES. RECOVER
FREE PRODUCT. ADD ABSORBENT MATL SUCH AS CLAY TO SPILL AREA. SWEEP
OR SCRAPE UP.

=====
Handling and Storage
=====

Handling and Storage Precautions:KEEP CONTNRS CLOSED. HANDLE & STORE
USING METHODS GEN ADVOCATED FOR PETROLEUM PRODUCTS. DO NOT STORE OR
MIX W/OXIDIZING MATLS. AVOID EXCESS HEAT/FLAME

Other Precautions:AVOID REPEATED SKIN CONTACT. AVOID CONTACT W/EYES &
INHAL OF VAPORS/MISTS. DON'T INGEST. WASH THOROUGHLY AFTER
HANDLING.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protectio

n:NORM NOT REQD. RECOMMENDED IF FUMING OR MISTING
Ventilation:LOCAL EXHAUST FOR HOT FUMES. GEN MECHANICAL IF
FUMING/MISTING.

Protective Gloves:RUBBER/VINYL

Eye Protection:CHEM GOGGLES

Other Protective Equipment:ADEQUATE TO PREVENT SKIN CONTACT

Work Hygienic Practices:WASH HANDS BEFORE EATING OR DRINKING. DO NOT
WEAR CONTAM CLOTHING-LAUNDER BEFORE RE-USE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:600F/
316C

Vapor Pres:5

Spec Gravity:0.925

Evaporation Rate & Reference: