View NSN Online: https://aerobasegroup.com/nsn/6850-00-161-6204

TRUETECH INC (FORM CHEM COMPOUNDING CORP) -- PAINT, FACE, CAMOUFLAGE, STICK FORM -- 6850-00-161-6204

Product ID:PAINT, FACE, CAMOUFLAGE, STICK FORM

MSDS Date:02/01/1995

FSC:6850

NIIN:00-161-6204

MSDS Number: BDDLC === Responsible Party ===

Company Name:TRUETECH INC (FORM CHEM COMPOUNDING CORP)

Address:680 ELTON AVE

City:RIVERHEAD

State:NY ZIP:11901 Country:US Info Pho

ne Num:516-727-8600

Emergency Phone Num:516-727-8600

CAGE:KO155

=== Contractor Identification === Company Name:TRUETECH INC

Address:680 ELTON AVE Box:City:RIVERHEAD

State:NY

ZIP:11901-2555 Country:US

Phone:516-727-8600

CAGE:06421

Company Name: TRUETECH INC (FORMERLY CHEMICAL COMPOUNDING CORP)

Address:680 ELTON AVE

City:RIVERHEAD

State:NY

ZIP:11901-2555 Country:US

Phone:516-727-8600

CAGE:KO155

======= Composition/Information on Ingredients ========

Ingred Name: CASTER WAX

Fraction by

Wt: 22.0%

Other REC Limits: NONE RECOMMENDED

Ingred Name: CARNAUBA WAX

Fraction by Wt: 3.0%

Other REC Limits: NONE RECOMMENDED

Ingred Name: MINERAL OIL

CAS:8012-95-1

RTECS #:PY8030000 Fraction by Wt: 26%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:5 MG/M3

ACGIH TLV:5 MG/M3 (MIST); 9596

Ingred Name:LANOLIN Fraction by Wt: 10%

Other REC Limits: NONE RECOMMENDED

Ingred Name: TALC (CONTAINING NO ASBESTOS)

CAS:14807-96-6

RTECS #:WW2710000 Fraction by Wt: 6.9%

Other REC Limits: NONE RECOMMENDED

OSHA PEL: 20 MPPCF Z-3

ACGIH TLV:2 MG/M3 RDUST; 9596

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7 RTECS #:XR2275000 Fraction by Wt: 3.9%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9596

Ingred Name:PIGMENT, BLACK

Fraction by Wt: 5.1%

Other REC Limits: NONE RECOMMENDED

ACGIH TLV:15 MG/CUM (AS FE)

Ingred Name: IRON OXIDE

CAS:1309-37-1

RTECS #:NO7400000 Fraction by Wt: 9.2%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:10 MG/M3 (FE)

ACGIH TLV:5MG(FE)/M3FUME,B2;96

Ingred

| Name:CHROMIUM(III) OXIDE CR2O3 CAS:1308-38-9 RTECS #:GB6475000 Other REC Limits:1.0 MG/M3 |
|---|
| ACGIH TLV:0.5 MG/M3 TWA AS CR |
| ========== Hazards Identification =========== |
| Health Hazards Acute and Chronic:NONE Effects of Overexposure:NONE Medical Cond Aggravated by Exposure:NONE KNOWN |
| ====================================== |
| First Aid:NONE |
| ====================================== |
| Flash Point:NONE Extinguishing Media:F OAM OR POWDER. Fire Fighting Procedures:NONE Unusual Fire/Explosion Hazard:NONE |
| ======== Accidental Release Measures ========= |
| Spill Release Procedures:NORMAL CLEAN-UP PROCEDURES. |
| ====================================== |
| Handling and Storage Precautions:STORE AT AMBIENT TEMPS. WILL MELT IF HEATED. |
| ====== Exposure Controls/Personal Protection ======= |
| Respiratory Protection:NONE Ventilation:NONE Protective Gloves:NONE Eye Pro tection:GOGGLES. Other Protective Equipment:NONE Supplemental Safety and Health |
| ========= Physical/Chemical Properties ========= |
| HCC:N1 Melt/Freeze Pt:M.P/F.P Text:185F/85C Solubility in Water:INSOLUBLE Appearance and Odor:ODORLESS PAINT,STICK FORM. |
| ======== Stability and Reactivity Data ========= |
| Stability Indicator/Materials to Avoid:YES NONE |
| Stability Condition to Avoid:HIGH TEMPS. Hazardous Decomposition Products:NONE |
| ====== Disposal |

Considerations ==========

Waste Disposal Methods: IAW FED, STATE & FED REGS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and a

ssume responsibility for the suitability of this information to their particular situation.