View NSN Online: https://aerobasegroup.co.il/nsn/6850-00-167-1676

W R GRACE & CO. DAVISON CHEMICAL DIVISION -- FORMED MOLECULAR SIEVE; GRADE #542 -- 6850-00-167-1676

============ Product Identification =========================

Product ID:FORMED MOLECULAR SIEVE;GRADE #542

MSDS Date:01/01/1990

FSC:6850

NIIN:00-167-1676

MSDS Number: BDFDP === Responsible Party ===

Company Name:W R GRACE & CO. DAVISON CHEMICAL DIVISION

Address:10 E BALTIMORE STREET

Box:2117

City:BALTIMORE

State:MD ZIP:2120 2-1630

Country:US

Info Phone Num:301-659-9000;301-659-9058

Emergency Phone Num:301-659-9000;301-874-2009

CAGE:16210

=== Contractor Identification ===

Company Name: WR GRACE & CO. DAVISON CHEMICAL DIVISION

Address:10 E BALTIMORE STREET

Box:2117

City:BALTIMORE

State:MD

ZIP:21202-1630

Country:US

Phone:410-659-9000

CAGE:16210

======= Composition/Information on Ingredients ========

Ingred Name: SODIUM ALUMINOSILICATE

CAS:1344-00-9

Other REC Limits: NONE SPECIFIED

Ingred Name: CALCIUM SOD

CAS:1344-01-0 Other REC Limits:NONE SPECIFIED
Ingred Name:POTASSIUM SODIUM ALUMINOSILICATE CAS:12736-96-8 Other REC Limits:NONE SPECIFIED
Ingred Name:KAOLIN CAS:1332-58-7 RTECS #:GF1670500 Other REC Limits:NONE SPECIFIED OSHA PEL:15 MG/M3 TDUST ACGIH TLV:2 MG/M3 TDUST; 9293
Ingred Name:MOLECULAR SIEVE Other REC Limits:NONE SPECIFIED
======================================
LD50 LC50 Mixture:ORAL RAT LD50 >31,600 MG/KG (48 HRS) Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Effects of Overexposure:IRRITATNG TO EYES;PROLONGED CONTCT CAUSES SKIN IRRITATION;INHALATION OF DUST MAY IRRIT MUCOUS MEMBRN  ===================================
First Aid:EYES AND SKIN:FLUSH WITH LARGE AMOUNT OF WATER FOR ABOUT 15-20 MINUTES;SEEK MEDICAL ATTENTION IMMEDIATELY.INHALATION:REMOVE TO FRESH AIR;CALL A PHYSICIAN.INGESTION:SEEK MEDICAL ATTENTION
IMMEDIATELY.
=========== Fire Fighting Measures ============
Flash Point:NONE Extinguishing Media:CO*2, FOAM, DRY CHEM. Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY. CONTAIN RUNOFF. Unusual Fire/Explosion Hazard:NONE NOTED.
======== Accidental Release Measures ==========

IUM ALUMINOSILICATE

Spill Release Procedures: USE PROPER PERSONAL PROTECTI

VACUUM AND COLLECT FOR PROPER DISPOSAL IN AN APPROVED CONTAINER.
======================================
Handling and Storage Precautions:KEEP CONTAINER TIGHTLY CLOSED. AVOID HEATING OVER 1000F.  Other Precautions:MOLECULAR SIEVES CAN BUILD UP A STATIC ELECTRIC CHARGE WHEN POURING.PROPER GROUNDING SHOULD BE OBSERVED WHEN POURING FROM A BAG OR DRUM IN THE PRESENCE OF FLAMMABLE VAPORS.
======= Exposure Controls/Personal Protection
Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR DUST/MIST IF ABOVE PEL/TLV.  Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV.  Protective Gloves:AS REQUIRED  Eye Protection:SAFETY GLASSES/GOGGLES  Other Protective Equipment:PROTECTIVE CLOTHINGS.EYE-WASH FACILITIES,SAFETY SHOWER.  Work Hygienic Practices:AVOID CONTACT WITH EYES AND SKIN;DO NOT BREATHE VAPORS/MIST/DUST.WASH THOROUGHLY AFTER EACH USE.  Supplemental Safety and Health AVOID DUST INHALATION.
====== ====== Physical/Chemical Properties ==========
HCC:N1 Spec Gravity:2.1 pH:10.4 Solubility in Water:INSOLUBLE Appearance and Odor:WHITE,GRAY,OR TAN,BEADS.
========== Stability and Reactivity Data ==========
Stability Indicator/Materials to Avoid:YES Hazardous Decomposition Products:THERMAL DECOMPOSITION MAY GIVE OXIDES OF ALUMINUM/SODIUM
======== Disposal Considerations ===========
Waste Disposal Methods:CONSULT LOCAL AUTHORITIES;DISP

ON;SWEEP UP OR

## OSAL MUST BE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.