View NSN Online: https://aerobasegroup.co.il/nsn/8030-00-174-3199

3M GENERAL OFFICES -- SCOTCH-SEAL(TM)BRAND IND SEALANT 801 -- 8030-00-174-3199

Product ID:SCOTCH-SEAL(TM)BRAND IND SEALANT 801

MSDS Date:06/30/1987

FSC:8030

NIIN:00-174-3199

MSDS Number: BDFNS === Responsible Party ===

Company Name: 3M GENERAL OFFICES

Address:3M CENTER City:SAINT PAUL

State:MN

ZIP:55144-1000 Country:US

Info Phone Num:612-733-1110

Emergency Phon e Num:612-733-1110

CAGE:04963

=== Contractor Identification ===

Company Name: 3M MINNESOTA MINING AND MFG CO ADHESIVES SEALERS DIV

Address:3M CTR Box:City:SAINT PAUL

State:MN

ZIP:55144-1000 Country:US

Phone:800-364-3577/651-737-6501(24 HOURS)

CAGE:04963

====== Composition/Information on Ingredients ========

Ingred Name:POLYSULFIDE RUBBER

Fraction by Wt:
Other REC Limits:
OSHA PEL:
ACGIH TLV:

Ingred Name: PHENOLIC RESIN

Fraction by Wt:
Other REC Limits:

OSHA PEL: ACGIH TLV:

Ingr

ed Name: SILICA, AMORPHOUS, DUST CAS:112945-52-5 RTECS #:VV7310000 Fraction by Wt: Other REC Limits:20 MPPCF OSHA PEL:6 MG/M3 ACGIH TLV:10 MG/M3; 8990 Ingred Name: CARBON BLACK CAS:333-86-4 RTECS #:FF5800001 Fraction by Wt: Other REC Limits: 3.5 MG/CUM OSHA PEL:3.5 MG/CUM ACGIH TLV:3.5 MG/CUM Ingred Name: MAGNESIUM ACETATE CAS:142-72-3 RTECS #:AI5600000 Fraction by Wt: Other REC Limits: **OSHA PEL: ACGIH TLV:** Ingred Name: PETROLEUM DISTILLATE Fraction by Wt: 3.0% Other REC Limits: **OSHA PEL: ACGIH** TLV: Effects of Overexposure: EYE: IRRITATION. SKIN: IRRITATION CONTACT W/ SKIN WILL CAUSE EXTREME DIFFICULTY IN CLEAN UP. USE OF ABRASIVES OR SOLVENTS FOR CLEANUP COULD CAUSE SKIN DAMAGE. INHAL:NO HAZARD.VAPOR

OVEREXPOSURE: RESP IR RITATION LIGHT-HEADEDNESS. SYMPTOMS HEADACHE, WEAKNESS, FATIGUE OR UNCONSCIOUSNESS. INGEST, DIGESTIVE SYSTEM IRRITATION.

======== First Aid Measures =========

========

First A	id:EYE: FLUSH	HW/LG AMTS	S OF H*20	FOR AT LEA	AST 15 MIN	CALL PHYS	
SKI	N:WASH THOF	ROUGHLY W/	SOAP + H'	[*] 20 INHAL:F	REMOVE IND	DIVIDUAL TO)
FRE	SH AIR. CALL	PHYSICIAN.	INGEST:DC	NOT INDU	ICE VOMITIN	IG.DRINK TV	۷O
GLA	SSES OF MIL	K OR H*20.0	CALL PHYS	ICIAN.			

============ Fire Fighting Measures ========================= Flash Point:7100F-37.78C Extinguishing Media:CO2,FOAM,DRY CHEM. Fire Fighting Procedures: FIRE FIGHTERS SHOULD BE EQUIPPED W/SCBA. ======= Accidental Release Measures ========= Spill Release Procedures: CONTAIN SPILL. CLEAN UP RESIDUE + AREA OF SPILL.PLACE RESIDUE IN CONTAINER. ============ Handling and Storage =========================== Handling and Storage Precautions: KEEP AWAY FROM HEAT, SPARKS AND OPEN FLAME. USE ONLY WITH ADEQUATE VENTILATION TO REMOVE AND PREVENT VAPOR BUILD UP. KEEP CONTAINER CLOSED. Other Precautions: AVOID PROLONG BREATHING OF VAPORS AND PROLONGED OR REPEATED SKIN CONTACT. == Exposure Controls/Personal Protection ======== Respiratory Protection: NIOSH/MSHA APPROVED RESP DEVICE IN ACCORD WITH **EXPOSURE OF CONCERN** Ventilation: USE ONLY IN AREAS W/ ENOUGH AIR MOVEMENT TO PREVENT VAPOR BUILD UP. Protective Gloves: IMPERVIOUS Eye Protection: CHEM GOGGLES Supplemental Safety and Health PART A OF A TWO PART KIT.KEY1:J1. ======== Physical/Chemical Properties ============ HCC:F4

Spec Gravity:1.36
Solubility in Water:LOW
Appearance and Odor:BL

Percent volatiles by volume.s
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES Hazardous Decomposition Products:CO,CO2,SULFUR COMPOUND
======= Disposal Considerations ===========

Waste Disposal Methods:MAY BE DISPOSED OF IN A SANITARY LANDFILL ACCORDING TO LOCAL + CURRENT U.S.ENVIRONMENTAL PROTECTION AGENCY REGULATIONS.

Disclaimer (provided with this information by the compiling ag encies):

ACK SULFUR ODOR

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.