View NSN Online: https://aerobasegroup.com/nsn/6810-00-174-6581

Product ID:CAUSTIC SODA,CAUSTIC,SODIUM HYDRATE MSDS Date:01/01/1987 FSC:6810 NIIN:00-174-6581 MSDS Number: BDFPY === Responsible Party === Company Name: E-C APPARATUS CORPORATION Address:3831 TYRONE BOULEVARD NORTH City:ST. PETERSBURG State:FL ZIP:70933 Country:33 Info Phone Num: 813-344-1644 Emergency Phone Num:813-344-1644 CAGE:23605 === Contractor Identification === Company Name: E-C APPARATUS CORP Address:3831 TYRONE BLVD N Box:City:SAINT PETERSBURG State:FL ZIP:33709-4121 Country:US Phone:813-344-1644 CAGE:23605 Ingred Name:SODIUM HYDROXIDE (SARA III) CAS:1310-73-2 RTECS #:WB4900000 = Wt:40. Other REC Limits:2MG/CUM OSHA PEL:2 MG/M3 ACGIH TLV:C 2 MG/M3; 9293 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000

LBS

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 < Wt:60.

Routes of Entry: Inhalation:YES Skin:UNKNOWN Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE:CORROSIVE TO ALL BODY TISSUES;SEVERE BURNS TO EYES,SKIN,IRRITATING TO RESPIRATORY AND G.I.TRACTS.CHRONIC:DAMAGE TO TISSUES,RESPIRATORY OR G.I.TRACTS Effects of Overexposure:EXTREMELY CORROSIVE TO ALL B ODY TISSUES.CONTACT WILL CAUSE BURNS AND FREQUENTLY DEEP ULCERATION;EYE CONTACT WILL PRODUCE SEVERE AND PAINFUL INJURY.INHALATION OF MIST WILL CAUSE IRRITATION AND MAY EVEN CAUSE DAMAGE TO ENTIRE RESPIRATORY TRACT. Medical Cond Aggravated by Exposure:DAMAGE TO ALL BODY TISSUES.

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O*2 IF NEED;EYES/SKIN:FLUSH W LG AMTS H*20 FOR 15 MIN;INGEST:RINSE MOUTH; GET MEDI

CAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER SYMPTOMS OF OVEREXPOSURE.

Flash Point:NONE

Extinguishing Media:USE SUITABLE MEDIA FOR SURROUNDING FIRES Fire Fighting Procedures:FLOOD WITH WATER USING CARE NOT TO SPLATTER OR SPLASH THIS MATERIAL.USE NIOSH/MSHA APPROVED SCBA IN AN ENCLOSED AREA.

Unusual Fire/Explosion Hazard:CONTACT WITH CERTAIN CHEMICALS AND METALS GENERATE, FLAMMABLE HYDROGEN GAS.

=====

Spill Release Procedures: USE PROPER PERSONAL PROTECTION; DILUTE WITH EXCESS WATER, RECOVER AND NEUTRALIZE WITH ACETIC ACID, COLLECT FOR PROPER DISPOSAL. Neutralizing Agent: ACIDS, (DILUTE HCL OR ACETIC ACID) Handling and Storage Precautions: KEEP IN COOL AND DRY AREA. KEEP AWAY FROM WATER, ACIDS, METALS, EXPLOSIVES AND COMBUSTIBLE MATERIALS. KEEP CONTAINER TI GHTLY CLOSED. Other Precautions: ITEM IS STRONG CORROSIVE MATERIAL; USE WITH CARE. Respiratory Protection: USE NIOSH/MSHA APPROVED RESPIRATORY FOR ALKALI MIST/VAPORS OR SCBA, IF ABOVE TLV. Ventilation: MECHANICAL OR GENERAL VENTILATION TO CAPTURE EXCESSIVE MIST/VAPORS. Protective Gloves: IMPERVIOUS Eve Protection: GOGGLES/FACE SHIELD Other Protective Equipment: FULL PROTECTIVE CLOTHING, SAFETY SHOWER, EYE WASH STATION Work H vgienic Practices: AVOID CONTACT WITH EYES AND SKIN; DO NOT BREATHE VAPORS AND MIST; WASH THOROUGHLY AFTER EACH USE. USE PROPER PROTECTION. Supplemental Safety and Health MSDS DATED:NIL HCC:B1 Boiling Pt:=143.3C, 290.F Vapor Pres:19 Spec Gravity:1.44 Solubility in Water:COMPLETE Appearance and Odor: COLORLESS TO GRAY SYRUPY LIQUID. MILD SLIGHTLY PUNGENT ODOR. Percent Volatiles by Volume:0.0

====== Stabilit

Stability Indicator/Materials to Avoid:YES WATER,CHLORINATED HYDROCARBONS,CERTAIN METALS Stability Condition to Avoid:HEAT,OPEN FLAMES, WATER. Hazardous Decomposition Products:HYDROGEN GAS WHICH MAY BE COMBUSTIBLE

Waste Disposal Methods:DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.