View NSN Online: https://aerobasegroup.com/nsn/6810-00-201-0904 PUBLICKER INDUSTRIES INC -- ALCOHOL #3B -- 6810-00-201-0904 ============= Product Identification ======================== Product ID:ALCOHOL #3B MSDS Date:01/01/1985 FSC:6810 NIIN:00-201-0904 MSDS Number: BDJHC === Responsible Party === Company Name: PUBLICKER INDUSTRIES INC Address:LAKE WINOTA RD Box:117 City:DE LEON SPRINGS State:FL ZIP:32028 Country:US **Emergency Phone Num:NONE** CAGE:6V768 === Contractor Identification === Company Name: CURVLITE SURGICAL PRODUCTS Address:LAKE WINOTA RD Box:117 City:DE LEON SPRINGS State:FL ZIP:32028 Country:US CAGE:15557 Company Name: PUBLICKER INDUSTRIES INC. Address:777 W. PUTNAM AVE. Box:117 City:GREENWICH State:CT ZIP:19148 Phone: (215) 334-9300 CAGE:6V768 ======= Composition/Information on Ingredients ======== Ingred Name: DENATURED ALCOHOL Fraction by Wt: 100% ACGIH TLV:1000 PPM/8 HR 

Effects o

| f Overexposure:IRRITATION OF EYES,NOSE & THROAT. HEADACHE & DROWSINESS MAY OCCUR. LIQUID CAUSES INTOXICATION   |
|--|
| ======================================   |
| First Aid:IN CASE OF EYE OR SKIN CONTACT, FLUSH WITH WATER. FOR INHALATION,REMOVE TO FRESH AIR & CALL PHYSICIAN IF BREATHING IS AFFECTED   |
| ======================================   |
| Flash Point Method:TCC Flash Point:=8.9C, 48.F Lower Limits:4.3 Upper Limits:19 Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL; WATER SPAY,ALCOHOL FOAM Fire Fighting Procedures:WATER IN STRAIGHT HOSE STREAM WILL SCATTER & SPREAD FIRE     |
| ======================================   |
| Spill Release Procedures:LARGE SPILLS, IF NOT CONTAINED BY DIKING,<br>GENEROUSLY DILUTE WITH WATER SPRAY. AVOID FLUSHING DIRECTLY INTO<br>STREAM OR SEWER. CONTAINED SPILLS SHOULD BE RECOVERED TO EXTENT<br>POSSIBLE FOR PROPER WASTE DIS POSAL |
| ====== Exposure Controls/Personal Protection =========   |
| Respiratory Protection:ALL-PURPOSE CANISTER (VAPORS ACCUMULATE ON FLOOR Ventilation:TO REMOVE VAPORS FROM WORK AREA (FLOOR-MOUNTED BLOWER OR FAN   |
| Protective Gloves:RUBBER Eye Protection:SAFETY GOGGLES Other Protective Equipment:EXPLOSION-PROOF EQUIPMENT Supplemental Safety and Health   |
| ========== Physical/Chemical Properties ==========   |
| HCC:F5 NRC/State Lic Num:NOT RELEVANT Boiling Pt:=78.3C, 173.F Vapor Pres:44 Vapor Density:1.59 Spec Gravity:0.81  |

60

Solubility in Water:COMPLETE
Appearance and Odor:CLEAR, COLORLESS LIQUID,CHARACTERISTIC ODOR

Percent Volatiles by Volume:100

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES OXIDIZING MATERIALS

Hazardous Decomposition Products:CARBON MONOXIDE

======= Disposal Considerations ===========

Waste Disposal Methods:IF CUSTOM DISPOSAL SERVICE NOT AVAILABLE, LARGE QUANTITIES MAY BE BURNED IN A COMBUSTION CHAM BER. SMALL QUANTITIES

MAY BE POURED UPON SAND OR DIRT CONTAINED BY SHALLOW PAN & CAUTIOUSLY BURNED, LOCAL C ODES PERMITTING.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek c ompetent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.