View NSN Online: https://aerobasegroup.co.il/nsn/6810-00-237-2954

SPECTRUM CHEMICAL MANUFACTURING CORP. -- NITRIC ACID (AQUA FORTIS) 6810-00-237-2954 Product ID:NITRIC ACID (AQUA FORTIS) MSDS Date:12/04/1989 FSC:6810 NIIN:00-237-2954 MSDS Number: BDLYX === Responsible Party === Company Name: SPECTRUM CHEMICAL MANUFACTURING CORP. Address:14422 SOUTH SAN PEDRO STREET **City:GARDENA** State:CA ZIP:90248-2027 Country:US Info Phone Num:213-516-8000 Emergency Phone Num:800-772-8786 CAGE:63415 === Contractor Identification === Company Name: CHEMICAL COMMODITIES AGENCY, INC. Address:27447 PACIFIC STREET Box:City:HIGHLAND State:CA ZIP:92346-2640 Country:US Phone:909-864-2310 CAGE:60777 Company Name: SPECTRUM LABORATORY PRODUCTS INC Address:14422 S SAN PEDRO ST Box:City:GARDENA State:CA ZIP:90248-2027 Country:US Phone:310-516-8000/FAX: 310-516-9843 CAGE:63415

Ingred Name:NITRIC ACID (SARA III) CAS:7697-37-2 RTECS #:QU5775000 Fraction by Wt: 70.0% OSHA PEL:2 PPM/4 STEL ACGIH TLV:2 PPM/4 STEL; 9192 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 30.0%

LD50 LC50 Mixture:LD 50 ORAL RAT IS Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and C hronic:ACUTE: CORROSIVE TO ALL BODY TISSUES. SEVERE IRRITATION AND BURNS TO EYES, SKIN, RESPIRATORY AND GASTROINTESTINAL TRACTS. CHRONIC: DERMATITIS, MOUTH ULCERATION, EROSION OF TEETH, BRONCHIAL PNEUMONIA. Effects of Overexposure:EYES: FLUSH WITH WATER FOR AT LEAT 15 MINUTES. SKIN: WASH WITH SOAP AND WATER WHILE REMOVING CONTAMINATED CLOTHING AND SHOES. INHALATION: REMOVE TO FRESH AIR. GIVE OXYGEN/CPR IF NEEDED. INGESTION: GIV E LARGE AMOUNTS OF WATER OR MILK. DO

NOT

INDUCE VOMITING. FOR ALL EXPOSURES GET IMMEDIATE MEDICAL ATTENTION.

Medical Cond Aggravated by Exposure:INDIVIDUALS WITH A HISTORY OF EYE, SKIN AND RESPIRATORY DISORDERS MAY BE AT INCREASED RISK FROM EXPOSURE.

First Aid:EYES:FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES.IF IRRITATION PERSISTS,SEE DOCTOR. SKIN:WASH WITH MILD SOAP AND WATER WHILE REMOVING CONTAMINATED CLOTHING AND SHOES. INHALATION:REMO VE

VICTIM T O FRESH AIR.GIVE OXYGEN/CPR IF NEEDED.SEE DOCTOR. INGESTION:DO NOT INDUCE VOMIT.SEE DOCTOR IMMEDIATELY.

Flash Point:NONE
Extinguishing Media:WATER,DRY CHEMICAL OR SODA ASH.
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SCBA. FIGHT FIRE AS FAR A DISTANCE AS POSSIBLE. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.
Unusual Fire/Explosion Hazard:NITRIC ACID MAY YIELD
OXYGEN WHEN HEATED, WHICH WILL INCREASE THE RATE OF BURNING OF COMBUSTIBLE MATERIAL & MAY RESULT IN IGNITION, VIOLENT COMBUSTION OR EXPLSN

Spill Release Procedures:REMOVE PERSONNEL. ELIMINATE IGNITION SOURCES. VENTILATE AREA. WEAR PROTECTIVE CLOTHING AND EQUIPMENT. NEUTRALIZE VERY CAUTIOUSLY. ABSORB IN FLY ASH OR CEMENT POWDER AND PLACE IN APPROPIATE DISPOSAL CO NTAINER AND COVER. Neutralizing Agent:SLAKED LIME, SODIUM BICARBONATE OR CRUSHED LIMESTONE.

Handling and Storage Precautions:STORE IN COOL, DRY, WELL VENTILATED AREA. PROTECT FROM PHYSICAL DAMAGE, HEAT, IGNITION SOURCES AND INCOMPATIBLE MATERIALS. KEEP CONTAINERS CLOSED.
Other Precautions:AVOID EXPOSING PRODUCT TO DIRECT SUNLIGHT. AVOID EYE AND SKIN CONTACT. DO NOT BREATHE VAPORS.

======= Exposure Controls/Personal Protection ==========

Resp

iratory Protection:NIOSH APPROVED RESPIRATOR WITH ACID GAS CARTRIDGE OR SCBA AS APPROPIATE FOR EXPOSURE OF CONCERN. Ventilation:LOCAL EXHAUST VENTILATION TO KEEP EXPOSURE LEVELS BELOW PEL.

Protective Gloves: PVC GLOVES.

Eye Protection: SPLASH-PROOF GOGGLES AND FACE SHIELD.

Other Protective Equipment: PROTECTIVE CLOTHING AS REQUIRED TO MINIMIZE EXPOSURE FROM PROLONGED OR REPEATED CONTACT. EYE BATH AND SAFETY SHOWER.

Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING AND BEFORE

EATING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. Supplemental Safety and Health NONE.

HCC:C1 Boiling Pt:=82.8C, 181.F Melt/Freeze Pt:=-42.2C, -44.F Vapor Pres:48 @ 68F Vapor Density:2.2 Spec Gravity:1.5 pH:ACIDIC Solubility in Water:COMPLETE Appearance and Odor:COLORLESS FUMING LIQUID WITH AN ACRID,SUFFOCATING ODOR.

Stability Indicator/Materials to Avoid:YES COMBUSTIBLE MATERIALS, METALLIC POWDERS, HYDROGEN SULFIDE, CARBIDES, ALCOHOLS, REACTS WITH WATER TO PRODUCE HEAT. Stability Condition to Avoid:EXTREME HEAT Hazardous Decomposition Products:OXIDES OF NITROGEN.

Waste Disposal Methods:CONTACT YOUR LOCAL ENVIRONMENTAL OFFICER. DISPOSE OF IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS. EPA HAZARDOUS WASTE NUMBER D002.

Disclaimer (provided with

this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.