

MALLINCKRODT INC.,SCIENCE PRODUCTS DIVISION -- ETHYL ACETATE AR -- 6810-00-245-6695
===== Product Identification =====

Product ID:ETHYL ACETATE AR

MSDS Date:01/01/1987

FSC:6810

NIIN:00-245-6695

MSDS Number: BDNFV

=== Responsible Party ===

Company Name:MALLINCKRODT INC.,SCIENCE PRODUCTS DIVISION

Address:PARIS BYPASS

Box:M

City:PARIS

State:KY

ZIP:40361

Country:US

Info Phone Num:314-982-5000

Emerg

ency Phone Num:314-982-5000

CAGE:62910

=== Contractor Identification ===

Company Name:MALLINCKRODT SPECIALTY CHEMICALS CO

Address:222 RED SCHOOL LANE

Box:City:PHILLIPSBURG

State:NJ

ZIP:08865

Country:US

Phone:908-859-2151

CAGE:62910

===== Composition/Information on Ingredients =====

Ingred Name:ETHYL ACETATE (SARA III)

CAS:141-78-6

RTECS #:AH5425000

Fraction by Wt: >99%

OSHA PEL:400 PPM

ACGIH TLV:400 PPM; 9192

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

=====

Hazards Identification =====

Effects of Overexposure:INH:IRRITNT TO NOSE/RESP TRCT;ING:CAUSES
DIARRHEA,SORE THROAT;SKIN:DEFATS,IRRIT,EYES:IRRITATION.

===== First Aid Measures =====

First Aid:INHAL:REMOVE TO FRESH AIR.GIVE CPR/OXYGEN IF NEEDED;INGEST:IF
SWALLOWED,GIVE TWO GLASSES OF WATER & INDUCE VOMIT.NOTHING BY MOUTH
IF UNCON;SKIN/EYE EXPOSURE:RMV CONTMNTD CLOTHG.WASH SKIN W/SOAP &
H*2O .FLUSH SKIN/EYES W/LG H*2O;GET MED
HELPIMMEDIATLY

===== Fire Fighting Measures =====

Flash Point Method:CC
Flash Point:=-4.4C, 24.F
Autoignition Temp:=427.C, 800.6F
Lower Limits:2.2
Upper Limits:11.0
Extinguishing Media:DRY CHEMICALS,FOAM,CO*2;WATER SPRAY TO KEEP EXPOSD
CANS COOL
Fire Fighting Procedures:USE H*20 TO COOL EXPD CONTRS. USE SCBA & FULL
PROT.CLTHG.
Unusual Fire/Explosion Hazard:ABOVE FLASH POINT,VAP-AIR MIXTURES ARE
EXPLOSIVE WITHIN FLAMMABLE LIMITS;AUTO IGN TEMP:427C(
800F)

===== Accidental Release Measures =====

Spill Release Procedures:RMV IGN SOURCES.VENT AREA.USE RESP PROTCTION &
PROTCTV CLOTHG.KEEP OUT OF SURF H*20,SEWRS/CONFND AREAS;SM
SPILL:ABSORB W/PAPER TOWELS.EVVAP UNDER FUME HOOD THEN BURN
CAREFULLY;LG SPILL:DIKE AREA.CONTA IN & RECOVER SPILL IF POSS;SHOVL
RESDUEINTO DRUMS

===== Handling and Storage =====

Handling and Storage Precautions:PROTCT AGAINST PHYSICAL DAMAG
E.STORE
IN COOL,DRY WELL VNTLTD AREA AWAY FM ING/HEAT SOURCES,OXIDZG
MATL.OUTSIDE OR DETACHED SORAGE IS PREFERRED.
Other Precautions:KEEP AWAY FROM HEAT,SPARKS,FLAMES.KEEP CONTNRS
CLOSED.USE W/ADEQUATE VENT.AVOID BRTHG DUST.WASH THOROUGHLY AFTER
HNDLG.VOND/GROUND CONTNRS WHEN TRNSFRG MATERL.USE NON-SPARKG TYPE
TOOL & EQUIP.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:FULL FACE RESPIRATOR
Ventilation:LOCAL EXHAUST TO MAINTN BELO

W TLV.
Protective Gloves:IMPERVIOUS
Eye Protection:GOGGLES/FACE SHIELD
Other Protective Equipment:FULL PROTECTIVE CLOTHING,SAFETY SHOWER,EYE
WASH STATION
Supplemental Safety and Health
MSDS FM MR DATED:22 AUG 85,CONFORMS TO OSHA HAZ COMM STD.

===== Physical/Chemical Properties =====

HCC:F2
NRC/State Lic Num:NOT RELEVANT
Boiling Pt:=77.2C, 171.F
Vapor Pres:76
Vapor Density:3.0
Spec Gravity:0.9
Evaporation Rate & Reference:6(BUT ACETATE=1)
Solubility in Water:
MODERATE
Appearance and Odor:COLORLESS LIQUID.PLEASANT FRUITY ODOR.
Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZERS,STRONG ALKALIES/ACIDS.NITRATES.
Stability Condition to Avoid:HEAT, IGNITION SOURCES
Hazardous Decomposition Products:CO, CO*2 WHEN HEATED TO DECOMPOSITION
Conditions to Avoid Polymerization:HEAT WILL CONTRIBUTE TO
INSTBLTY.SLOWLY DECOMPOSED BY MOISTR

===== Disposal Considerations =====

Waste Disposal Methods:LG SPILL & LOT SIZES OF HAZ WASTE CAN BE
ATOMIZED IN A RCRA APPRVD COMBUSTION CHAMBER OR DISPOSED OF IN A
RCRA APROVED LAND FILL FACILITY.DO NOT FLUSH TO SEWER.ENSURE
COMPLIANCE W/FED,STATE, & LOCAL R EGS; REPORTABLE QTY
(RQ)(CWA/CERCLA);5000LBS

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The

United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.