

HERCULITE PRODUCTS INC -- TURPENTINE (ASTM D-13) -- 8010-00-246-6443

=====
Product Identification
=====

Product ID:TURPENTINE (ASTM D-13)
MSDS Date:01/01/1985
FSC:8010
NIIN:00-246-6443
MSDS Number: BDNJW
=== Responsible Party ===
Company Name:HERCULITE PRODUCTS INC
Address:ABEERDEEN RD
Box:467
City:EMIGSVILLE
State:PA
ZIP:17318
Country:US
Info Phone Num:717-764-1191/FAX 717-764-5211
Emergency P
hone Num:717-764-1191/FAX 717-764-5211
CAGE:13324

==== Contractor Identification ===
Company Name:HERCULES INCORPORATED
Address:HERCULES PLAZA
City:WILMINGTON
State:DE
ZIP:19894
Country:US
Phone:302-594-5000
CAGE:28284
Company Name:HERCULITE PRODUCTS INC
Address:1107 BROADWAY
Box:467
City:NEW YORK
State:NY
ZIP:10010-2802
Country:US
CAGE:13324

=====
Composition/Information on Ingredients
=====

Ingred Name:SOLVENTS
Fraction by Wt: 100%
ACGIH TLV:100PPM

=====
Ha

zards Identification =====

Effects of Overexposure:MAY CAUSE EYE IRRITATION DERMITITAS OF SKIN,MAY CAUSE KIDNEY INFECTIONS.

===== First Aid Measures =====

First Aid:EYE:FLUSH W/WATER,CALL A DR.SKIN:WASH W/SOAP & WATER.INHAL:REMOVE TO FRESH AIR.IF SWALLOWED:DO NOT INDUCE VOMITING,

===== Fire Fighting Measures =====

Flash Point:99F TCC 37 C
Extinguishing Media:FOAM,DRY CHEMICAL,CO*2

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE IGNITION SOURCE.STOP SPILL AT ONCE,CONTAIN SPILL BY DIKE,ETC.PUMP INTO SALVAGE TANK.AVOID CONTACT W/VAPOR OR SPRAY MIST.

===== Handling and Storage =====

Handling and Storage Precautions:NORMAL,KEEP AWAY FROM FLAMES OR HIGH HEAT.USE ONLY W/ADEQUATE VENTILATION.AVOID PROLONGED CONTACT W/SKIN.
Other Precautions:AVOID CONTACT W/OXIDIZING MATERIALS.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:AS NEEDED TO MAINTAIN CONCENTT BELOW TLV LEVEL
Ventilation:LOC EXHAUST-RECOMMENDED
Protective Gloves:RECOMMENDED
Eye Protection:RECOMMENDED
Supplemental Safety and Health
PROCURED UNDER ASTM D-13

===== Physical/Chemical Properties =====

HCC:F3
Boiling Pt:B.P. Text:307 F 152 C
Spec Gravity:.864
Evaporation Rate & Reference:1
Solubility in Water:NEGLIGIBLE
Appearance and Odor:

SLIGHTLY YELLOW COLOR W/A PINACEOUS ODOR

Percent Volatiles by Volume:99.0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Stability Condition to Avoid:STRONG OXIDIZING MATERIALS

Conditions to Avoid Polymerization:CONTACT W/STRONG ACIDS FOR LEWIS ACIDS

===== Disposal Considerations =====

Waste Disposal Methods:LIQUID INCINERATION.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.