

CHEMICAL COMMODITIES AGENCY,INC. -- XYLENE,TECHNICAL -- 6810-00-257-2479
===== Product Identification =====

Product ID:XYLENE,TECHNICAL

MSDS Date:01/01/1987

FSC:6810

NIIN:00-257-2479

MSDS Number: BDPHM

=== Responsible Party ===

Company Name:CHEMICAL COMMODITIES AGENCY,INC.

Address:27447 PACIFIC STREET

City:HIGHLAND

State:CA

ZIP:92346-2640

Country:US

Info Phone Num:714-864-2310

Emergency Phone N

um:714-864-2310

CAGE:60777

=== Contractor Identification ===

Company Name:CHEMICAL COMMODITIES AGENCY, INC.

Address:27447 PACIFIC STREET

Box:City:HIGHLAND

State:CA

ZIP:92346-2640

Country:US

Phone:909-864-2310

CAGE:60777

===== Composition/Information on Ingredients =====

Ingred Name:SOLVENTS(COMPOSITION AS NON-AROMATICS)

= Wt:.07

ACGIH TLV:100PPM

Ingred Name:TOLUENE (SARA III)

CAS:108-88-3

RTECS #:XS5250000

= Wt:.14

OSHA PEL:200 PPM/150 STEL

ACGIH TLV:50 PPM; 9293

EPA Rpt Qt

y:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:ETHYL BENZENE (SARA III)
CAS:100-41-4
RTECS #:DA0700000
= Wt:19.2
OSHA PEL:100 PPM/125 STEL
ACGIH TLV:100 PPM/125STEL 9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)
CAS:1330-20-7
RTECS #:ZE2100000
= Wt:80.4
OSHA PEL:100 PPM/150 STEL
ACGIH TLV:100 PPM/150STEL;9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:AROMATICS+(C-9)
= Wt:.04
ACGIH TLV:NOT SPECIFIED

=====
Hazards Identification =====

Effects of Overexposure:HARMFUL IF INHALED.CAUSE IRRITATION OF EYES,SKIN AND RESPIRATORY TRACT,DIZZINESS,DROWSINESS,VOMITING

=====
First Aid Measures =====

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O*2 IF NEED;EYES/SKIN:FLUSH W LG AMTS H*20 FOR 15 MIN;INGEST:RINSE MOUTH; GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER SYMPTOMS OF OVEREXPOSURE.

=====
Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:=23.9C, 75.F
Extinguishing Media:FOAM,CO*2,DRY CHEMICAL.
Fire Fighting Procedures:NONE SPECIFIED BY THE MFR.USE SCBA FOR FIREFIGHTING.
Unusual Fire/Explosion Hazard:MODERATE IN PRESENCE OF HEAT OR FLAME;CAN REACT WITH OXIDIZING MATERIALS.

=====
Accidental Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTIVE EQUIPMENT.ELIMINATE ALL SOURCES OF IGNITION.ABSORB

SPILL ON

**SAND,EARTH OR VERMICULITE.CAREFULLY SWEEP UP AND RECOVER.DO NOT
FLUSH INTO WATER COURCES AND FLOWING STREAM OR SEWERS.**

===== Handling and Storage =====

**Handling and Storage Precautions:KEEP IN COOL,DRY,WELL VENTILATED
AREA.AVOID HEAT,SPARKS & OPEN FLAMES.KEEP IN TIGHTLY CLOSED
CONTAINER.**

**Other Precautions:AVOID CONTACT WITH EYES,SKIN.DO NOT BREATH
VAPORS.AVOID USING CONTAMINATED CLOTHING.WASH THOROUGHLY AFTER USE.**

=====

Exposure Controls/Personal Protection =====

**Respiratory Protection:USE NIOSH/MSHA APPROVED ORGANIC VAPORS
RESPIRATOR.**

Ventilation:PROVIDE MECHAN(GEN/LOCAL EXHAUST)VENT TO MAINTN