

SOUTHWEST PETRO-CHEM, INC -- SA8238059(16822) -- 9150-00-261-8289

=====
Product Identification
=====

Product ID:SA8238059(16822)

MSDS Date:01/01/1985

FSC:9150

NIIN:00-261-8289

MSDS Number: BDPPY

=== Responsible Party ===

Company Name:SOUTHWEST PETRO-CHEM, INC

Emergency Phone Num:913-782-5800

CAGE:70878

=== Contractor Identification ===

Company Name:EXXON CO USA-SOUTHWEST GREASE BUSINESS UNIT

Addr

ess:1400 S HARRISON

Box:1974

City:OLATHE

State:KS

ZIP:66061

Country:US

Phone:913-656-3701/800-424-9300(CHEMTREC)

CAGE:70878

=====
Composition/Information on Ingredients
=====

Ingred Name:HYDROCARBONS

Fraction by Wt: 100%

=====
Hazards Identification
=====

Effects of Overexposure:MAY CAUSE SKIN & EYE IRRITATION.

=====
First Aid Measures
=====

First Aid:EYES:FLUSH W/PLENTY OF WATER.CALL DOCTOR
IMMED

IATELY;SKIN:WASH THOROUGHLY WITH SOAP & WATER; IF
SWALLOWED,CALL A PHYSICIAN IMMEDIATELY

=====
Fire Fighting Measures
=====

Flash Point:>500F;>260C COC

Extinguishing Media:DRY CHEM, CO*2, WATER FOG, FOAM, SAND, EARTH

Fire Fighting Procedures:FIRE FIGHTERS SHOULD WEAR SELF-CNTND BRTHNG
APPARATUS

Unusual Fire/Explosion Hazard:DENSE SMOKE

=====
Accidental Release Measures
=====

Spill Release Procedures:TRANSFER BULK OF MATL I

NTO ANOTHER CNTNR.

ABSORB ANY RESIDUE W/PROPER ABSORBENTS. SWEEP UP & DISPOSE AS SOLID WASTE IAW LOCAL, STATE, FED REG.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN COOL, DRY AREA. KEEP CNTNRS CLOSED.

Other Precautions:KEEP OUT OF REACH OF CHILDREN

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NONE REQ

Ventilation:NONE REQ

Protective Gloves:RUBBER

Eye Protection:SAFETY GO

GGLES

Other Protective Equipment:FACE SHLD

Supplemental Safety and Health

MSDS DATED: 5/15/81

=====
Physical/Chemical Properties
=====

HCC:V6

Boiling Pt:B.P. Text:>500F

Vapor Pres:UNK

Vapor Density:UNK

Spec Gravity:0.93

Solubility in Water:NEGLIGIBLE

Appearance and Odor:OFF WHITE,SEMI-SOLID WITH POLYMER TYPE ODOR

Percent Volatiles by Volume:UNK

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES

STRONG OXI

DIZING AGENTS SUCH AS CHROMIC ACID,H*2O*2,BROMINE

Stability Condition to Avoid:SITUATIONS WHERE IGNITION SOURCES EXIST

Hazardous Decomposition Products:DENSE SMOKE,CO,CO*2,& POSSIBLY OTHER UNKNOWN ORGANIC CMPDS

=====
Disposal Considerations
=====

Waste Disposal Methods:PUT IN APPRVD STORAGE CNTNR & SHIP TO APPRVD DISPOSAL AREA.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of

the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.