View NSN Online: https://aerobasegroup.co.il/nsn/6810-00-264-6545 EM INDUSTRIES INC, EM SCIENCE DIVISION -- POTASSIUM MURIATE, PX1405, PX1410 6810-00-264-6545 ============= Product Identification ======================== Product ID:POTASSIUM MURIATE, PX1405, PX1410 MSDS Date:05/01/1991 FSC:6810 NIIN:00-264-6545 MSDS Number: BDQNF === Responsible Party === Company Name: EM INDUSTRIES INC, EM SCIENCE DIVISION Address:480 DEMOCRAT RD Box:70 City:GIBBSTOWN State:NJ ZIP:08027 Country:US nfo Phone Num:609-354-9200 Emergency Phone Num:800-424-9300 (CHEMTREC) CAGE:0AL61 === Contractor Identification === Company Name: E M SCIENCE, MCB MFG CHEMISTS INC Address:480 DEMOCRAT RD Box:70 City:GIBBSTOWN State:NJ

State:NJ ZIP:08027 Country:US

Phone:800-424-9300

CAGE:1U692

Company Name: EM INDUSTRIES INC CHEMICALS & PIGMENTS DIVISION

Address:7 SKYLINE DRIVE Box:City:HAWTHORNE

State:NY ZIP:10532 Country:US

Phone:914-592-4660

CAGE:0AL61

======= Composition/Information on Ingredients =======

==
Ingred Name:POTASSIUM CHLORIDE CAS:7447-40-7
RTECS #:TS8050000 Fraction by Wt: 100%
OSHA PEL:N/K
ACGIH TLV:N/K
======================================
LD50 LC50 Mixture:LD50: (ORAL, RAT) 3020 MG/KG
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE CONTACT CAUSES IRRITATION. SKIN CONTACT MAY CAUSE IRRITATION. INGESTION OF LARGE QUANTITIES CAUSES GASTROINTES
TINAL IRRITATION.
Explanation of Carcinogenicity:NOT RELEVANT
Effects of Overexposure:SEE HEALTH HAZARDS.
Medical Cond Aggravated by Exposure:DATA NOT AVAILABLE.
======================================
First Aid:GET MEDICAL ASSISTANCE FOR ALL CASES OF OVEREXPOSURE. EYES: IMMEDIATELY FLUSH THOROUGHLY WITH WATER FOR AT LEAST 15 MINUTES. SKIN: WASH THOROUGHLY WITH SOAP AND WATER. INHALATION: REMOVE TO FRESH AIR; GIVE ARTIFICIAL RESPIRATION IF BREATHING HAS STOPPED.
INGESTION: IF CONSCIOUS, INDUCE VOMITING.
======================================
Flash Point:NONE
Extinguishing Media: ANY SUITABLE FOR OTHER MATERIALS INVOLVED. Fire Fighting Procedures: USE NIOSH/MSHA APPROVED SCBA AND FULL DROTECTIVE FOLUDMENT

PROTECTIVE EQUIPMENT.

Unusual Fire/Explosion Hazard:THERMAL DECOMPOSITION PRODUCES TOXIC FUMES.

======== Accidental Release Measures ===========

Spill Release Procedures:EVACUATE AREA OF ALL UNNEC PER

S. WEAR SUITABLE PROT EQUIP. ELIM ANY IGNIT SOURCES UNTIL AREA DETERM TO BE FREE FROM EXPLO/FIRE HAZ. CNTN RELEASE & ELIM ITS SOURCE IF IT CAN BE DONE W/OUT RISK. TAKE UP & CONTAINERIZE FOR PROPER DISP. COMPLY(SUPDAT) Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER. =========== Handling and Storage ============================ Handling and Storage Precautions: KEEP CONTAINER TIGHTLY CLOSED. STORE AT CONTROLLED ROOM TEMPERATURE. DO NOT GET IN EYES. AVOID **PROLONGE** D/REPEATED SKIN CONTACT. DO NOT BREATHE DUST. Other Precautions: NONE SPECIFIED BY MANUFACTURER. ====== Exposure Controls/Personal Protection ======== Respiratory Protection: USE NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN. Ventilation: EXHAUST VENTILATION PREFERRED IF DUST PRESENT Protective Gloves: NEOPRENE, PVC. Eve Protection: SAFETY GLASSES WITH SIDE SHIELDS. Other Protective Equipment: EYE WASH, SAFETY EQUIPMENT. Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING. DO NOT TAKE INTERNALLY. Supplemental Safety and Health SPILL PROC: W/FED, STATE & LOCAL REGS ON REPORTING RELEASES. ======== Physical/Chemical Properties ============= HCC:N1 Boiling Pt:B.P. Text:2732F,1500C Melt/Freeze Pt:M.P/F.P Text:1423F,773C Spec Gravity: 1.99 Solubility in Water:26% Appearance and Odor: WHITE ODORLESS CRYSTALS OR GRANULES ======== Stability and Reactivity Data ========== Stability Indicator/Materials to Avoid:YES

BR

F*3.	
Stability Condition to Avoid:NONE.	
Hazardous Decomposition Products:CHLORINE COMPOUNDS.	

======= Disposal Considerations ===========

Waste Disposal Methods:MATL DOES NOT HAVE EPA WASTE NUMBER & IS NOT A LISTED WASTE, HOWEVER, CONSULTATION WITH A PERMITTED WASTE DISPOSAL SITE (TSD) SHOULD BE ACCOMPLISHED. ALWAYS CONTACT A TSD TO ASSURE COMPLIANCE WITH ALL CURRENT LOCAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.