

E.I. DUPONT DE NEMOURS & CO, INC -- SULFURIC ACID 66 DEG BAUME',WW,BQ --
6810-00-264-6723

===== Product Identification =====

Product ID:SULFURIC ACID 66 DEG BAUME',WW,BQ

MSDS Date:01/01/1985

FSC:6810

NIIN:00-264-6723

MSDS Number: BDQWH

=== Responsible Party ===

Company Name:E.I. DUPONT DE NEMOURS & CO, INC

Address:1007 MARKET STREET

Box:1635

City:WILMINGTON

State:DE

ZIP:19899

Country:US

Info Ph

one Num:800-441-7515

Emergency Phone Num:800-441-7515

CAGE:19898

=== Contractor Identification ===

Company Name:CHEMICAL COMMODITIES AGENCY, INC.

Address:27447 PACIFIC STREET

Box:City:HIGHLAND

State:CA

ZIP:92346-2640

Country:US

Phone:909-864-2310

CAGE:60777

Company Name:E.I. DUPONT DE NEMOURS & CO

Address:1007 MARKET STREET

Box:City:WILMINGTON

State:DE

ZIP:19898

Country:US

Phone:800-441-7515;800-441-9442

CAGE:18873

Company Name:E.I. DUPONT DE NEMOURS & CO., INC.

Box:1635

CAGE:19898

=====

= Composition/Information on Ingredients =====

Ingred Name:SULFURIC ACID (SARA III)

CAS:7664-93-9

RTECS #:WS5600000

Fraction by Wt: 93.2%

OSHA PEL:1 MG/M3

ACGIH TLV:1 MG/M3; 9192

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Effects of Overexposure:IRRITATING TO EYES, NOSE, AND THROAT. SEVERE
BURNS TO THESE

TISSUES. RESPIRATORY BURNS FROM INHALATION.

===== First Aid Measures =====

First Aid:SKIN AND EYES: FLUSH WITH PLENTY OF WATER FOR AT LEAST 15
MINUTES. REMOVE CONTAMINATED CLOTHING AND SHOES. CALL A DOCTOR.
INHALATION: REMOVE PERSON TO FRESH AIR. GET PROMPT MEDICAL
ATTENTION. IINGESTI ON: IF CONSCIOUS HAVE VICTIM DRINK WATER OR
MILK.

===== Fire Fighting Measures =====

Extinguishing Media:DRY CHEMICAL

Fire

Fighting Procedures:WEAR CHEMICAL PROTECTIVE SUIT WITH SELF
CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:THE ACID REACTS WITH MOST METALS TO GIVE
FLAMMABLE HYDROGEN GAS. MAY CAUSE FIRE ON CONTACT WITH
COMBUSTIBLES.

===== Accidental Release Measures =====

Spill Release Procedures:DO NOT GET WATER INSIDE CONTAINER. DO NOT
TOUCH SPOILED MATERIAL. STOP LEAK IF YOU CAN WITHOUT RISK. USE
WATER SPRAY TO REDUCE VAPORS BUT DO NOT PUT WATE

R ON LEAK AREA.

COVER WITH SODIUM CARBONATE OR A MIXTURE OF SODA ASH AND SLAKED LIME BY STIRRING.

Neutralizing Agent:SODA ASH

=====
===== Handling and Storage =====

Handling and Storage Precautions:PROTECT AGAINST PHYSICAL DAMAGE.

PREVENT CONTACT WITH WATER. SEPARATE FROM CARBIDES, CHLORATES, FULMINATES, PICRATES, POWDERED METALS, COMBUSTIBLES

Other Precautions:REACTS VIOLENTLY WITH WATER ACCOMPANIED BY EVOLUTION OF HEAT. SULFURIC ACID ATTACKS MANY METALS RELEASING FLAMMABLE HYDROGEN GAS.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:SELF-CONTAINED BREATHING APPARATUS FOR EMERGENCIES.

Ventilation:MAINTAIN ADEQUATE VENTILATION.

Protective Gloves:RUBBER

Eye Protection:CHEMICAL SPLASH GOGGLES

Other Protective Equipment:SAFETY SHOWER, EYEWASH FOUNTAIN, FACE SHIELD, SAFETY SHOES, PROTECTIVE CLOTHING

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health

lth

=====
===== Physical/Chemical Properties =====

HCC:C1

Boiling Pt:B.P. Text:535F,279C

Spec Gravity:1.835

Evaporation Rate & Reference:< 1 (BUTYL ACETATE = 1)

Solubility in Water:COMPLETE

Appearance and Odor:COLORLESS TO BROWNISH OILY LIQUID WITH NO ODOR.

Percent Volatiles by Volume:0

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG REDUCING AGENTS, POWDERED METALS, COMPUSTIBLES, NITRATES

Stabili

ty Condition to Avoid:HIGH HEAT, MOISTURE

Hazardous Decomposition Products:OXIDES OF SULFUR, HYDROGEN SULFIDE,
HYDROGEN GAS

===== Disposal Considerations =====

Waste Disposal Methods:FLUSH WITH WATER. NEUTRALIIZE WASHINGS WITH LIME
OR SODA ASH. FLUSH TO AN APPROVED DISPOSAL AREA. TAKE CARE NOT TO
GET WATER IN SULFURIC ACID STORAGE AS VIOLENT REACTION WILL OCCOR.

Disclaimer (provided with this information by the compiling agencies):

This informatio

n is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.