View NSN Online: https://aerobasegroup.co.il/nsn/6810-00-264-8954

MALLINCKRODT, INC -- FORMIC ACID 88% -- 6810-00-264-8954

Product ID:FORMIC ACID 88%

MSDS Date:07/13/1987

FSC:6810

NIIN:00-264-8954

MSDS Number: BDQXK === Responsible Party ===

Company Name: MALLINCKRODT, INC

Address: PARIS BYPASS

Box:M City:PARIS State:KY ZIP:40361

Country:US

Info Phone Num:314-982-5000

Emergency Phone Num:314-982-5000

CAGE:DO880 === Contractor Id entification ===

Company Name: MALLINCKRODT SPECIALTY CHEMICALS CO

Address:222 RED SCHOOL LANE

Box:City:PHILLIPSBURG

State:NJ ZIP:08865 Country:US

Phone:908-859-2151

CAGE:62910

Company Name: MALLINCKRODT, INC., SCIENCE PRODUCTS DIV.

Box:BOX M City:PARIS State:KY ZIP:43061 Country:US CAGE:DO880

====== Composition/Information on Ingredients ========

Ingred Name: FORMIC ACID (SARA III)

CAS:64-18-6

RTECS #:LQ4900000 Fraction by Wt: 88% OSHA PEL:5 PPM

ACGIH TLV:5 PPM/10 STEL; 9192

EPA Rpt

Qty:5000 LBS DOT Rpt Qty:5000 LBS Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 12.0% ============= Hazards Identification ======================== Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Effects of Overexposure: EYES-TISSUE & CORNEAL DAM. SKIN-SEVERE IRRIT; REDNESS, PAIN, BURNS. INHAL-SEVERE IRRIT OF NOSE, THROAT, UPPER RESPIR TRACT; POSS LUNG DAMAGE. INGEST-SERIOUS BURNS, CORROSION OF MOUTH, THROAT, ESOPHAGUS, W/IMMED PAIN, DIFFICULT **SWALLOW** ING;ALSO,ABDOM PAIN,NAUSEA,DIARRHEA,VOMIT;POSS SHORTNESS OF BREATH; DEATH. Medical Cond Aggravated by Exposure: NONE KNOWN First Aid:EYE-FLUSH W/WATER 15 MIN;GET IMMED MED ATTN. SKIN-REMOVE CONTAM CLOTH; WASH AREA W/WATER 15 MIN; IF IRRIT PERSIST, GET MED ATTN. INHAL-GET TO FRESH AIR; GIVE ARTIF RESPIR IF REQD; GET MED ATTN. INGEST-IF C ONSCIOUS, GIVE LGE QTY WATER. DO NOT INDUCE VOMIT; GET MED ATTN. ========== ====== Fire Fighting Measures ============ Flash Point Method:CC

Flash Point Method:CC Flash Point:122F/50C Lower Limits:18

Upper Limits:57

Extinguishing Media:DRY CHEMICAL, FOAM, CARBON DIOXIDE. WATER SPRAY MAY BE USED TO KEEP FIRE-EXPOSED CONTAINERS COOL.

Fire Fighting Procedures:WEAR FULL PROTECT CLOTH & NIOSH-APPROVED SLF-CONTND BREATH APPAR W/FULL FACEPIECE OPER IN PRESS DEMAND MODE/OTHER POS PRESSURE MODE.

Unusual Fire/Explosion Hazard:NOT GIVEN

======= Accidental Release Me

OOLIFOO							
	===						

Spill Release Procedures: VENT AREA; REMOVE ALL SOURCES IGNITION. USE PROTECT CLOTH & RESPIR PROTECT FM VAPORS. CONTAIN & RECOVER LIQ WHEN POSS. ABSORB RESIDUE W/VERMICULITE, DRY SAND ETC. DO NOT FLUSH TO SEWER.

=========== Handling and Storage ============================

Handling and Storage Precautions: AVOID CONTACT W/EYES, SKIN, CLOTHING; AVOID BREATHING MIST. KEEP CONTNR CLOSED. USE W/ADEQUATE VENT. WASH THOROUGHLY AFTER HANDLING. KEEP AWAY FM HEAT.

Other Precautions: SHOULD BE HANDLED IN 316 STAINLESS STEEL GLASS, CERAMIC, OR SIMILAR CORROSION RESISTANT MATLS.

====== Exposure Controls/Personal Protection ========

Respiratory Protection: IF TLV EXCEED-FULL FACEPIECE CHEM CART RESPIR; SUPPLIED AIR FULL FACEPIECE RESPIR OR AIRLINED HOOD Ventilation: LOCAL OR GENERAL EXHAUST. LOCAL EXHAUST PREFERRED

Protective Gloves: RUBBER OR NEOPRENE

Eye Protection: CHEM SAF GOGGLES OR FULL FACESHIELD

Other Protective Equipment:FULL

PROTECTIVE CLOTHING, SAFETY SHOWER, EYE

WASH STATION

Supplemental Safety and Health

MSDS FM MFR DATED 01 NOV 85, CONFORMS TO OSHA HAZ COMM STD.

======== Physical/Chemical Properties =============

HCC:F6

Boiling Pt:=107.2C, 225.F Melt/Freeze Pt:=-12.2C, 10.F

Vapor Pres:40 Vapor Density:1.6 Spec Gravity:1.2

Evaporation Rate & Reference: 2.1 /BUTACET=1/

Solubility in Water: COMPLETE

Appearance and Odor: CLEAR, COLORLESS LIQUID; CHARACTERISTIC, PUNGENT ODOR

======= Sta

Stability Indicator/Materials to Avoid:YES
SULFURIC ACID, STRONG CAUSTICS, FURFURYL ALCOHOL, HYDROGEN PEROXIDE, STRONG
OXIDIZERS & BASES.
Stability Condition to Avoid:NOT GIVEN
Hazardous Decomposition Products:CARBON MONOXIDE;CARBON DIOXIDE.

====== Disposal Considerations ==========

Waste Disposal Methods:CAN ATOMIZE IN SUITABLE RCRA APPROVED COMBUSTION CHEMBER OR SEND TO RCRA APPROVED DISPOSAL FACILITY. ENSURE CO

MPLIANCE W/LOCAL, STATE & FED REGS.

bility and Reactivity Data =========

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.