View NSN Online: https://aerobasegroup.co.il/nsn/6850-00-270-6225

TRUETECH INC (FORMERLY CHEMICAL COMPOUNDING CORP) -- CHLORINATION KIT

6850-00-270-6225

============ Product Identification ==============

Product ID:CHLORINATION KIT

MSDS Date:01/01/1987

FSC:6850

NIIN:00-270-6225

Kit Part:Y

MSDS Number: BDRRZ === Responsible Party ===

Company Name: TRUETECH INC (FORMERLY CHEMICAL COMPOUNDING CORP)

Address:680 ELTON AVE

City:RIVERHEAD

State:NY

ZIP:11901-2555 Country:US

Info P

hone Num:516-727-8600

Emergency Phone Num:516-727-8600

CAGE:KO155

=== Contractor Identification === Company Name:TRUETECH INC

Address:680 ELTON AVE Box:City:RIVERHEAD

State:NY

ZIP:11901-2555 Country:US

Phone:516-727-8600

CAGE:06421

Company Name: TRUETECH INC (FORMERLY CHEMICAL COMPOUNDING CORP)

Address:680 ELTON AVE

City:RIVERHEAD

State:NY

ZIP:11901-2555 Country:US

Phone:516-727-8600

CAGE:KO155

====== Composition/Information on Ingredients ========

Ingred Name: CALCIUM HYPOCHLORITE

(SARA III) CAS:7778-54-3 RTECS #:NH3485000 Fraction by Wt: 53.0% EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS Ingred Name: SODIUM CHLORIDE, CAS#7647-14-5 CAS:7647-14-5 RTECS #: VZ4725000 Fraction by Wt: 33.0% ACGIH TLV:NOT SPECIFIED Ingred Name: POTASSIUM SULFATE BISULFATE, CAS#7646-93-7 CAS:7646-93-7 RTECS #:TS7200000 Fraction by Wt: 14.0% ACGIH TLV:NOT SPECIFIED Ingred Name: O-TOLIDINE DIHYDROCHLORIDE (INDEPENDENT ITM OF KIT, SEE SUPPLEMENTAL DATA). Fraction by Wt: 0.2% **ACGIH TLV:NOT SPECIFIED** Effects of Overexposure: IRRITATING TO EYES, SKIN & RESPIRATORY TRACT First Aid:FLUSH SKIN & EYES-GET MEDICAL AID.MOVE VICTIM TO FRESH AIR:CALL EMERGENCY MEDICAL CARE.REMOVE & ISOLATE CONTAMINATED CLOTHING & SHOES. Extinguishing Media:NOT COMBUSTIBLE, BUT MAY IGNITE. USE CO*2, FOAM. ire Fighting Procedures: SPRAY WITH WATER-WEAR GOGGLES & SELF CONTAINED **BREATHING EQP** Unusual Fire/Explosion Hazard: CONTAINERS MAY RUPTURE FROM EXPOSURE TO HEAT.RUNOFF TO SEWER MAY CREATE FIRE OR EXPLOSION HAZARD. ======== Accidental Release Measures ============ Spill Release Procedures: USE PROPER PERSONAL PROTECTION. REMOVE ALL IGNITION SOURCES. VENTILATE THE AREA. COLLECT IN A SUITABLE CONTAINER FOR PROPER DISPOSAL. ======== Handling and Storage

Handling and Storage Precautions:DO NOT DROP.STORE IN A COOL DRY PLACE.DO NOT ALLOW CHLORINE & CALCIUM HYPOCHLORITE TO COME IN CONTACT WITH ORGANIC MATTER, CHARCOAL, ALOCHOLS, GREASE.

Other Precautions:DO NOT ALLOW KIT CHEMICALS TO COME IN CONTACT WITH IRON OXIDE, PHENOL.

====== Exposure Controls/Personal Protection ========

Respiratory Protection:NIOSH/MSHA/MESA APPROVD SCBA Ventilation:LOCAL EXHAUST TO MAINTN BELOW TLV.

Protective Gloves:RUBBER

Eye Protection: SAFETY GOGGLES

Other Protective Equipment:FULL PROTECTIVE CLOTHING,SAFETY SHOWER,EYE WASH STATION

Supplemental Safety and Health

KEY1=D1. ITEM IS A KIT CONSISTING IF 100 TUBES OF CALCIUM HYPOCHLORITE (PNI A) AND 3 BOTTLES OF 0-TOLUIDINE-DIHYDROCHLORIDE (PNI B) + 3 VIALS OF COLOR STANDARDS FOR 1,5,10 PPM CHLORINE EACH.

======== Physical/Chemical Properties ==========

HCC:D1
Spec Gravity:0.8
Solubility in Water:MODERATE
Appearance and Odor:WHITE FR
EE FLOWING GRANULAR SOLID WITH CHLORINEODO

Hazardous Decomposition Products: CHLORINE GAS.

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:NO
ORGANIC MATTER, CHARCOAL, ALCOHOLS, GREASES, IRON OXIDE, PHENOL
Stability Condition to Avoid:DECOMPOSES RAPIDLY WHEN HEATED TO
350F(AVOID HIGH TEMP)

====== Disposal Considerations ===========

Waste Disposal Methods:DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH LOCA

L, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.