

STA-LUBE,INC -- TT-R-251,TYPE 3,CLASS B -- 8010-00-286-2861

=====  
Product Identification  
=====

Product ID:TT-R-251,TYPE 3,CLASS B

MSDS Date:01/01/1985

FSC:8010

NIIN:00-286-2861

MSDS Number: BDTTW

=== Responsible Party ===

Company Name:STA-LUBE,INC

Address:3039 ANA ST

City:COMPTON

State:CA

ZIP:90224

Country:US

CAGE:HO258

=== Contractor Identification ===

Company Name:STA-LUBE INC

Address:3039 ANA

ST

Box:City:RANCHO DOMINGUEZ (PART OF COMPTON)

State:CA

ZIP:90221

Country:US

Phone:310-664-2121/800-424-9300(CHEMTREC)

CAGE:33876

Company Name:STA-LUBE,INC

CAGE:HO258

=====  
Composition/Information on Ingredients  
=====

Ingred Name:METHYLENE CHLORIDE (SARA III)

CAS:75-09-2

RTECS #:PA8050000

Fraction by Wt: 75%

OSHA PEL:500 PPM/C,1000; Z2

ACGIH TLV:50 PPM, A2; 9192

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:METHYL ALCOHOL (METHANOL) (SARA III)

CAS:67-56-1

RTECS #:PC

1400000

Fraction by Wt: 24%

OSHA PEL:S,200PPM/250STEL

ACGIH TLV:S,200PPM/250STEL; 93

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

=====  
===== Hazards Identification =====

Effects of Overexposure:DIZZINESS,IRRITATION OF MUCOUS  
MEMBRANES,CARDIAC DEPRESSION,NARCOSIS

=====  
===== First Aid Measures =====

First Aid:SKIN CONTACT-WASH WITH WATER.INH-REMOVE INDIVIDUAL TO FRESH  
AIR.INGEST-INDUCE VOMITING & CONTACT PHYSICIAN IMMEDIATELY.E  
YE  
CONTACT-FLUSH WITH WATER & CALL PHYSICIAN.

=====  
===== Fire Fighting Measures =====

Flash Point:70F (TCC)

Extinguishing Media:WATER,DRY CHEMICAL,CARBON DIOXIDE

Unusual Fire/Explosion Hazard:CONTACT WITH OPEN FLAME CAN PRODUCE TOXIC  
GAS.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:SMALL SPILLS:MOP UP/SOAK UP W/ABSORBENT  
MATERIAL USING PROPER PROTECTIVE EQUIP.LARGE SPILLS:EVACUATE  
AREA.USING PROPER  
EQUIP,FLUSH SPILL TO GROUND & LET EVAPORATE.KEEP  
OUT OF WATER SUPPLY & AWAY FROM INHABITED BUILDINGS.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE AT TEMPERATURES BELOW 110F.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF NEEDED:NIOSH/MSHA APPRVD RESPIRATORY  
EQUIPMENT.

Ventilation:LOCAL EXHAUST:PROVIDE ADEQUATE VENTILATION

Protective Gloves:POLYETHYLENE

Eye Protection:SAFETY

GOGGLES

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:F5

Boiling Pt:B.P. Text:104F

Vapor Pres:316

Spec Gravity:1.20

Solubility in Water:APPRECIABLE

Appearance and Odor:CLEAR GEL SOLVENT,CHLORINATED HYDROCARBON ODOR

Percent Volatiles by Volume:98.7

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OXIDIZING MATERIALS

Hazardous Decomposition Products:OPEN FLAME OR HI TEMP GENE

RATES HCL,CL

& PHOSGENE

===== Disposal Considerations =====

Waste Disposal Methods:MUST BE IN ACCORDANCE WITH LOCAL,STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.