

MOBIL OIL CORPORATION -- MOBILAD F-800 -- 6850-00-292-9780

===== Product Identification =====

Product ID:MOBILAD F-800

MSDS Date:01/01/1985

FSC:6850

NIIN:00-292-9780

MSDS Number: BDVTC

=== Responsible Party ===

Company Name:MOBIL OIL CORPORATION

Address:150 E 42ND ST

City:NEW YORK

State:NY

ZIP:10017-5612

Country:US

CAGE:1G112

=== Contractor Identification ===

Company Name:MOBIL CORP

Address:150 E

42ND ST

Box:City:NEW YORK

State:NY

ZIP:10017-5612

Country:US

Phone:212-883-4242

CAGE:57635

Company Name:MOBIL OIL CORPORATION

Address:3225 GALLOWS RD

City:FAIRFAX

State:VA

ZIP:22037-0001

Phone:(703) 846-1482

CAGE:1G112

===== Composition/Information on Ingredients =====

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)

CAS:1330-20-7

RTECS #:ZE2100000

Fraction by Wt: 4%

OSHA PEL:100 PPM/150 STEL

ACGIH TLV:100 PPM/150STEL;9192

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred N

ame:NAPHTHA (PETROLEUM SPIRITS OR BENZIN)

CAS:8030-30-6

RTECS #:SE7555000

Fraction by Wt: 45%

OSHA PEL:100 PPM

Ingred Name:PHENOL

CAS:108-95-2

RTECS #:SJ3325000

Fraction by Wt: 1%

OSHA PEL:S, 5 PPM

ACGIH TLV:S, 5 PPM; 8990

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:ADDITIVES(AND/OR OTHER NON HAZARDOUS INGREDIENTS)

Fraction by Wt: 116F;47C(TCC)

Extinguishing Media:CO*2,FOAM, DRY CHEM WATER SPRAY

Fire Fighting Procedures:FIREFIGHTERS USE NIOSH/MSHA APPRVD SCBA

Unusual Fire/Explosion H

azard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB W/FIRE RETARDANT SAWDUST,DIATOMACEOUS EARTH OR OTHER ABSORBENT. SHOVEL & REMOVE. REPORT SPILLS TO APPROPRIATE AUTHORITIES. SPILLS THAT MAY REACH WATERWAY DRY CREEKS INCLUDED CALL COAST GUARD 80 0-424-8802. ROADSPILLS:CALL CHEMTREC 800-424-9300.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID CONTACT W/EYES & SKIN. STORE IN COOL AREA. MATERIAL MUST BE LABELLED COMBUSTIBLE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE ADEQUATE VENTILATION MFR
Ventilation:RECOMMENDED;EQUIPMENT SHOULD EXPLOSION PROOF
Protective Gloves:IMPERVIOUS
Eye Protection:CHEM TYPE GOGGLES
Supplemental Safety and Health
FIRST AID:INGEST:IMMED GIVE 12 GLASSES OF H*2O, CALL MD/POISON CONTROL FOR WAY TO INDUCE VOMIT. IF UNCON-DO NOT INDUCE VOMIT OR GIVE ANYTHING BY MOUTH.

CONTAINER:55 GAL

===== Physical/Chemical Properties =====

HCC:F4

Boiling Pt:B.P. Text:>317F;158C

Vapor Pres:2.0

Vapor Density:0.85

Solubility in Water:NEGLIGIBLE

Appearance and Odor:STRAW-LIKE LIQUID;MILD ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS

Hazardous Decomposition Products:CO

===== Disposal Considerations =====

Waste Disposal Methods:

MFR RECOMMENDS DISPOSING BY SUPERVISED

INCINCERATION. DISPOSAL METHOD MUST BE IAW FEDERAL,STATE 6 LOCAL
CODES.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.