View NSN Online: https://aerobasegroup.co.il/nsn/6850-00-297-3885

Product ID:FUSER OIL: XEROX FO

MSDS Date:01/26/1987

FSC:6850

NIIN:00-297-3885

MSDS Number: BDWHB === Responsible Party ===

Company Name: NASHUA CORPORATION

Address:44FRANKLIN STREET

City:NASHUA State:NH ZIP:03061 Country:US

Info Phone Num:800-258-1370 OR 603-880-5555

Emergency Phone Num:(603) 880-555

5

Preparer's Name: R. L. SEVIGNY

CAGE:0EK44

=== Contractor Identification ===

Company Name: NASHUA CORP OFFICE PRODUCTS DIV.

Address:44 FRANKLIN ST

Box:City:NASHUA

State:NH ZIP:03060 Country:US

Phone:603-880-2323

CAGE:34936

Company Name: NASHUA CORPORATION

Address:44 FRANKLIN STREET

City:NASHUA State:NH ZIP:03061 Country:US

Phone:603-880-5555

CAGE:0EK44

======= Composition/Information on Ingredients ========

Ingred Name:POLYDIMETHYLSILOXANE

CAS:9016-00-6

RTECS #:TQ2690000

Fraction by

ACGIH TLV:5MG/CUM ============= Hazards Identification ======================== Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:NO KNOWN CHROONIC OR ACUTE HEALTH HAZARD WHEN USED AS DIRECTED. Explanation of Carcinogenicity: NO DATA AVAILABLE. Effects of Overexposure: EYES: MAY CAUSE TEMPORARY DISCOMFORT; INGESTION:HAS LAXATIVE EFFECT;SKIN/INHALATION:NONE KNOWN Me dical Cond Aggravated by Exposure: NONE KNOWN First Aid:REMOVE FROM EXPOSURE; WIPE OFF AND WASH SKIN WITH SOAP AND WATER; FLUSH EYES FOR 15 MINUTES, WITH LARGE AMOUNTS OF WATER, DRINK WATER IF INGESTED AND CALL POISON CONTROL CENTER. Flash Point Method:OC Flash Point:600F/315C Extinguishing Media:CO2, FOAM, DRY CHEM & H2O FOG. Fire Fighting Procedur es:SELF-CONTAINED BREATHING APPARATUS, PROTECTIVE **CLOTHING** Unusual Fire/Explosion Hazard:NONE KNOWN ========= Accidental Release Measures ============ Spill Release Procedures: USE ABSORBENT MATERIAL TO COLLECT AND CONTROL SPILLAGE. Neutralizing Agent: NO INFORMATION GIVEN ON MSDS BY MFR. ============= Handling and Storage ========================== Handling and Storage Precautions: AVOID RUBBING EYES WITH HANDS WHILE

Wt: 100.0%

OSHA PEL:5MG/CUM

USING THIS MATERIAL.

Other Precautions:CL

EAN UP SPILLS COMPLETELY AS RESIDUE IS SLIPPERY.

UPON EYE CONTACT REMOVE AND CLEAN CONTACT LENSES PRIOR TO REUSE.

====== Exposure Controls/Personal Protection ========

Respiratory Protection: NONE REQUIRED

Ventilation: NONE REQUIRED

Protective Gloves: NONE REQUIRED WHEN USED AS INTENDED Eye Protection: USE PROPER PROTECTION - SAFETY GLASSES

Other Protective Equipment: NONE REQUIRED

Work Hygienic Practices: USE GOOD INDUSTRIAL HYGIENE PRACTICE. WASH

AFTER USING THE PRODUCT AND BEFORE EATING, DRINKING, ETC.

Supplemental Safety and Health

KEY2:KT

======== Physical/Chemical Properties ==========

HCC:N1 NRC/State Lic Num:NONE Boiling Pt:B.P. Text:>600F/>316C Vapor Pres: