View NSN Online: https://aerobasegroup.co.il/nsn/9150-00-424-3224

Product ID:MOLYSULFIDE (PART 2,LUBRICANT KIT-SEE SUPP) MSDS Date:10/20/1988 FSC:9150 NIIN:00-424-3224 Kit Part:Y MSDS Number: BDYNY === Responsible Party === Company Name: CLIMAX MOLYBDENUM CO., DIV OF AMAX, INC. Address:3858 CARSON City:TORRANCE State:CA ZIP :90503 Info Phone Num:714-804-2310 Emergency Phone Num:714-804-2310 Preparer's Name: CHARLES EISENHARD CAGE:4L063 === Contractor Identification === Company Name: CHEMICAL COMMODITIES AGENCY, INC. Address:27447 PACIFIC STREET Box:City:HIGHLAND State:CA ZIP:92346-2640 Country:US Phone:909-864-2310 CAGE:60777 Company Name: CLIMAX MOLYBDENUM CO A DIV OF AMAX INC Address:3858 CARSON Box:City:TORRANCE State:CA ZIP:90503-6705 Country:US Phone:213-540-6612 CAGE:4L063

======= Composition/Information

on Ingredients ========

Ingred Name:MOLYBDENUM SULFIDE CAS:1317-33-5 RTECS #:QA6497000 Fraction by Wt: 100% OSHA PEL:5 MG MO/M3 RESP DUST ACGIH TLV:10 MG MO/M3

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:MSDS STATES:"REFERENCES AVAILABLE AT THIS TIME DO NOT REPORT ILL EFFECTS IN WORKERS EXPOSED TO DUST & FUMES." HMI S:CONSIDER A NUISANCE DUST. Explanation of Carcinogenicity:NOT LISTED. Effects of Overexposure:NONE REPORTED. Medical Cond Aggravated by Exposure:NONE REPORTED.

First Aid:MSDS:"TREAT SYMPTOMS" HMIS:USE STANDARD ACCEPTED FIRST AID PROCEDURES. GET MEDICAL ATTENTION IF INGESTED OR IF ANY SYMPTOMS DEVELOP.

Flash Point:NONE
Extinguishing Media:USE WATER
FOG, CARBON DIOXIDE, FOAM, OR DRY
CHEMICAL.
Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA &
FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER
SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.
Unusual Fire/Explosion Hazard:FIRE OR EXCESSIVE HEAT MAY CAUSE
PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.

Spill Release Procedures: VACCUM UP POWDER, MINIMIZE DUST. Neutralizing Ag

ent:NONE

Handling and Storage Precautions: NO SPECIAL STORAGE CONDITIONS REPORTED. Other Precautions: READ MSDS FOR PART A WHEN USING KIT. Respiratory Protection: USE NIOSH/MSHA MASK FOR DUST IF EXPOSED ABOVE PEL/TLV. NONE IS EXPECTED TO BE NECESSARY. Ventilation:NORMAL ROOM VENTILATION SHOULD BE SUFFICIENT. Protective Gloves:NOT EXPECTED TO BE NECESSAR Υ. Eye Protection:SAFETY GLASSES. Other Protective Equipment: NONE SHOULD BE NEEDED. Work Hygienic Practices: USE GOOD INDUSTRIAL HYGIENE PRACTICE. MINIMIZE CONTACT. Supplemental Safety and Health PART 2 OF KIT.PART 1 ENTERED UNDER CAGE 5A188 THIS NSN - CHEM COMMODITIES AGENCY PURCHASED MOLYBDENUMDISULFIDE FROM CLIMAX MOLYBDENUM COMPANY AND ISOPROPANOL FROM ASHLAND CHEMICAL COMPANY IN BULK QUAN TITY.REPACKAGED THE PRODUCTS IN SMALL QTY AND PACKED TO MAKE THE REQUIRED LUBRICATIN G KIT FOR TYPE I OF MIL-L-24478(SH). HCC:V6 Boiling Pt:B.P. Text:4.80 Appearance and Odor: BLUE-GRAY TO BLACK CRYSTALLINE POWDER. Stability Indicator/Materials to Avoid:YES NONE REPORTED. Stability Condition to Avoid:NONE REPORTED. Hazardous Decomposition Products: HMIS: SULFUR DIOXIDE, METAL OXIDE.

Waste Disposal Methods: DISPOSE I/A/W FEDERAL, STATE, LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume resp

onsibility for the suitability of this information to their particular situation.