

A B DICK COMPANY -- 92-2185 TONER CONCENTRATE -- 6850-00-498-2345

=====  
Product Identification  
=====

Product ID:92-2185 TONER CONCENTRATE

MSDS Date:05/28/1985

FSC:6850

NIIN:00-498-2345

Kit Part:Y

MSDS Number: BFBMS

=== Responsible Party ===

Company Name:A B DICK COMPANY

Address:5700 W TOUHY AVE

City:CHICAGO

State:IL

ZIP:60648-4606

Info Phone Num:312-647-8800

Emergency Phone Num:312-647-8800

Pre

parer's Name:KENNETH W. PINTER

CAGE:HO951

=== Contractor Identification ===

Company Name:DICK A B CO

Address:7400 CALDWELL AVE

Box:City:NILES

State:IL

ZIP:60714-4628

Country:US

Phone:847-779-1900

CAGE:17638

Company Name:DICK A B CO

Address:5700 WEST TOUHY AVENUE

Box:City:CHICAGO

State:IL

ZIP:60648

Country:US

Phone:312-647-8800

CAGE:HO951

=====  
Composition/Information on Ingredients  
=====

Ingred Name: (C\*9 12%,C\*10 56%,C\*11 32%9

Fraction by Wt: 50-60%

Other REC Limits:NONE

OSH

A PEL:300PPM(GASOLINE)  
ACGIH TLV:300PPM(GASOLINE)

Ingred Name:CARBON BLACK

CAS:1333-86-4

RTECS #:FF5800000

Fraction by Wt: 10ML/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SEE SIGNS & SYMPTOMS OF OVEREXPOSURE

Explanation of Carcinogenicity:CARBON BLACK IS CARCINOGEN DEFINED BY  
NIOSH WITH NO FURTHER CATEGORIZATION.

Effects of Overexposure:EYE IRRITANT;INHAL:DIZZINESS,HEADACHE.

Medical Cond A

Aggravated by Exposure:NONE NOTED

=====  
First Aid Measures  
=====

First Aid:EYE-FLUSH W/WATER,SEE DOC. SKIN-WASH W/SOAP & WATER.  
INHAL-REMOVE TO FRESH AIR,IF OVERCOME,CALL DOC. INGEST-DO NOT  
INDUCE VOMIT & CALL DOCTOR.

=====  
Fire Fighting Measures  
=====

Flash Point:106F/42C/TOC

Lower Limits:0.8

Upper Limits:7.0

Extinguishing Media:FOAM,CARBON DIOXIDE

Fire Fighting Procedures:NONE

Unusual Fire/Explosion Hazard:NONE

=====  
Accidental Release Measures  
=====

Spill Release Procedures:REMOVE ALL IGNITION SOURCES. WIPE UP WITH DRY  
RAGS OR ADSORBING POWDER.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:DO HANDLE/STORE NEAR HEAT,SPARKS,FLAME  
OR STRONG OXIDANTS.

Other Precautions:NONE

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NONE NORMALLY NECESSARY.

Ventilation:LOCAL EXHA

UST PREFERRED,MECHANICAL (GENERAL),ACCEPTABLE.

Protective Gloves:NOT NORMALLY NECESSARY

Eye Protection:NOT NORM NECESSARY

Other Protective Equipment:NONE

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health

KIT CONSISTS OF 1 3.3 OZ BTL TONER & SIX 32 OZ BTLs DISPERSANT.THIS

MSDS APPEARS TO BE A DIFFERENT FORMULATION OF 92-2185 TONER CONC  
THAN IS SHOWN IN PART NO INDICATOR A OF THIS NSN.

===== Physical/Chemical Properties =====

=

HCC:F4

Boiling Pt:B.P. Text:>350F/177C

Vapor Density:>1

Spec Gravity:0.866

Solubility in Water:INSOLUBLE

Appearance and Odor:BLACK-KEROSENE LIQUID

Percent Volatiles by Volume:50

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

EXIDIZERS,COMBUSTIBLE MATERIALS

Stability Condition to Avoid:HEAT,SPARKS,OPEN FLAMES.

Hazardous Decomposition Products:SMOKE,POSSIBLE CARBON MONOXIDE

===== Disposal Considerations =====

=====

Waste Disposal Methods:IAW LOCAL,FEDERAL REGS FOR COMBUSTIBLE (FLAM)  
NON-AQUEOUS WASTES.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advi

ce to verify and  
assume responsibility for the suitability of this information to their  
particular situation.