

DOW CORNING CORP -- 7 RELEASE PASTE COMPOUND -- 6850-00-501-6189

===== Product Identification =====

Product ID:7 RELEASE PASTE COMPOUND

MSDS Date:03/12/1990

FSC:6850

NIIN:00-501-6189

MSDS Number: BFBRW

=== Responsible Party ===

Company Name:DOW CORNING CORP

Address:3901 SOUTH SAGINAW ROAD

Box:997

City:MIDLAND

State:MI

ZIP:48640

Country:US

Info Phone Num:517-496-6000

Emergency Phone Num:517-496-59

00

Preparer's Name:JACK L. SHENEGER

CAGE:5D028

=== Contractor Identification ===

Company Name:ACCUMETRIC INC

Address:350 RING RD

Box:843

City:ELIZABETHTOWN

State:KY

ZIP:42701

Country:US

Phone:502-769-3385

CAGE:58149

Company Name:DOW CORNING CORP

Address:3901 S SAGINAW RD

Box:997

City:MIDLAND

State:MI

ZIP:48686-0997

Country:US

Phone:517-496-6000/517-496-6315

CAGE:5D028

Company Name:DOW CORNING CORP

Address:2200 W SALZBURG RD

Box:City:AUBURN

State:MI

ZIP:48611

Country:US

Phone:517-496-4388

CAGE

:71984
Company Name:INLAND PACKAGING
Box:644
City:ELIZABETHTOWN
State:KY
ZIP:42701
Country:US
Phone:502-737-6758
CAGE:6U655

=====
Composition/Information on Ingredients
=====

Ingred Name:POLYDIMETHYLSILOXANE (SILICONE RUBBER)
CAS:63394-02-5
RTECS #:TQ2700000
Other REC Limits:NONE SPECIFIED

Ingred Name:UNIDENTIFIED COMPONENT
Other REC Limits:NONE SPECIFIED

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:
NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:HEALTH HAZARDS-ACUTE:NO HEALTH HAZARD.
CHRONIC:NO HEALTH HAZARD.
Explanation of Carcinogenicity:NONE SPECIFIED BY MANUFACTURER.
Effects of Overexposure:EYES:MAY CAUSE TEMPORARY DISCOMFORT WITH MILD
REDNESS AND DRYNESS SIMILAR TO SUNBURN. SKIN:NO KNOWN ADVERSE
EFFECT. INHALATION:NO INJURY IS LIKELY. INGESTION:DIGESTIVE
DISCOMFORT.
Medical Cond Aggravated by Exposure:THIS PRODUCT, AS WITH ANY C
HEMICAL,
MAY ENHANCE ALLERGIC REACTIONS ON CERTAIN INDIVIDUALS.

=====
First Aid Measures
=====

First Aid:EYES:IMMEDIATELY FLUSH WITH PLENTY OF WATER. SKIN:WIPE OFF
AND FLUSH WITH WATER. INHALATION:NO FIRST AID SHOULD BE NEEDED.
INGESTION:NO FIRST AID SHOULD BE NEEDED. --IF PRODUCT IS INJECTED
UNDER THE S KIN,SEE DOCTOR IMMEDIATELY REGARDLESS OF APPEARANCE OR
SIZE.THIS IS A SERIOUS MEDICAL EMERGENCY--

=====
Fire Fightin
=====

g Measures =====

Flash Point Method:CC

Flash Point:>212F,>100C

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:SCRAPE UP GREASE. ABSORB ANY OIL-LIKE RESIDUE IN INERT MATERIAL, AND PLACE IN APPROPRIATE DISPOSAL CONTAINER AND COVER. WASH AREA WITH SOAP AND WATER.

===== Handling and Storage =====

Handling and Storage Precautions:USE REASONABLE CARE AND CAUTION.

Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY NEEDED.

Ventilation:GENERAL (MECHANICAL) VENTILATION.

Protective Gloves:NONE SPECIFIED BY MANUFACTURER.

Eye Protection:SAFETY GLASSES.

Other Protective Equipment:OIL RESISTANT APRON.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

THIS PRECAUTIONS ARE FOR ROOM TEMPERATURE HANDLING, USE AT ELEVATED TEMPERATURES, OR AEROSOL/SPRAY APPLICATIONS, MAY REQUIRE ADDED PRECAUTIONS. TRACES OF FORMALDEHYDE (CARCINOGEN) MAY FORM IF HEATED IN AIR ABOVE 300F. PROVIDE VENTILATION TO CONTROL VAPOR EXPOSURE WITHIN INHALATION GUIDELINES.

===== Physical/Chemical

I Properties =====

HCC:N1

Vapor Pres: