View NSN Online: https://aerobasegroup.co.il/nsn/6750-00-539-9540

EASTMAN KODAK COMPANY -- 190 0703 FLEXICOLOR STABILIZER/REPLENISHER, 6750-00-539-9540

Product ID:190 0703 FLEXICOLOR STABILIZER/REPLENISHER, MSDS Date:12/15/1990 FSC:6750 NIIN:00-539-9540 Kit Part:Y **MSDS Number: BFDKX** === Responsible Party === Company Name: EASTMAN KODAK COMPANY Address:343 STATE STREET City:ROCHESTER State:NY ZIP:14650 Country:US Info Phone Num:716-722-5151 Emergency Phone Num:716-722-5151 CAGE:19139 === Contractor Identification === Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS Address:343 STATE ST Box:City:ROCHESTER State:NY ZIP:14650-1115 Country:US Phone:716-722-5151/(800) 242-2424 CAGE:19139 Company Name: EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES Address:800 LEE RD Box:City:ROCHESTER State:NY ZIP:14650-3129 Country:US Phone:800-828-6203 CAGE:5K871

======= Composition/Information on Ingredients

Ingred Name:FORMALDEHYDE (SARA III) CAS:50-00-0 RTECS #:LP8925000 Fraction by Wt: 10-15% OSHA PEL:SEE 1910.1048 ACGIH TLV:C 0.3 PPM; A2; 9293 EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

Ingred Name:METHYL ALCOHOL (METHANOL) (SARA III) CAS:67-56-1 RTECS #:PC1400000 Fraction by Wt: 1-5% Other REC Limits:ACGIH STEL 250 PPM OSHA PEL:S,200PPM/250STEL ACGIH TLV:S,200PPM/250STEL; 93 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:WATER (85-90%) CAS:7732-18-5 RTECS #:ZC0110000 Fracti on by Wt: 85-90%

ASTHMATIC CONDITIONS.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES
Health Hazards Acute and Chronic:INHALATION: MAY CAUSE RESPIRATORY
SENSITIZATION IN SOME INDIVIDUALS. EYES: CAUSES EYE IRRITATION AND
TEARING. CONTACT WITH THE LIQUID CAN CAUSE SEVERE EYE BURNS. SKIN:
CAUSES SKIN IRRITATION. MAY CAUS E AN ALLERGIC REACTION. INGESTION:
POISON! MAY
BE FATAL OR CAUSE BLINDNESS. CAUSES BURNS TO CONTACTED
AREAS.
Explanation of Carcinogenicity:THIS PRODUCT CONTAINS FORMALDEHYDE.
Effects of Overexposure:INGESTING THIS MATERIAL CAUSES IMMEDIATE SEVERE
ABDOMINAL PAIN WITH VOMITING, NAUSEA, DIARRHEA, DIZZINESS,
UNCONSCIOUSNESS OR COMA, ANURIA, CONVULSIONS, AND POSSIBLE DEATH.
Medical Cond Aggravated by Exposure:MAY AGGRAVATE PRE-EXISTING

Fi

rst Aid:INHALATION: REMOVE TO FRESH AIR. ASSIST WITH BREATHING IF NECESSARY. EYES AND SKIN: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MIN. AND GET MEDICAL ATTENTION, IF NEEDED. INGESTION: DO NOT INDUCE VOMITING. IF CONSCIOUS, IMMEDIATELY GIVE VICTIM ONE GLASS OF WATER. CALL A POISON CONTROL CENTER IMMEDIATELY.
======================================
Flash Point:NONE Extinguishing Media:USE AGENT APPROPRIATE FOR SURROUNDING FIRE. Fi
re Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING. Unusual Fire/Explosion Hazard:FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.
======================================
Spill Release Procedures: ABSORB IN VERMICULITE OR OTHER SUITABLE ABSORBENT AND PLACE IN IMPERVIOUS CONTAINER. Neutralizing Agent: NONE
======================================
Handling and St orage Precautions:NONE Other Precautions:NONE
======================================
Respiratory Protection: IF NECESSARY, A FULL FACEPIECE WITH CARTRIDGES OR CANISTERS SPECIFICALLY APPROVED BY NIOSH FOR PROTECTION AGAINST FORMALDEHYDE OR A TYPE 'C' SUPPLIED AIR RESPIRATOR. Ventilation:LOCAL EXHAUST VENTILATION OR AN ENCLOSED HANDLING SYSTEM MAY BE NEEDED TO CONTRIL AIR CONTAMINATION. Protective Gloves:NITRILE OR NEOPRENE GLOVES Eye Protection:GOGGLES AN D FACE SHIELDS Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER. Work Hygienic Practices:THE ROUTINE USE OF A NON-ALKALINE TYPE OF SKIN CLEANSER AND REGULAR CLEANING OF WORKING SURFACES, GLOVES, ETC. Supplemental Safety and Health NONE
======================================
HCC:C3 Boiling Pt:B.P. Text:>212F,>100C Vapor Pres:18 MM HG Vapor Density:0.6 Spec Gravity:1.02 pH:3.5 Evaporation Rate & amp; Reference:0.4 (N-BUTYL ACETATE=1) Solubility in Water:

COMPLETE

Appearance and Odor:CLEAR, COLORLESS SOLUTION WITH AN ALDEHYDE ODOR. Percent Volatiles by Volume:100

Stability Indicator/Materials to Avoid:YES

NONE WITH COMMON MATERIALS AND CONTAMINANTS WITH WHICH THE MATERIAL MAY REASONABLY COME INTO CONTACT.

Stability Condition to Avoid:HIGH TEMPERATURES. FORMALDEHYDE GAS MAY EVOLVE.

Hazardous Decomposition Products: FORMALDEHYDE GAS MAY BE EVOLVED.

====== D

Waste Disposal Methods:DISPOSE BY INCINERATION OR CONTRACT WITH A LICENSED CHEMICAL WASTE DISPOSAL AGENCY. DISCHARGE, TREATMENT, OR DISPOSAL MAY BE SUBJECT TO FEDERAL, STATE, OR LOCAL LAWS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this informat ion to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.