

DOW CORNING CORPORATION -- DOW CORNING 4 COMPOUND -- 6850-00-569-5724

=====
Product Identification
=====

Product ID:DOW CORNING 4 COMPOUND

MSDS Date:11/07/1985

FSC:6850

NIIN:00-569-5724

MSDS Number: BFFPF

=== Responsible Party ===

Company Name:DOW CORNING CORPORATION

Address:SOUTH SAGINAW ROAD

City:MIDLAND

State:MI

ZIP:48686

Country:US

Info Phone Num:517-496-5900

Emergency Phone Num:517-496-5900

Preparer's Name:JACK L.SHENEBERGER

CAGE:5D028

=== Contractor Identification ===

Company Name:DOW CORNING CORP

Address:3901 S SAGINAW RD

Box:997

City:MIDLAND

State:MI

ZIP:48686-0997

Country:US

Phone:517-496-6000/517-496-6315

CAGE:5D028

Company Name:DOW CORNING CORP

Address:2200 W SALZBURG RD

Box:City:AUBURN

State:MI

ZIP:48611

Country:US

Phone:517-496-4388

CAGE:71984

=====
Composition/Information on Ingredients
=====

Ingred Name:SILICONE (GENERIC DESCRIPTION)

Fraction by Wt: 10

0%

Ingred Name:SILICA (TYPE NOT SPECIFIED)

Fraction by Wt: 10%

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:UNKNOWN Ingestion:YES
Health Hazards Acute and Chronic:ACUTE:TEMPORARY DISCOMFORT OF EYES;SLIGHT IRRITATION OF SKIN AND RESPIRATORY TRACT. CHRONIC:NOT KNOWN
Effects of Overexposure:EYES:MAY CAUSE TEMPORARY DISCOMFORT. SKIN:SLIGHT IRRITATION. INHALATION:SLIGHT IRRITATION. INGESTION:NOT KNOWN.

=====
===== First Aid Measures =====

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O*2 IF NEED;EYES/SKIN:FLUSH W LG AMTS H*2O FOR 15 MIN;INGEST:RINSE MOUTH; GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER SYMPTOMS OF OVEREXPOSURE.

=====
===== Fire Fighting Measures =====

Flash Point Method:CC
Flash Point:>250/121C
Extinguishing Media:CARBON DIOXIDE,FOAM
Fire Fighting Procedures:SELF-CONT BREATH APP,PROTECTIVE CLOTHING
Unusual Fire/Explosion Hazard:NONE KNOWN TO MFR

=====
===== Accidental Release Measures =====

Spill Release Procedures:USE ABSORBENT MATERIAL TO COLLECT AND CONTAIN FOR SALVAGE OR DISPOSAL.

=====
===== Handling and Storage =====

Handling and Storage Precautions:USE REASONABLE CARE

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR ORGANIC VAPORS IF THERE IS

INADEQUATE VENTILATION

Ventilation:MECH(GEN)OR LOCAL EXHAUST THAT PROVIDES ADEQUATE VENTILATION

Protective Gloves:IMPERVIOUS

Eye Protection:SAFETY GLASSES

Other Protective Equipment:AS REQUIRED TO PREVENT PROLONGED CONTACT.

Work Hygienic Practices:AVOID CONTACT WITH EYES AND SKIN;DO NOT BREATHE VAPORS/MIST

Supplemental Safety and Health

MSDS DATED:NOVEMBER 7,1985.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:>300F/149C

Vapor Pres: