

UNION CHEM.DIV.,UNION OIL CO.OF AMERICA -- AMSCO SOLVE -- 6850-00-597-9765

=====
Product Identification
=====

Product ID:AMSCO SOLVE

MSDS Date:01/01/1985

FSC:6850

NIIN:00-597-9765

MSDS Number: BFGTZ

=== Responsible Party ===

Company Name:UNION CHEM.DIV.,UNION OIL CO.OF AMERICA

Emergency Phone Num:312-490-2500

CAGE:KO623

=== Contractor Identification ===

Company Name:UNION CHEM.DIV.,UNION OIL CO.O

F AMERICA

CAGE:KO623

Company Name:UNOCAL CHEMICALS DIV.,UNION OIL OF CALIFORNIA

Address:1345 N MEACHAM

Box:City:SCHAUMBURG

State:IL

ZIP:60196

Phone:312-490-2500/800-424-9300(CHEMTREC)

CAGE:94684

=====
Composition/Information on Ingredients
=====

Ingred Name:PARAFFIN WAX

CAS:8002-74-2

RTECS #:RV0350000

OSHA PEL:2 MG/M3 (FUME)

ACGIH TLV:2 MG/M3 (FUME); 9192

Ingred Name:CHLORINATED HYDROCARBONS

ACGIH TLV:100 PPM

=====
Hazards Identification
=====

===

Effects of Overexposure:EYE,SKIN IRRITANT;NARCOSIS

=====
First Aid Measures
=====

First Aid:SKIN:WASH W/SOAP & WATER. EYES:FLUSH W/WATER FOR 15 MIN.CALL DR.;INHAL:REMOVE TO FRESH AIR,GIVE OXYGEN IF NEEDED. INGEST:DO NOT INDUCE VOMIT;GET DR.

=====
Fire Fighting Measures
=====

Flash Point:200F,93C TCC

Extinguishing Media:FOAM,CARBON DIOXIDE,DRY CHEM.

Fire Fighting Procedures:SELF-CONTAINED BREATHING;DO NOT USE

WATER

EXCEPT TO COOL CON

Unusual Fire/Explosion Hazard:KEEP AREAS FREE FROM HOT SURFACES,IGNITION SOURCES

===== Accidental Release Measures =====

Spill Release Procedures:KEEP FROM ALL SOURCES OR HEAT AND IGNITION,AND HOT METAL SURFACES;USE RETAINING AREAS OR CONTAINERS WITH LARGE AMTS OF WATER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH CARTRIDGE AT AND ABOVE TLV,OR GAS MASK

Ventilation:LOCAL, MECHANICAL

Protective Gloves:YES

Eye Protection:YES

Other Protective Equipment:IMPERMEABLE APRONS;EYE WASHES AND SAFETY SHOWERS.

Supplemental Safety and Health

BOILING RANGE 102-410F INCLUDES CYCLOPARAFFINS; POISON INFORMATION CENTER:213-664-2121 (LA)

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:102F,3.8C

Vapor Density:1.0

Spec Gravity:0.95

Solubility in Water:NEGLIGIBLE

Appearance and Odor:CLEAR LIQUID.

Percent Volatiles by Volume:10

0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG ACIDS AND BASIS AND AMINES

Stability Condition to Avoid:STRONG ACIDS OR BASES,AND AMINES

Hazardous Decomposition Products:CARBON DIOXIDE/MONOXIDE

===== Disposal Considerations =====

Waste Disposal Methods:LOCAL,STATE,COUNTY,AND FED. REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is form

ulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.