View NSN Online: https://aerobasegroup.co.il/nsn/8010-00-597-7841
ENMAR 30279 8010-00-597-7841 =========== Product Identification ====================================
Product ID:30279 MSDS Date:01/01/1985 FSC:8010 NIIN:00-597-7841 MSDS Number: BFHBH === Responsible Party === Company Name:ENMAR Address:201 N BERRY ST City:BREA State:CA ZIP:92621-3904 Country:US CAGE:OO111 === Contractor Identification === Company Name:AMERON INDUSTRIAL COATINGS DIVISION Address:201 N BERRY ST Box:City:BREA State:CA ZIP:92621-3904 Country:US CAGE:0016 COUNTY:US CAGE:0017 COUNTY:US COUN
Ingred Name:NAPHTHA (PETROLEUM SPIRITS OR BENZIN) CAS:8030-30-6 RTECS #:SE7555000 Fraction by Wt: 52% OSHA PEL:100 PPM
======================================

==== First Aid Measures ============ First Aid:WASH SKIN THROUGHLY FLUSH EYES WITH WATER, REMOVE TO FRESH AIR, REMOVE CONTAMINATED CLOTHING. GIVE ARTIFICIAL RESPIRATION IF NEEDED, CALL DOCTOR ============ Fire Fighting Measures ========================= Flash Point:86F,30C TCC Lower Limits: 1.1 Extinguishing Media: FOAM, DRY CHEMICAL, FOG, CARBON DIOXIDE Fire Fighting Procedures: SELF CONTAINED BREATHING APPARATUS Unusual Fire/Explosion Hazard: AVOID FIRE, HEAT, SPARKS, IGNITIO Ν SOURCES, STORAGE IN DIRECT SUNLIGHT ======== Accidental Release Measures ============= Spill Release Procedures: VENTILATE AREA MECHANICALLY, KEEP FROM FLAME, FIRE, SPARKS, IGNITION SOURCES; DO NOT BREATHE VAPORS; CLEAN UP WITH ABSORBENT MATERIAL AND NON-SPARKING TOOLS. ============= Handling and Storage ========================== Handling and Storage Precautions: KEEP FROM HEAT, SPARKS, FIRE, SOURCES OF IGNITION; STORAGE IN DIRECT SUNLIGHT; AVOID PROLONGED SKIN CONTACT; STORE CONTAINERS CLOSED AND UPRIGHT ===== Exposure Controls/Personal Protection ======== Respiratory Protection: SELF-CONTAINED BREATHING APPARATUS Ventilation:LOCAL,MECHANICAL Eye Protection: SAFETY WITH SIDE SHIELDS Supplemental Safety and Health **BOILING RANGE 155-189.4C** ======== Physical/Chemical Properties =========== HCC:F4 Boiling Pt:B.P. Text:311-373F Vapor Pres:3.2 Vapor Density:>AIR

Evaporation Rate & Department Reference: < ETHER

Appearance and Odo

r:BROWN Percent Volatiles by Volume:60.2
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES Stability Condition to Avoid:FIRES,HEAT,HOT SURFACES
======= Disposal Considerations ==========
Waste Disposal Methods: IN ACCORDANCE WITH REGULATIONS
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United S tates of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their

particular situation.