

MILLER-STEPHENSON CHEMICAL CO INC. -- MS-190HD HEAVY DUTY FLUX REMOVER --  
6850-00-602-2347

===== Product Identification =====

Product ID:MS-190HD HEAVY DUTY FLUX REMOVER  
MSDS Date:01/01/1989  
FSC:6850  
NIIN:00-602-2347  
MSDS Number: BFHRH  
=== Responsible Party ===  
Company Name:MILLER-STEPHENSON CHEMICAL CO INC.  
Address:GEORGE WASHINGTON HIGHWAY  
Box:950  
City:DANBURY  
State:CT  
ZIP:06810  
Country:US  
In  
fo Phone Num:203-743-4447  
Emergency Phone Num:203-797-2212 OR 203-743-4447  
Preparer's Name:JANET STEPHENS  
CAGE:18598

=== Contractor Identification ===

Company Name:MILLER-STEPHENSON CHEMICAL CO INC  
Address:55 BACKUS AVE/GEORGE WASHINGTON HWY  
Box:950  
City:DANBURY  
State:CT  
ZIP:06810  
Country:US  
Phone:203-743-4447  
CAGE:18598

===== Composition/Information on Ingredients =====

Ingred Name:METHYLENE CHLORIDE (SARA III)  
CAS:75-09-2  
RTECS #:PA8050000  
Fraction by Wt: 44.0%  
OSHA PEL:500

PPM/C,1000; Z2  
ACGIH TLV:50 PPM, A2; 9192  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113) (SARA III)

CAS:76-13-1  
RTECS #:KJ4000000  
Fraction by Wt: 36.0%  
OSHA PEL:1000PPM/1250STEL  
ACGIH TLV:1000PPM/1250STEL9192  
Ozone Depleting Chemical:1

Ingred Name:DICHLORODIFLUOROMETHANE (SARA III)

CAS:75-71-8  
RTECS #:PA8200000  
Fraction by Wt: 20.0%  
OSHA PEL:1000 PPM  
ACGIH TLV:1000 PPM; 9192  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS  
Ozone Depletin  
g Chemical:1

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:LD50 ORAL RAT- 5000 MG/KG(METH. CHLOR)  
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:YES IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE:IRRITATION OF EYES,SKIN AND  
RESPIRATORY TRACT;CAUSES  
SUFFOCATION,HEADACHE,GIDDINESS,NARCOSIS,CARDIAC  
IRREGULARITIES;METHYLENE CHLORIDE IS METABOLIZED TO CO,RAISING  
THE/CARBOXY HEMOGLOBIN=CARBO  
NM ONOXIDE:DRYING OF  
SKIN,DERMATITIS;SYSTEMIC EFFECTS.  
Explanation of Carcinogenicity:NTP LISTS METHYLENE CHLORIDE AS A KNOWN  
CARCINOGEN. THIS IS ONE COMPONENT OF THE MIXTURE.  
Effects of  
Overexposure:SUFFOCATION,LI-HEAD,GIDD,SHORTNESS/BREATH,NAR,CARD  
IRREG,UNCONSCIOUSNESS OR DEATH. CO POISONING.  
Medical Cond Aggravated by Exposure:PRE-EXISTING CONDITIONS MAY BE  
WORSEN.

=====  
===== First Aid Measures =====

First Aid:INHAL:RMV TO FRESH AIR. IF

NOT BRTHNG GIVE CPR; IF BRTHNG

DIFF GIVE OXYGEN. EYE:IMMED FLUSH W/PLENTHY OF WATER. SKIN:WASH W/SOAP & WATER. RMV CONTAM CLTHG & SHOES. INGEST:DO NOT INDUCE VOMIT. NOTHG BY MOUTH IF UNCONSC. GET MEDICAL ATTN.

=====  
===== Fire Fighting Measures =====

Flash Point:NONE (TOC)

Lower Limits:NONFLAMMABLE

Upper Limits:NONFLAMMABLE

Extinguishing Media:USE MEDIA SUITABLE FOR SURROUNDING FIRE

Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard:MAY VENT,RUPTURE,BURST AT ELEVATED TEMPERATURES. HIGH HEAT CAUSES DECOMPOSITION-EMISSION OF HALOGENS

=====  
===== Accidental Release Measures =====

Spill Release Procedures:VENTILATE AREA. REMOVE OPEN FLAMES OR RED HOT SURFACES. ALLOW TO EVAPORATE.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====

=====  
===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE NEAR SOURCES OF HEAT,IN DIRECT SUNLIGHT OR WHERE TEMPERATURE EXCEEDS 120F.

Other Precautions:DO NOT SPRAY LIQUID ON SKIN. DO NOT PUNCTURE OR DAMAGE CONTAINERS. ROTATE STOCK TO SHELF LIFE OF ONE YEAR.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED. SCBA FOR LG AMTS.

Ventilation:LOCAL EXHAUST TO MAINTN BELOW TLV.

Protective

Gloves:RUBBER

Eye Protection:SAFETY GLASSES OR GOGGLES

Other Protective Equipment:NORMAL WORK CLOTHING COVERING ARMS & LEGS.

Work Hygienic Practices:USE NORMAL CHEMICAL HYGIENE PRACTICE. DO NOT USE IN ENCLOSED AREA; ASPHYRIATION HAZARD

Supplemental Safety and Health

=====  
===== Physical/Chemical Properties =====

HCC:V2

Boiling Pt:B.P. Text:97.7F,36.5C

Vapor Pres:500

Vapor Density:2.7

Spec Gravity:1.42

pH:7.0

Evaporation Rate & Reference:1 (ETHER=1)

Solubility in W

ater:NEGLIGIBLE

Appearance and Odor:CLEAR, COLORLESS LIQUID WITH SOLVENT ODOR

Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

ALKALI OR ALKALINE EARTH METALS-POWDERED AL,ZN,BE, ETC.

Stability Condition to Avoid:SPRAYING NEAR OPEN FLAMES OR RED HOT SURFACES.

Hazardous Decomposition Products:HYDROCHLORIC/HYDROFLUORIC ACIDS, POSSIBLE CARBONYL HALIDES.

===== Disposal Consideratio

ns =====

Waste Disposal Methods:ALLOW TO EVAPORATE. DO NOT PUNCTURE OR INCINERATE AEROSOL CANS. DISPOSAL SERVICE TO LANDFILL IS APPROPRIATE.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.