View NSN Online: https://aerobasegroup.co.il/nsn/6850-00-637-6135

UNOCAL CHEMICALS DIV. -- AMSCO SOLV 1106 140 SOLVENT 66/3 11106 -- 6850-00-637-6135

Product ID:AMSCO SOLV 1106 140 SOLVENT 66/3 11106

MSDS Date:06/14/1991

FSC:6850

NIIN:00-637-6135

MSDS Number: BFJRR === Responsible Party ===

Company Name: UNOCAL CHEMICALS DIV.

Address:1700 EAST GOLF ROAD

City:SCHAUMBURG

State:IL ZIP:60173 Country:US

Info Phone Num:708-490-

2500

Emergency Phone Num:708-490-2500/CHEMTREC 800-424-9300

CAGE:5W323

=== Contractor Identification ===

Company Name: CHEMICAL SPECIALISTS AND DEVELOPMENT INC

Address:2210 HACKBERRY LN

Box:687

City:CONROE

State:TX ZIP:77305 Country:US

Phone: 409-756-1065

CAGE:4N760

Company Name: PHIPPS PRODUCTS CORP

Address: 186 LINCOLN ST SUITE 502

Box:City:BOSTON

State:MA

ZIP:02111-2403

Country:US

Phone: OUT OF BUSINESS

CAGE:86511

Company Name: UNOCAL CHEMICALS DIV UNION OIL CO OF CALIFORNIA

Address:1345 N MEACHAM

RD Box:City:SCHAUMBURG

State:IL ZIP:60195 Country:US

Phone:800-967-7601

CAGE:5W323

======= Composition/Information on Ingredients ========

Ingred Name:STODDARD SOLVENT

CAS:8052-41-3

RTECS #:WJ8925000 Fraction by Wt: 100%

Other REC Limits: NONE SPECIFIED

OSHA PEL:500 PPM

ACGIH TLV:100 PPM; 9293

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Haz

ards Acute and Chronic:ACUTE: INHALATION- IRRITATION, CNS EFFECTS. EYES- IRRITATION. SKIN- IRRITATION, SKIN DAMAGE. INGESTION- IRRITATION OF DIGESTIVE TRACT, CNS EFFECTS. CHRONIC: PAINTER'S SYNDROME (BRAIN & NERVOUS SYSTEM DAMAGE).

Explanation of Carcinogenicity:NONE

Effects of Overexposure:EYE:REDNESS, BURNING SENSATION. SKIN: REDNESS, DRYING, CRACKING. INHALED:IRRITATION OF RESPIRATORY TRACT, DIZZINESS, HEADACHE, FATIGUE, DROWSINESS. INGESTED: NAUSEA, VOMITING, DIARRHEA

, CNS EFFECTS SI MILAR TO INHALATION.

Medical Cond Aggravated by Exposure:NONE REPORTED. PEOPLE WITH PRE-EXISTING SKIN OR RESPIRATORY DISORDERS MAY BE MORE SUSCEPTABLE TO THIS PRODUCT.

First Aid:EYE: FLUSH WITH WATER FOR 15 MINUTES. SEE DOCTOR. SKIN:REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP & WATER. INHALED: REMOVE FROM EXPOSURE. GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED. GET MEDICAL ATTENTION. I

NGESTED:DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION. IF SYMPTOMS PERSIST, GET MEDICAL ATTENTION. Flash Point Method:TCC Flash Point:140F,60C Lower Limits: 1.0 Upper Limits:7.0 Extinguishing Media: DRY CHEMICAL, CARBON DIOXIDE, FOAM, HALON, OR WATER **SPRAY** Fire Fighting Procedures: WEAR SELF CONTAINED BREATHING APPARATUS. USE WATER TO COOL FIRE EXPOSED CONTAINERS, BEING CAREFUL NOT TO SPREAD FIRE WITH WATER. Unusua I Fire/Explosion Hazard: MATERIAL WILL NOT IGNITE READILY, BUT CAN BE IGNITED BY FLAME AND WILL BURN EASILY ONCE IGNITED. VAPORS ARE HEAVIER THAN AIR AND MAY ACCUMULATE IN LOW AREAS. ======== Accidental Release Measures ============ Spill Release Procedures: ELIMINATE SOURCES OF IGNITION. VENTILATE AREA. ABSORB WITH INERT MATERIAL. STORE IN CLOSED CONTAINER FOR DISPOSAL. Neutralizing Agent:NONE ============= Handling and Storage ========================== Han dling and Storage Precautions: STORE TIGHTLY CLOSED IN A

COOL, DRY, WELL VENTILATED AREA FREE FROM IGNITION SOURCES. PROPERLY BOND AND GROUND CONTAINERS DURING TRANSFER OPERATIONS.

Other Precautions: "EMPTY" DRUMS MAY CONTAIN SUFFICIENT RESIDUE OR VAPOR TO BE EXPLOSION HAZARD. DO NOT CUT, WELD, GRIND ON "EMPTY" CONTAINERS.

===== Exposure Controls/Personal Protection ========

Respiratory Protection: USE NIOSH ORGANIC VAPOR RESPIRATOR OR SUPPLIED AIR RESPIRATOR IF EXP

OSED ABOVE TLV(PEL).

Ventilation: USE ADEQUATE MECHANICAL VENTILATION. USE EXPLOSION PROOF EQUIPMENT.

Protective Gloves:NITRILE

Eye Protection: SAFETY GLASSES AND/OR SPLASH GOGGLES

Other Protective Equipment: IMPERVIOUS CLOTHING (IF NEEDED TO PREVENT PROLONGED/REPEATED CONTACT). EYE WASH/SAFETY SHOWER.

Work Hygienic Practices: USE NORMAL CHEMICAL HYGIENE PROCEDURES. DO NOT EAT, DRINK, OR SMOKE UNTIL WASHING HANDS.

Supplemental Safety and Health

MSDS DATED:07/23/86:ITEM IS OF TYPE II OF S

PΕ	C:P-D-680;EFFECTS OF
(OVEREXP:EYES:BURNING,TEARING&REDNESSSKIN:CRACKING OF
,	SKIN;INHAL:CNS DEPRESSION,DIZZINESS;DROWSINESS;INGEST:IRRIT.G.
-	TRACT

HCC:N1 Boiling Pt:B.P. Text:370F,188C Vapor Pres: