View NSN Online: https://aerobasegroup.com/nsn/8030-00-664-4017

N/P PETROTECT FPRA 8030-00-664-4017 Product ID:PETROTECT FPRA MSDS Date:01/01/1985
FSC:8030 NIIN:00-664-4017
MSDS Number: BFKNN
=== Responsible Party ===
Address:700 MILIAM ST PENNZOIL PL
Box:2967
City:HOUSTON State:TX
ZIP:77252
Country:US
CAGE:86459
=== Contractor Identification ===
Company Name: PENRECO, DIV OF PENNZOIL CO Address: 700 MILIAM ST
Box:2967
City:HOUSTON
State:TX
ZIP:77252
Country:US Phone:800-245-3952
CAGE:8645
9
======================================
Ingred Name:NO INGREDIENT FOR THIS FORMULATION_INGREDIENT
======================================
Effects of Overexposure: MAY CAUSE DROWSINESS, HDACH, NAUSEA, NARCOSIS
======================================
First Aid:FRESH AIR. IF CONTACT IS MADE W/EYES-WASH THOROUGHLY W/WATER.
======================================

Flash Point:10

0 F MIN,TCC 38 Lower Limits:1.0 Upper Limits:6.0 Extinguishing Media:FOAM, CARBON DIOXIDE, DRY CHEMICALS Unusual Fire/Explosion Hazard:DO NOT USE WATER; FLAMMABLE LIQUID; MODERATE FIRE HAZARD POSSIBLE EXPLOSION HAZARD.

Spill Release Procedures: AVOID INHALATION; VENTILATE ROOM; USE OIL ABSORBENT MATERIAL & SWEEP UP; AVOID SOURCES OF IGNITION & SKIN CONTACT.

Handling and Storage Precautions:FOR STORAGE NFPA SECT 6,CHAPT
2.FLAMMABLE & COMBUSTIBLE LIQUID FIRE & EXPLOSION PREVENTION MEASURES EMBRACE ONEOR MORE OF FOLLOWING TECHNIQ OR PRINCI
Other Precautions:(A)EXCLUS OF SOURCES OF IGNIT (B)EXCLUSION OF AIR
(C)PREVENTION OF EVAPORATION BY KEEPING LIQUIDS IN CLOSE CONTAINERS OR SYSTM)(D)VENTILAT TO PRVNT ACCUMULAT OF VAP WITHIN RANGE.(SEE SUPPLEMEN

======= Exposure Controls/Personal Protection ==========

Venti lation:YES Protective Gloves:YES Eye Protection:YES Supplemental Safety and Health OTH PRECAUT:(E)USE OF AN ATMOSPHERE OF INERT GAS INSTEAD OF AIR.

HCC:F4 Boiling Pt:B.P. Text:300-325 F Spec Gravity:0.8294 Evaporation Rate & amp; Reference: