

GENERAL ELECTRIC CO. SILICONE PRODUCTS DIV. -- RTV108 ADHESIVE SEALANT --  
8040-00-701-9546

=====  
Product Identification  
=====

Product ID:RTV108 ADHESIVE SEALANT

MSDS Date:01/01/1987

FSC:8040

NIIN:00-701-9546

MSDS Number: BFLXW

==== Responsible Party ====

Company Name:GENERAL ELECTRIC CO. SILICONE PRODUCTS DIV.

Emergency Phone Num:518-237-3330

CAGE:01139

==== Contractor Identification ====

Company Name

e:GENERAL ELECTRIC CO, SILICONE PRODUCTS BUSINESS DEPT

Address:260 HUDSON RIVER RD

Box:City:WATERFORD

State:NY

ZIP:12188

Country:US

Phone:518-237-3330/800-332-3390

CAGE:01139

=====  
Composition/Information on Ingredients  
=====

Ingred Name:NO INGREDIENT FOR THIS FORMULATION\_INGREDIENT

=====  
Hazards Identification  
=====

Effects of Overexposure:EYE AND NOSE IRRITATION FROM VAPORS.SKIN IRRITATION FROM UNCURED RTV108 MAY OCCUR.RESPIRATORY IRRITA

=====  
First Aid Measures  
=====

First Aid:EYE CONTACT WITH MATERIAL WILL CAUSE IRRITATION.IF EYE CONTACT TAKES PLACE,FLUSH EYES WITH WATER FOR 15 MIN AND CONSULT MD. IF SKIN CONTACT OCCURS,WIPE OFF AND WASH WITH SOAP AND WATER. USE ADEQUATE V ENTILATION.

=====  
Fire Fighting Measures  
=====

Extinguishing Media:ALL STANDARD FIRE FIGHTING AGENTS

Fire Fighting Procedures:NONE REQUIRED

Unusual Fire/Explosion Haz

ard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:NO SPECIAL PRECAUTIONS ARE NECESSARY. WIPE OR SCRAPE UP AND DISPOSE IN WASTE RECEPTACLE.

===== Handling and Storage =====

Handling and Storage Precautions:ACETIC ACID VAPOR WILL BE LIBERATED DURING APPLICATION AND CURING. ADEQUATE VENTILATION IS REQUIRED TO MAINTAIN BELOW TLV.

Other Precautions:CURED RTV108 REQUIRES NO SPECIAL PRECAUTIONS.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED UNLESS NORMAL VENTILATION IS INADEQUATE.

Ventilation:PROVIDE SUFFICIENT VENTILATION TO REMOVE ACETIC ACID VAPORS.

Protective Gloves:NOT NORMALLY

Eye Protection:SAFETY GOGGLES REQUIRED

Other Protective Equipment:NOT REQUIRED

Supplemental Safety and Health

EYE AND NOSE IRRITATIONS FROM VAPORS.SKIN IRRITATION FROM UNCURED RTV108 MAY OCCUR. RESPIRATORY IRRITATION

===== Phys  
ical/Chemical Properties =====

HCC:N1

Spec Gravity:1.1

Solubility in Water:NEGLIGIBLE

Appearance and Odor:TRANSLUCENT PASTE,ODOR OF ACETIC ACID IS PRESENT.

Percent Volatiles by Volume:3-5

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE KNOWN

Hazardous Decomposition Products:COMBUSTION WILL PRODUCE SIO2 AND CO2.

===== Disposal Considerations =====

Waste Disposal Methods:DEPOSE OF

IN LANDFILL OR BY INCINERATION.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.