View NSN Online: https://aerobasegroup.co.il/nsn/8010-00-721-9744

ILLINOIS BRONZE POWDER & PAINT COMPANY -- YELLOW (13538) -- 8010-00-721-9744

Product ID:YELLOW (13538) MSDS Date:01/01/1987

FSC:8010

NIIN:00-721-9744

MSDS Number: BFMJB === Responsible Party ===

Company Name: ILLINOIS BRONZE POWDER & PAINT COMPANY

Emergency Phone Num:312-4388201/3596433

CAGE:91794

=== Contractor Identification ===
Company Name:ILLINOIS BRONZE P

AINT COMPANY

Address:300 EAST MAIN STREET

City:LAKE ZURICH

State:IL

ZIP:60047-2580 Country:US

Phone:800-228-5635

CAGE:91794

======= Composition/Information on Ingredients ========

Ingred Name: TOLUENE (SARA III)

CAS:108-88-3

RTECS #:XS5250000 Fraction by Wt: 18.6%

OSHA PEL:200 PPM/150 STEL ACGIH TLV:50 PPM; 9293 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name: METHYLENE CHLORIDE (SARA III)

CAS:75-09-2

RTECS #:PA8050000 Fraction by Wt: 33.3%

OSHA PEL:500 PPM/C,1000; Z2

ACGIH

TLV:50 PPM, A2; 9192 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS Ingred Name:PROPELLANT (PROPANE-ISOBUTANE 50:50 MOL WT %) Fraction by Wt: 30.7% ACGIH TLV:N.A. Ingred Name:LEAD (SARA III) CAS:7439-92-1 RTECS #:OF7525000 Fraction by Wt: 02.8% OSHA PEL:0.05 MG/M3;1910.1025 ACGIH TLV:0.15 MG/M3;DUST 9192 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB =========== Hazards Identification ========================== Effects of Overexposure: SKIN, EYE, RESPIRATORY IRRITANT. VAPORS:HEADACHE, DIZZINESS, STA GGERING GAIT, CONFUSION, COMA First Aid:FUMES: REMOVE TO FRESH AIR. EYES:FLUSH WITH WATER 15 MIN, SEE PHYSICIAN. SKIN: WIPE OFF WITH TOWEL. REMOVE REMAINDER WITH MINERAL SPIRITS, TURPENTINE; WASH WITH SOAP AND WATER. Flash Point:-40F/-40C CC Extinguishing Media: CO2, DRY CHEMICAL, FOAM, WATER FOG Fire Fighting Procedures: WEAR GOGGLES AND SELF-CONT AINED BREATHING **APPARATUS** Unusual Fire/Explosion Hazard: CANS WILL RUPTURE AT ABOUT 190F. BURNING YIELDS TOXIC FUMES. ======== Accidental Release Measures ============ Spill Release Procedures: REMOVE IGNITION SOURCES, VENTILATE, AVOID

BREATHING FUMES, REMOVE WITH INERT ABSORBENT.

BUILDINGS DESIGNED FOR STORAGE OF NFPA CLASS

=========== Handling and Storage ============================

Handling and Storage Precautions: DO NOT STORE AT OVER 120F. STORE IN

Other Precautions:DO NOT PUNCTURE. DO NOT SPRAY IN EYES.
====== Exposure Controls/Personal Protection ========
Ventilation:LOCAL EXHAUST OR MECHANICAL TO KEEP BELOW TLV Protective Gloves:NONE Eye Protection:SAFETY GOGGLES/GLASSES Supplemental Safety and Health
======== Physical/Chemical Properties =========
HCC:V3 Boiling Pt:B.P. Text:42F/6C Vapor Density:>1
========= Stability and Reactivity Data =========
Stabilit y Indicator/Materials to Avoid:YES Hazardous Decomposition Products:HYDROGEN CHLORIDE, CARBON MONOXIDE, PHOSGENE
======= Disposal Considerations ==========
Waste Disposal Methods:INCINERATE IN APPROVED FACILITY. DO NOT INCINERATE CLOSED CONTAINERS. OR DISPOSE IN ACCORD WITH GOVERNMEN

RATE CLOSED CONTAINERS, OR DISPOSE IN ACCORD WITH GOVERNMENT REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The U nited States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.

1A FLAMMABLE LIQUIDS.