

KAMAN AEROSPACE CORP. (JOHN-MANVILLE SALES CORP) -- K774684-11 ASBESTOS GASKET --  
5330-00-776-6323

=====  
Product Identification  
=====

Product ID:K774684-11 ASBESTOS GASKET

MSDS Date:01/01/1987

FSC:5330

NIIN:00-776-6323

MSDS Number: BFNZX

=== Responsible Party ===

Company Name:KAMAN AEROSPACE CORP. (JOHN-MANVILLE SALES CORP)

Emergency Phone Num:203-242-4461

CAGE:84955

=== Contractor Identificati

on ===

Company Name:KAMAN AEROSPACE CORP

Address:OLD WINDSOR ROAD

Box:City:BLOOMFIELD

State:CT

ZIP:06002

Country:US

Phone:203-242-4164

CAGE:84955

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ASBESTOS, CHRYSOTILE

CAS:12001-29-5

RTECS #:CI6478500

Fraction by Wt: >82%

OSHA PEL:0.2 FIBERS/CC

ACGIH TLV:2 FIBERS/CC; A1;9192

=====  
Hazards Identification  
=====

Effects of Overexposure:PARTICLE MAT:IRRIT OF RESP TRACT,SKIN & EYE.

CHRONIC INALATION OF PARTICLE CAN PROD ASBESTOSIS.

=====  
First Aid Measures  
=====

First Aid:EYE:FLUSH WITH WATER 15 MINUTES,CONSULT PHYSICIAN. SKIN:FLUSH  
WITH WATER. INHALATION:REMOVE FROM EXPOSURE

=====  
Fire Fighting Measures  
=====

Flash Point:NONE

Extinguishing Media:AS APPROPRIATE FOR THE SURROUNDING MATERIAL

=====  
Accidental Release Measures  
=====

Spill Release Procedures:EXCLUDE AL

L FROM SPILL AREA EXCEPT TRAINED

CLEAN-UP CREW. PROVIDE EXHAUST VENT WITH CAPTURE FILTRATION. DO NOT STIR UP DUST. USE WET METHOD OR APPROVED VACUUM CLEANING SYSTEM TO PICK UP SPILL. PLACE WASTE IN DUST-TIGHT CONTAINER/PLASTIC BAG, & LABEL.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN DUST TIGHT CONTAINER IN CLEAN,SECURE AREA. USE DUST SUPPRESSION CONTROL AT ALL STAGES OF HANDLING,USE AND DISPOSAL.

Other

Precautions:AVOID INHALATION OF ASBESTOS. MONITOR WORK AREAS FOR EXPOSURE LEVELS. RETAIN MEDICAL RECORDS OF WORKERS FOR AT LEAST 25 YEARS.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH/MSHA APPROVED RESP DEVICE IN ACCORD WITH EXPOSURE OF CONCERN.

Ventilation:LOCAL/MECHANICAL WITH CAPTURE FILTRATION

Other Protective Equipment:BODY-COVERING WORK CLOTH,SPECIAL VACUUMING FACILITY FOR CLOT

Supplemental Safety and Health

UPDATE PER

NON-OSHA MSDS UNDATED, RECD 2MAY85.JOHNS-MANVILLE TRADE NAME

THIS MATL IS:STYLE 60:R-M K-68.

=====  
===== Physical/Chemical Properties =====

HCC:T6

Boiling Pt:B.P. Text:DECOMPOSES

Solubility in Water:NEGLIGIBLE

Appearance and Odor:WHITE OR LIGHT GREY FIBERS.

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

=====  
===== Disposal Considerations =====

Waste Disposal Methods:DEPOSIT

IN SECURED LANDFILL WHERE ASBESTOS WILL  
REMAIN BURIED. FOLLOW LOCA, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to  
verify and  
assume responsibility for the suitability of this information to their  
particular situation.