View NSN Online: https://aerobasegroup.co.il/nsn/5970-00-783-8119 VARFLEX CORPORATION -- VARGLAS H -- 5970-00-783-8119 Product ID: VARGLAS H MSDS Date:01/01/1987 FSC:5970 NIIN:00-783-8119 MSDS Number: BFPSQ === Responsible Party === Company Name: VARFLEX CORPORATION Emergency Phone Num:(315)336-4400 CAGE:79074 === Contractor Identification === Company Name: VARFLEX CORPORATION Address:512 WEST COURT STREET Box:City:ROME State:N Υ ZIP:13440 Country:US Phone:315-336-4400 CAGE:79074 ======= Composition/Information on Ingredients ======== Ingred Name: SILICA, CRYSTALLINE - QUARTZ CAS:14808-60-7 RTECS #:VV7330000 OSHA PEL:SEE TABLE Z3 ACGIH TLV:0.1 MG/M3 RDUST;9293 Ingred Name:SODIUM CARBONATE,CAS#497-19-8 CAS:497-19-8 RTECS #: VZ4050000 Ingred Name: CALCIUM OXIDE CAS:1305-78-8 RTECS #:EW3100000 OSHA PEL:5 MG/M3

ACGIH TLV:2 MG/M3; 9192

=========== Hazards Identification ===============

Effe

======================================
First Aid:USE STANDARD FIRST AIR PROCEDURES. CALL EMERGENCY MEDICAL CARE.
======================================
Extinguishing Media:EXTINGUISH WITH AGENT SUITABLE FOR SURROUNDING FIRE Fire Fighting Procedures:NONE Unusual Fire/Explosion Hazard:NONE
======================================
Spill Release Procedures:PICK UP AND PLACE IN APPROPIATE DISPOSAL CONTAINERS.
======================================
Other Precautions:WASH AND SHOWER NORMALLY AT END OF WORKDAY.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE Ventilation:LOCAL EXHAUST Protective Gloves:AS REQUIRED Eye Protection:NONE Other Protective Equipment:NONE Supplemental Safety and Health UNDATED MSDS/
======= Physical/Chemical Properties ====================================
HCC:N1 Spec Gravity:2.54 Solubility in Water:NEGL. Appearance and Odor:WOOVEN FABRIC MADE OF GLASS FIBER,NO ODOR. ===================================
Stability Indicator/Materials to Avoid:YES
NONE Stability Condition to Avoid:NONE Hazardous Decomposition Products:NONE
======== Disposal Considerations =============
Waste Disposal Methods:SM & LG SPILL:DEPOSIT IN A POSTED TOXIC

cts of Overexposure:MFR STATES N/R--MFR STATES MECHANICAL IRRITATION MAY OCCUR TO EYE,SKIN.

SUBSTANCE LANDFILL IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume res

ponsibility for the suitability of this information to their particular situation.