View NSN Online: https://aerobasegroup.com/nsn/6810-00-855-1158

Product ID:ALCOHOL (TT-I-735)

MSDS Date:11/12/1985

FSC:6810

NIIN:00-855-1158

MSDS Number: BFSWL === Responsible Party ===

Company Name: RANDOLPH PRODUCTS CO.

Address:PARK PLACE EAST

City:CARLSTADT

State:NJ ZIP:07072

Info Phone Num:201-438-3700

Emergency Phone Num:201-438-3700

CAGE:77672 === Contracto

r Identification ===

Company Name: RANDOLPH PRODUCTS CO

Address:701 12TH ST

Box:830

City:CARLSTADT

State:NJ

ZIP:07072-0830 Country:US

Phone:201-438-3700

CAGE:77672

====== Composition/Information on Ingredients ========

Ingred Name: ISOPROPYL ALCOHOL (SARA III)

CAS:67-63-0

RTECS #:NT8050000 Fraction by Wt: 99.6%+

OSHA PEL:400 PPM/500 STEL ACGIH TLV:400 PPM/500STEL;9192

Ingred Name: WATER (OBTAINED FROM SPECS TT-I-735A)

CAS:7732-18-5

RTECS #:ZC0110000 Fraction by Wt: 0.4%/MAX

=====

| ========= Hazards Identification ================= |
|---|
| Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYES:IRRITATION;SKIN:DRYNESS,CRACKING SKIN;INHALATION:IRRITATION OF NOSE & THROAT,DROWSINESS,DIZZINESS,HEADACHE;INGESTION:GASTRO-INTESTINAL CRAMPS,NAUSEA,DIARRHEA. Explanation of Carcinogenicity:ISOPROPYL ALCOHOL MANUFACTURE (STRONG ACID PROCESS) IS HUMAN CARCINOGEN. Effects of Overexposure:SEE HEALTH HAZARDS. Medical Cond Aggravated by Exposure:NONE NOTED. |
| ====================================== |
| First Aid:EYES/SKIN:IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES.REMOVE CONTAMINATED CLOTHING.IF IRRITATION PERSISTS,SEE DOCTOR;INHALATION:REMOVE TO FRESH AIR.GIVE CPR/OXYGEN IF NEEDED;INGESTION:SEEK MEDICAL ATT ENTION IMMEDIATELY. |
| ====================================== |
| Flash Point Method:TCC Flash Point:57F,14C Lower Limits:2 Upper Limits:12 Extinguishing Media:SAND,FOAM,CO*2,DRY CHEMICAL Fire Fighting Procedures:AVOID BREATHING VAPOR OR FUMES.USE AIR SUPPLIED RESPIRATOR FOR ENCLOSED AREAS.COOL FIRE EXPOSED CONTAINERS WITH WATER. Unusual Fire/Explosion Hazard:VAPORS HEAVIER THAN AIR CAN TRAVEL TO |
| DISTANT IGNITION SOURCES AND IGNITE. |
| ========= Accidental Release Measures ============= |
| Spill Release Procedures:REMOVE ALL IGNITION SOURCES.WEAR APPROVED RESPIRA TOR.CONTAIN SPILL WITH INERT ABSORBENT.PLACE IN APPROPRIATE DISPOSAL CONTAINER. |
| ====================================== |
| Handling and Storage Precautions:KEEP IN DRY,WELL VENTILATED AREA,AWAY FROM HEAT & IGNITION SOURCES.KEEP CONTAINERS TIGHTLY CLOSED. Other Precautions:GROUND CONTAINERS & EQUIPMENT. EMPTY CONTAINERS ARE HAZARDOUS,DO NOT CUT OR WELD. |
| ====== Exposure Controls/Personal Protection ======== |
| Respiratory Protection:WEAR NIOSH/MS |

HA APPROVED RESPIRATOR IF TLV IS EXCEEDED.

Ventilation: EXPLOSION PROOF EXHAUST VENTILATION AT POINT OF RELEASE.

Protective Gloves:NEOPRENE Eye Protection:GOGGLES

Other Protective Equipment: CONVERALLS & BOOTS

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.REMOVE CONTAMINATED CLOTHING & LAUNDER BEFORE REUSE.

Supplemental Safety and Health

======== Physical/Chemical Properties ===========

HCC:F2

Boiling Pt:B.P. Text:176F,80C

Melt/Freeze Pt:M.P/F.P Text:-128F,-89

C

Vapor Pres:34 Vapor Density:>1 Spec Gravity:0.8

Evaporation Rate & Deference: