

3M COMPANY -- EC-801A ACCELERATOR (CLASS A&B) -- 8030-00-878-8428

=====
Product Identification
=====

Product ID:EC-801A ACCELERATOR (CLASS A&B)

MSDS Date:01/01/1987

FSC:8030

NIIN:00-878-8428

MSDS Number: BFTNG

=== Responsible Party ===

Company Name:3M COMPANY

Address:3M CENTER

City:ST. PAUL

State:MN

ZIP:55144-1000

Country:US

Info Phone Num:612-733-1110

Emergency Phone Num:612-733-1110

CAGE:76381

=== Contractor Identification ===

Company Name:3M MINNESOTA MINING AND MFG CO ADHESIVES SEALERS DIV

Address:3M CTR

Box:City:SAINT PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:800-364-3577/651-737-6501(24 HOURS)

CAGE:04963

Company Name:MINNESOTA MINING AND MFG CO, DBA 3M

Address:3M CENTER BLDG 224-5S-04

Box:City:SAINT PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:866-556 5712 / 612-733-1110

CAGE:76381

=====
Composition/Information on Ingredients
=====

Ingred Name:PETROLEUM B

ASE SOLVENT
Fraction by Wt: 3.0%
ACGIH TLV:UNK

Ingred Name:POLYSULFIDE RUBBER (MFR'S MSDS SHOWS THIS INGRED + NIOSH
3,4,& 5 + SILICA PIGM.+ H*2O= 97
Fraction by Wt: UNK
ACGIH TLV:UNK

=====
Hazards Identification
=====

Effects of Overexposure:EYE,IRRITATION.SKIN:IRRITATION.PROLONGED
CONTACT MAY PROD SYSTEMIC PROBLEMS FROM ABSORPTION.

=====
First Aid Measures
=====

First Aid:EYE:FLUSH WITH WATER 15 MIN,CALL A PHYS
ICIAN.SKIN:WASH WITH
SOAP AND WATER.LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

=====
Fire Fighting Measures
=====

Extinguishing Media:CO2,FOAM,DRY CHEM

=====
Accidental Release Measures
=====

Spill Release Procedures:COLLECT SPILLED MATERIAL USING ABSORBENT
MATERIAL.PLACE IN CLOSED METAL CONTAINER.AVOID CONTACT WITH SKIN OR
EYES.

=====
Handling and Storage
=====

Handling and Storage
Precautions:AVOID EYE,SKIN CONTACT.KEEP OUT OF
REACH OF CHILDREN.

=====
Exposure Controls/Personal Protection
=====

Ventilation:MECHANICAL
Protective Gloves:IMPERVIOUS
Eye Protection:GOGGLES.
Supplemental Safety and Health
PART B OF TWO PART EC-801 SEALANT KIT.STORE W/PT A & DO NOT SEPARATE.PT
B IS R1 OXIDIZER IN BULK OTHER P/N: EC-1622 ACCELERATOR. QTY: UNKN.
KEY1;J3.

=====
Physical/Chemical Properties
=====

HCC:D1
Boiling Pt:B.P.

Text:>600F/315C

Vapor Pres: