

PRODUCTS RESEARCH & CHEMICAL CORPORATION -- PR-1440 CLASS A-2, PART B --  
8030-00-889-3531

===== Product Identification =====

Product ID:PR-1440 CLASS A-2, PART B

MSDS Date:06/05/1986

FSC:8030

NIIN:00-889-3531

MSDS Number: BFTXT

=== Responsible Party ===

Company Name:PRODUCTS RESEARCH & CHEMICAL CORPORATION

Address:5430 SAN FERNANDO ROAD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Info Phone Num:(81

8) 240-2060

Emergency Phone Num:(818) 240-2060

CAGE:DO563

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

Company Name:PRODUCTS RESEARCH & CHEMICAL

Address:NOW DBA COURTAULDS AEROSPACE

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Phone:818-240-2060

CAGE:DO563

===== Composition/Information on Ingredients =====

Ingre

d Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)  
CAS:78-93-3  
RTECS #:EL6475000  
Other REC Limits:200 PPM  
OSHA PEL:200 PPM/300 STEL  
ACGIH TLV:200 PPM/300STEL 9192  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:TOLUENE (SARA III)  
CAS:108-88-3  
RTECS #:XS5250000  
Other REC Limits:100 PPM  
OSHA PEL:200 PPM/150 STEL  
ACGIH TLV:50 PPM; 9293  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:PHENOLIC RESIN  
CAS:9003-35-4

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:SKIN: MAY CAUSE ALLERGIC SKIN RASH IN SENSITIZED INDIVIDUALS. INHALATION: IRRITATION TO NOSE, THROAT, SKIN & EYES. INGESTION: MAY CAUSE NAUSEA, VOMITING.  
Explanation of Carcinogenicity:NONE  
Effects of Overexposure:SKIN: MAY CAUSE ALLERGIC SKIN RASH IN SENSITIZED INDIVIDUALS. INHALATION: IRRITATION TO NOSE, THROAT, SKIN & EYES. PROLONGED EXPOSURE CAN CAUSE HEADACHE, FATIGUE, CONFUSION, DIZZINESS, DROWSINESS, NUMBNESS & UNCONSCIOUSNESS. PROLONGED EXPOSURE CAN CAUSE LIVER & KIDNEY DAMAGE. INGESTION: MAY CAUSE NAUSEA, VOMITING.

=====  
First Aid Measures  
=====

First Aid:EYES: FLUSH WITH LUKE WARM WATER FOR 15 MINUTES. IF SYMPTOMS PERSIST, CONSULT PHYSICIAN. SKIN: WASH WITH SOAP & WATER. IF SYMPTOMS PERSIST, CONSULT PHYSICIAN. INHALATION: REMOVE TO FRESH AIR. IF SYMPTOMS ARE

PRESENT CONSULT PHYSICIAN. INGESTION: CONSULT  
PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:62F

Extinguishing Media:CO2, DRY CHEMICAL, FOAM, WATER FOG.

Fire Fighting Procedures:USE AIR SUPPLIED RESPIRATOR. USE WATER TO COOL  
HEAT EXPOSED CONTAINERS.

Unusual Fire/Explosion Hazard:HIGH TEMPERATURES MAY CAUSE PRESSURE  
BUILDUP IN CLOSED CONTAINERS.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ALL IGNITION SOURCES. WEAR AIR-SUPPLIED  
RESPIRATOR FOR MAJOR UNVENTILATED SPILL. COVER WITH ABSORBANT.  
SCOOP INTO CONTAINERS. CLEAN-UP RESIDUE WITH 1,1,1-TRICHLOROETHANE.

===== Handling and Storage =====

Handling and Storage Precautions:NONE

Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE AN ORGANIC VAPOR CARTRIDGE OR AIR-SUPPLIED  
RESPIRATOR.

Ve  
ntilation:PROVIDE LOCAL EXHAUST VENTILATION TO KEEP