View NSN Online: https://aerobasegroup.com/nsn/6810-00-922-0866

## SHAPE PROD -- ETHANOLAMINE; MEA -- 6810-00-922-0866

Product ID:ETHANOLAMINE;MEA

MSDS Date:01/01/1985

FSC:6810

NIIN:00-922-0866

MSDS Number: BFWKQ === Responsible Party === Company Name:SHAPE PROD Address:1127 57TH AVE.

City:OAKLAND

State:CA

ZIP:94621-4427 Country:US

Info Phone Num:415-534-1186

Emergency Phone Num:415-534-1186

CAGE:JO834

=== Contractor Identificat

ion ===

Company Name: SHAPE PROD

Address:1127 57TH AVE.

Box:City:OAKLAND

State:CA

ZIP:94621-4427

Country:US

Phone:415-534-1186

CAGE:JO834

Company Name: SHAPE PRODUCTS

Address:1127 57TH AVE.

Box:City:OAKLAND

State:CA

ZIP:94621-4427

Country:US

Phone:510-534-1186 OR 800-444-0015

CAGE:3D869

====== Composition/Information on Ingredients ========

Ingred Name: ETHANOLAMINE

CAS:141-43-5

RTECS #:KJ5775000 Fraction by Wt: 100% OSHA PEL:3 PPM/6 STEL

ACGIH TLV:3 PPM/6 STEL; 9192

\_\_\_\_\_

===== Hazards Identification ===========
Effects of Overexposure:EYES: CAUSES BURNS. SKIN: IRRIT. INH: VAPORS IRRIT & CAUSE NAUSEA.
======================================
First Aid:SKIN/EYES: FLUSH W/PLENTY WATER 15 MIN MINIM, CALL MD. INH: REMOVE TO FRESH AIR, GIVE OXYGEN AS NEEDED, CALL MD. REMOVE CONTAM CLOTHING.
======================================
Flash Point:185F COC Extinguishing Media:CARBON DIOX IDE, DRY CHEM Fire Fighting Procedures:FIGHT FIRES W/SELF-CNTND BRTHNG APPARATUS Unusual Fire/Explosion Hazard:MODERATE
======== Accidental Release Measures =========
Spill Release Procedures:OVERSPREAD SUFFICIENT SODIUM BISULFATE & SPRINKLE WATER. DRAIN INTO APPRVD STG CNTNR W/ABUNDANT WATER.
============= Handling and Storage =============
Handling and Storage Precautions:PROTECT CNTNRS AGAINST PHYSICAL DAMAGE. STORE IN WELL-VENT AREA. SEPERA TE FROM FLAMMABLE MATLS. WEAR BUTYL GLOVES, COVERALLS. Other Precautions:WEAR FACE SHLD & MULTI-PURPOSE GAS MASK. STORE IN DRY AREA.
====== Exposure Controls/Personal Protection =======
Respiratory Protection:AIR-SUPP MASK IN CONFINED Ventilation:LOCAL EXHST PREFERRED, MECH ACCEPTABLE Protective Gloves:RUBBER Eye Protection:GOGGLES Other Protective Equipment:COVERALLS, FACE SHLD, SAFETY SHOWER/EYEBATH Supplemental Safety and Health MFR MSDS UNDATED RECD DGSC-STF-2/3/83.

HCC:B2 Boiling Pt:B.P. Text:338F Vapor Pres:048 Vapor Density:2.1 Spec Gravity:1.018 Evaporation Rate & Description Rate & Desc
======== Stability and Reactivity Data ==========
Stability Indicator/Materials to Avoid:YES KEEP AWAY FROM OXIDIZING MATLS Hazardous Decomposition Products:CO, CO*2, NITROGEN DIOXIDES Conditi ons to Avoid Polymerization:ACID CONTAM
======== Disposal Considerations ===========
Waste Disposal Methods:INCINERATE IN FURNACE UNDER APPRVD CONTROLLED PROCEDURES

======== Physical/Chemical Properties ===========

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability fo

r its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.