

3M COMPANY -- SCOTCHCAL "BRAND EDGE SEALER #3950 -- 8040-00-936-9940
===== Product Identification =====

Product ID:SCOTCHCAL "BRAND EDGE SEALER #3950

MSDS Date:01/01/1987

FSC:8040

NIIN:00-936-9940

MSDS Number: BFYFQ

=== Responsible Party ===

Company Name:3M COMPANY

Address:3M CTR 224-2S-25

City:ST. PAUL

State:MN

ZIP:55144-1000

Country:US

Info Phone Num:612-733-1341

Emergency Phone Num:612-733-134

1

CAGE:76381

=== Contractor Identification ===

Company Name:MINNESOTA MINING AND MFG CO, DBA 3M

Address:3M CENTER BLDG 224-5S-04

Box:City:SAINT PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:866-556 5712 / 612-733-1110

CAGE:76381

===== Composition/Information on Ingredients =====

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)

CAS:1330-20-7

RTECS #:ZE2100000

Fraction by Wt: 45-5%

OSHA PEL:100 PPM/150 STEL

ACGIH TLV:100 PPM/150STEL;9192

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000

LBS

=====
Hazards Identification
=====

Effects of Overexposure:LIQUID MAY BE IRRITATING TO THE EYES AND SKIN.VAPORS ARE IRRITATION TO EYES AND RESPIRATORY SYSTEM.

=====
First Aid Measures
=====

First Aid:EYE CONTACT:FLUSH IMMEDIATELY W/PLENTY OF WATER.OBTAIN MEDICAL ATTENTION. SKIN CONTACT:WASH W/SOAP AND WATER.INHALATION: PROVIDE FRESH AIR.

=====
Fire Fighting Measures
=====

=

Flash Point:66F CC 19C
Extinguishing Media:CO*2, FOAM,DRY CHEMICAL
Fire Fighting Procedures:NONE REQUIRED

=====
Accidental Release Measures
=====

Spill Release Procedures:COLLECT SPILLED MATERIAL. CLEAN UP RESIDUE.

=====
Handling and Storage
=====

Handling and Storage Precautions:KEEP AWAY FROM HEAT,SPARKS AND FLAMES. AVOID EYE AND PROLONGED SKIN CONTACT.AVOID BREATHING OF VAPORS.KEEP CONTAINER CLOSED.

Other Precaution

s:USE ONLY IN AREAS SUFFICIENTLY VENTILATED TO MAINTAIN SOLVENT CONCENTRATIONS BELOW THRESHOLD LIMIT VALUES.

=====
Exposure Controls/Personal Protection
=====

Ventilation:LOCAL EXHAUST-RECOMMENDED
Eye Protection:RECOMMENDED
Other Protective Equipment:SAFETY SHOWER AND EYE BATH
Supplemental Safety and Health
PROCURED UNDER 3950

=====
Physical/Chemical Properties
=====

Solubility in Water:LOW
Appearance and Odor:CLEAR -XYLENE ODOR
Percent Volat

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

Hazardous Decomposition Products: THERMAL DECOMPOSITION MAY PRODUCE, HC1,
CO AND CO*2.

===== Disposal Considerations =====

Waste Disposal Methods: INCINERATE PROPERLY. DO NOT LANDFILL.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of

Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.