View NSN Online: https://aerobasegroup.co.il/nsn/5915-00-952-3045 FILTRON CO., INC. -- FA4396 -- 5915-00-952-3045 ============= Product Identification ======================== Product ID:FA4396 MSDS Date:01/01/1985 FSC:5915 NIIN:00-952-3045 MSDS Number: BFYYF === Responsible Party === Company Name: FILTRON CO., INC. Address:148 SWEET HOLLOW RD City:OLD BETHPAGE State:NY ZIP:11804-1315 Country:US Emergency Phone Num:914-699-2000 CAGE:MO240 === Contractor Identification === Company Name:FIL TRON CO INC Address:148 SWEET HOLLOW RD Box:City:OLD BETHPAGE State:NY ZIP:11804-1315 Country:US Phone:914-699-2000 CAGE:81831 Company Name: FILTRON CO., INC. Address:148 SWEET HOLLOW RD Box:Citv:OLD BETHPAGE State:NY ZIP:11804-1315 Country:US CAGE:MO240

======= Composition/Information on Ingredients ========

Ingred Name: POLYCHLORINATED BIPHENYLS (PCBS) (SARA III)

CAS:1336-36-3

RTECS #:TQ1350000 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

===== Hazards Identification =====

=======================================
Effects of Overexposure:MAY CAUSE IRRITATION TO EYES, NOSE, AND THROAT AND A SKIN RASH MAY INJURE LIVER
======================================
First Aid:EYES: FLUSH W/WATER IMMED. SKIN: WASH W/SOAP IMMED. INHALE REMOVE TO FRESH AIR, RESPIR. AS NEEDED INGEST: MEDICAL ATTN. GIVE LARGE QTY OF WATER, INDUCE VOMITING, BUT DO NOT MAKE UNCONSCIOUS PERSON VOM IT.
======================================
Extin guishing Media:FOAM, DRY CHEMICAL, CARBON DIOXIDE Fire Fighting Procedures:DO NOT USE WATER, WEAR RESPIRATOR AND PROTECTIVE CLOTHING Unusual Fire/Explosion Hazard:TOXIC GASES AND VAPORS I.E. HYDROGEN CHLORIDE CARBON MONOXIDE
========= Accidental Release Measures ==========
Spill Release Procedures:ELIMINATE IGNITION SOURCES. EVACUATE UNPROTECTED PERSONS. STOP LEAK W/O RISK. WEAR SCBA & PROTECTIVE CLOTHING. ABSORB LIQUID W/NONCOMB ABSORB. PLACE IN CLOSED CONTA INER FOR DISPOSAL. VENTILATE AREA. D O NOT CONTAMINATE SEWER OR GROUND
WATER.
======================================
Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED AREA. PROTECT FROM PHYSICAL DAMAGE.AVOID ANY PHYSICAL CONTACT. KEEP CONTAINERS TIGHTLY CLOSED Other Precautions:CHLORODIPHENYLS MAY ATTACK SOME TYPES OF RUBBER AND PLASTIC.
====== Exposure Controls/Personal Protection ========
Respiratory Protection

:NIOSH/MSHA/MESA APPROVD SCBA Ventilation:LOCAL EXHAUST TO MAINTN BELOW TLV. Protective Gloves:IMPERVIOUS Eye Protection:GOGGLES/FACE SHIELD Other Protective Equipment:WEAR FULL PROTECTIVE CLOTHING. Supplemental Safety and Health OVEREXPOS:CAN CAUSE FORMATION OF CYSTS.CAUSES STILLBIRTHS.IRRITATES EYES,NOSE,THROAT.
========= Physical/Chemical Properties ===========
HCC:Z3 Appearance and Odor:PALE YELLOW VISCOUS LIQUID W/HYDROCARBON ODOR
========= Stability and Re activity Data ==================================
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS. Stability Condition to Avoid:HIGH TEMPERATURES,IGNITION SOURCES Hazardous Decomposition Products:HYDROGEN CHLORIDE, CO, & OTHER TOXIC/IRRITATING GASES/FUMES.
========= Disposal Considerations ==============

Waste Disposal Methods: CONTROLLED DISPOSAL REQD. GEN. V.HIGH TEMP INCINERATION. IN ACCORDANCE WITH ALL LOCAL, STATE, & FEDERAL REGULATIONS. PERMITTED DISPOSAL OPERATOR REQUIRED.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their

particular situation.