

SANGAMO WESTON DEARBORN ELEC. DIV. -- KN3E504K3A -- 5910-00-958-3177

=====  
Product Identification  
=====

Product ID:KN3E504K3A

MSDS Date:01/01/1985

FSC:5910

NIIN:00-958-3177

MSDS Number: BFZCW

=== Responsible Party ===

Company Name:SANGAMO WESTON DEARBORN ELEC. DIV.

Address:1201 N HWY 17/92

Box:1076

City:LONGWOOD

State:FL

ZIP:32750-1076

Country:US

Emergency Phone Num:800-424-9300

CAGE:MO361

===

Contractor Identification ===

Company Name:DEARBORN ELECTRONICS INC

Address:1221 N HWY 17/92

Box:City:LONGWOOD

State:FL

ZIP:32750

Country:US

Phone:407-695-6562

CAGE:01884

Company Name:SANGAMO WESTON DEARBORN ELEC. DIV.

Address:1201 N HWY 17/92

Box:1076

City:LONGWOOD

State:FL

ZIP:32750-1076

Country:US

CAGE:MO361

=====  
Composition/Information on Ingredients  
=====

Ingred Name:POLYCHLORINATED BIPHENYLS (PCBS) (SARA III)

CAS:1336-36-3

RTECS #:TQ1350000

EPA Rpt Qty:1 LB

DOT Rpt Qt

=====  
Hazards Identification  
=====

Effects of Overexposure: ABSORBED THRU SKIN, LUNGS, INTESTINE. CAUSES CANCER, LIVER, KIDNEY, STOMACH, EYE, HEARING DISORDER (SUP DATA)

=====  
First Aid Measures  
=====

First Aid: EYES: FLUSH W/WATER IMMED. SKIN: WASH W/SOAP IMMED. INHAL: REMOVE TO FRESH AIR. GIVE ART. RESPIR. AS NEEDED. INGEST: GET MEDICAL ATTN. GIVE LARGE QTY OF SALT WATER, INDUCE VOMITING BUT DO NOT MAKE UNCONSCIOUS PERSON VOMIT

=====  
Accidental Release Measures  
=====

Spill Release Procedures: USE ABSORBENT & DIKES TO PREVENT RUNOFF. ISOLATE & NOTIFY PROPER AUTHORITIES.

=====  
Handling and Storage  
=====

Handling and Storage Precautions: STORAGE MUST FOLLOW RCRA REQUIREMENTS.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection: SUPPLIED AIR W/FULL FACEPIECE, HELMET OR HOOD  
Ventilation: LOCAL EXHAUST

P

Protective Gloves: RUBBER-IMPERV

Eye Protection: GOGGLES FACE SHIELD

Other Protective Equipment: FULL CLOTHING TO PREVENT SKIN CONTACT

Supplemental Safety and Health

OVEREXPOS: CAN CAUSE FORMATION OF CYSTS. CAUSES STILLBIRTHS. IRRITATES EYES, NOSE, THROAT.

=====  
Physical/Chemical Properties  
=====

HCC: Z3

Appearance and Odor: LIGHT STRAW COLORED LIQUID, AROMATIC ODOR.

=====  
Stability and Reactivity Data  
=====

STRONG OXIDIZERS

=====

Disposal Considerations =====

Waste Disposal Methods:CONTROLLED DISPOSAL REQUIRED-GENERALLY HIGH  
TEMPERATURE INCINERATION.ONLY APPROVED DISPOSAL OPERATOR PERMITTED.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its

use. Any person utilizing this

document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.