View NSN Online: https://aerobasegroup.com/nsn/6810-00-987-4126 EASTMAN KODAK COMPANY -- STYRENE -- 6810-00-987-4126 Product ID:STYRENE MSDS Date:11/01/1976 FSC:6810 NIIN:00-987-4126 MSDS Number: BGBYC === Responsible Party === Company Name: EASTMAN KODAK COMPANY Address:343 STATE ST City:ROCHESTER State:NY ZIP:14650 Country:US Info Phone Num:716-722-2121 Emergency Phone Num:716-722-5151 CAGE:19139 === Contractor Identificati on === Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS Address:343 STATE ST Box:City:ROCHESTER State:NY ZIP:14650-1115 Country:US Phone:716-722-5151/(800) 242-2424 CAGE:19139 ======= Composition/Information on Ingredients ======== Ingred Name: NO INGREDIENT FOR THIS FORMULATION_INGREDIENT ========= Hazards Identification =============== Effects of Overexposure: INHAL-VAPOR CONC>400 PPM-IRRITATION. EYE-LIQ/CONC VAPOR CAUSES IRRITATION. SKIN-PROLON **GED/REPEATED** CONTACT MAY CAUSE IRRITATION. First Aid:INHAL-GET TO FRESH AIR; GIVE ARTIFICIAL RESPIR/OXYGEN IF NEEDED; CALL PHYSICIAN. EYES-FLUSH W/WATER 15 MIN. SKIN-REMOVE CONTAM CLOTH; WASH AREA THOROUGHLY W/SOAP & WATER. Flash Point Method:TCC Flash Point:86F/30C Lower Limits: 1.1 **Upper Limits:6.1** Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL,

Fire Fighting Procedures:USE AIR MASK. Unusual Fire/Explosion Hazard:MODERATE.
========= Accidental Release Measures ==========
Spill Release Procedures:REMOVE ALL SOURCES IGNITION;USE PROTECT CLOTH;ABSORB SPILLED MATL W/VERMICULITE.PLACE IN FIBER CARTON. INCINERATE. WASH SPILL AREA WELL W/SOAP & WATER.
========== Handling and Storage ===========
Handling and Storage Precautions:STORE IN COOL PLACE. WASH THOROUGHLY AFTER HANDLING.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:PORTABLE BREATH APPARATUS OR AIR-LINE RESPIRATOR FOR EMERGENCY. Ventilation:LOCAL OR MECHANICAL. Protective Gloves:YES Eye Protection:YES Other Protective Equipment:AS NECESSARY TO PREVENT SKIN CONTACT. Supplemental Safety and Health
========== Physical/Chemical Properties ==========
HCC:F3 Boiling Pt:B.P. Text:294F/145C Vapor Pres:5 Vapor Density:3.6 Spec Gravity:0.909 Solubility in Water:NEGLIGIBLE Appearance and Odor:COLORLESS,OILY LIQUID,PENETRATING ODOR. Percent Volatiles by Volume:100
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES COPPER,COPPER ALLOYS,PEROXIDE CATALYSTS. Stability Condition to Avoid:NONE GIVEN. Hazardous Decomposition Products:NONE GIVEN. Conditions to Avoid Polymerization:HEAT & LIGHT.
========= Disposal Considerations =============

FOAM.

Waste Disposal Methods:MIX W

/FLAM SOLVENT IF NECESSARY TO REDUCE
VISCOSITY. SPRAY INTO INCINERATOR. STATE & LOCAL LAWS TAKE
PRECEDENCE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professi onal advice to verify and assume responsibility for the suitability of this information to their particular situation.