

HYSOL DIVISION, THE DEXTER CORP. -- AS0011 PART B -- 8040-01-004-1031

=====  
Product Identification  
=====

Product ID:AS0011 PART B

MSDS Date:01/01/1985

FSC:8040

NIIN:01-004-1031

MSDS Number: BGCRJ

=== Responsible Party ===

Company Name:HYSOL DIVISION, THE DEXTER CORP.

Emergency Phone Num:(213) 968-6511

CAGE:14347

=== Contractor Identification ===

Company Name:DEXTER CORP DEXTER ELECTRONIC MATERIAL  
S DIV

Address:15051 E DON JULIAN RD

Box:City:LA PUENTE

State:CA

ZIP:91746

Country:US

Phone:818-968-6511

CAGE:12405

Company Name:HYSOL DIVISION, THE DEXTER CORPORATION

Box:312

CAGE:14347

=====  
Composition/Information on Ingredients  
=====

Ingred Name:DIETHYLENE TRIAMINE

CAS:111-40-0

RTECS #:IE1225000

OSHA PEL:1 PPM

ACGIH TLV:S, 1 PPM; 9192

=====  
Hazards Identification  
=====

Effects of Overexposure:MAY CAUSE SEVERE EYE & SKIN BURNS.

=====

=====  
First Aid Measures  
=====

First Aid:SKIN: REMOVE EXCESS & WASH W/ SOAP & WATER, SEE PHYSICIAN IF IRRIT OCCURS; EYE: FLUSH W/ RUNNING WATER FOR 15 MIN, REPEAT IF NEEDED, SEE PHYSICIAN IF DISCOMFORT PERSISTS; INHALATION: REMOVE PATIENT TO FRESH AIR, CONSULT PHYSICIAN.

=====  
Fire Fighting Measures  
=====

Flash Point:215 F COC

Lower Limits:3.7

Extinguishing Media:CO\*2, DRY CHEMICAL, FOAM, WATER SPRAY OR FOG.

Fire Fight

ing Procedures:FIRE FIGHTERS SHOULD WEAR SELF-CONTAINED BREATHING APPARATUS

Unusual Fire/Explosion Hazard:MODERATE WHEN EXPOSED TO HEAT OR FLAMES. CAN EMIT TOXIC FUMES.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:REMOVE IGNITION SOURCES, & PROVIDE ADEQUATE VENTILATION. COVER SPILL W/ ABSORBENT MATERIAL & REMOVE TO WASTE CONTAINER.

=====  
Handling and Storage  
=====

Handling and Storage Precautio

ns:STORE IN CLOSED CONTAINERS IN COOL,

DRY AREA AWAY FROM HEAT, SPARKS & OPEN FLAMES. USE ONLY W/ ADEQUATE VENTILATION.

Other Precautions:AVOID PROLONGED OR REPEATED BREATHING OF VAPORS OR CONTACT W/ SKIN. MAINTAIN VAPOR CONCENTRATION BELOW TLV. HAVE RESPIRATOR AVAILABLE SHOULD VENTILATION FAIL.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:ENCLOSED AREA: SELF-CONTAINED BREATHING APPARATUS OR IND. CANISTER

Ventilation:LOCAL: FACE

VELOCITY >60 FPM. MECH: EXPLOSION PROOF SYSTEM.

Protective Gloves:YES

Eye Protection:CHEM GOGGLES, FACE SHIELD

Other Protective Equipment:HYDROCARBON-INSOLUBLE GLOVES, APRON; EYE WASH; SHOWER.

Supplemental Safety and Health

KEY1:N1.

=====  
Physical/Chemical Properties  
=====

HCC:N1

Boiling Pt:B.P. Text:400 F

Spec Gravity:1.6500

Evaporation Rate & Reference:SLOWER THAN ETHER

=====  
Stability and Reactivity Data  
=====

Stability Indica

tor/Materials to Avoid: YES

STRONG BASES & WATER

Stability Condition to Avoid: HIGH TEMPERATURES

Hazardous Decomposition Products: CO, CO<sup>2</sup> & OXIDES OF NITROGEN FROM  
THERMAL DECOMPOSITION.

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE IN ACCORDANCE W/ FED., STATE & LOCAL  
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense.

The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.