View NSN Online: https://aerobasegroup.co.il/nsn/6750-01-005-6771

EASTMAN KODAK COMPANY -- 101 6690, DURAFLO RT DEVELOPER STARTER -- 6750-01-005-6771

Product ID:101 6690, DURAFLO RT DEVELOPER STARTER MSDS Date:06/26/1984 FSC:6750 NIIN:01-005-6771 **MSDS Number: BGCTH** === Responsible Party === Company Name: EASTMAN KODAK COMPANY Address:343 STATE STREET **City:ROCHESTER** State:NY ZIP:14650 Country:US Info Phone Num:716-722-5151 Emerg ency Phone Num:716-722-5151 CAGE:19139 === Contractor Identification === Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS Address:343 STATE ST Box:City:ROCHESTER State:NY ZIP:14650-1115 Country:US Phone:716-722-5151/(800) 242-2424 CAGE:19139

Ingred Name:ACETIC ACID (SARA III) CAS:64-19-7 RTECS #:AF1225000 Fraction by Wt: 27.5% OSHA PEL:10 PPM ACGIH TLV:10 PPM/15 STEL; 9192 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS Ingred Name:AQUEOUS SOLUTION,NON-HAZARDOUS,UNIDENTIFIED COMPONENTS(WT% BY DIFFERENCE) Fraction by Wt: 75.2%

Effects of Overexposure:EYES,SKIN,MUCOUS MEMBRANES:MAY CAUSE BURNS;INGEST:PAIN,VOMIT;INHALE:SHORT BREATH,COUGH,IRRTNT.

First Aid:EYES,SKIN,MUCOUS MEMBRANES:FLUSH W LG AMTS H\*20 AT LEAST 15 MIN;INHALE:REMOVE TO FRESH AIR,KEEP CALM;INGEST:

## RINSE MOUTH, DRINK

EXCESS WATER, DO NOT INDUCE VOMIT.GET IMMEDIATE MEDICAL ATTENTION FOR EYES, INGEST, INHALE, OR SKIN BURNS.

- Extinguishing Media:NOT COMBUSTIBLE:USE MEDIA SUITABLE FOR ADJACENT FIRE.
- Fire Fighting Procedures:WEAR SELF-CNTND BRTHG APP;WATER SPRAY COOL CONTAINERS.
- Unusual Fire/Explosion Hazard:CONTAINERS MAY RUPTURE IN HEAT OF FIRE. ACID SOLUTION;AVOID PHYSICAL CONTACT.

====== Acci

Spill Release Procedures:DO NOT TOUCH SPILLED MATERIAL.WEAR PROTECTIVE EQUIPMENT.STOP LEAK IF POSSIBLE WITHOUT RISK.SM SP:ABSORB W COMMERCIAL ABSORBENT & PUMP IN APPR CONTAINERS.LG SP:CONTAIN W DIKE & TRANSFER TO APPR CONTAIN ERS(SOLUTION IS ACID).

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED AREA; PROTECT FROM PHYSICAL DAMAGE & AVOID CONTACT WI TH SKIN (ACID

SOLUTION). AVOID CONTACT WITH ALKALIES.

Other Precautions: REMOVE & WASH CONTAMINATED CLOTHING. MAINTAIN STRICT HYGIENE.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:FOR VAPOR EXPOSURE, USE APPR ORGANIC VAPOR RESPIRATOR. Ventilation:ADEQUATE TO ELIMINATE FUMES:MECHANICAL(GEN/LOCAL EXHAUST). Protective Gloves:IMPERVIOUS/RUBR Eye Protection:SAFETY/CHEM GOGGLES. Other Protective Equipment:FULL WORK CLOTHING; FACE SHIELD WHEN US ING PRODUCT. Supplemental Safety and Health MSDS FROM MANUFACTURER DATED 12-9-75. PH APPROX 1.0. KEY1:J6.

HCC:C2 Boiling Pt:>100.C, 212.F Vapor Pres:32 Vapor Density:0.96 Spec Gravity:1.20 Solubility in Water:COMPLETE Appearance and Odor:COLORLESS AQUEOUS MIXTURE; VINEGAR ODOR. Percent Volatiles by Volume:83.0

Stability Indicator/Materials to Avoid:YE S CORROSIVE TO PB,MOST METALS,FORMS HYDROGEN;AVOID AKLAKIES Stability Condition to Avoid:VAPOR GENERATING CONDITIONS. Hazardous Decomposition Products:NONE NOTED,BUT VAPORS FROM PRODUCT ARE NOXIOUS

Waste Disposal Methods:DISPOSE IN FULL ACCORD WITH ALL APPLICABLE INTERNATIONAL, FEDERAL, STATE, & LOCAL REGULATIONS.MFG NOTES THAT PRODUCT MAY BE FLUSHED DOWN SEWER WITH COPIOUS AMOUNTS OF WATER.

Disclaimer (provided

with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.