View NSN Online: https://aerobasegroup.co.il/nsn/6810-01-018-6726 E.I.DUPONT DE NEMOURS & COMPANY, INC. -- AMMONIUM HYDROXIDE-REAGENT GRADE 6810-01-018-6726 ============= Product Identification ================== Product ID:AMMONIUM HYDROXIDE-REAGENT GRADE MSDS Date:01/01/1985 FSC:6810 NIIN:01-018-6726 MSDS Number: BGDVZ === Responsible Party === Company Name: E.I.DUPONT DE NEMOURS & COMPANY, INC. Address:1007 MARKET STREET Box:1635 City:WILMINGTON State:DE ZIP:19899 Country:US nfo Phone Num:800-441-7515 Emergency Phone Num:800-441-7515 CAGE:DO229 === Contractor Identification ===

Company Name: E.I. DUPONT DE NEMOURS & CO

Address:1007 MARKET STREET

Box:City:WILMINGTON

State:DE ZIP:19898 Country:US

Phone:800-441-7515;800-441-9442

CAGE:18873

Company Name: E.I.DUPONT DE NEMOURS & CO INC

Address:549 ALBANY STREET

Box:1635 City:BOSTON State:MA ZIP:02118

Phone:800-441-7515

CAGE:DO229

====== Composition/Information on Ingredients ========

Ingred Name: AMMONIUM HY

Fraction by Wt: 59.3% EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS ============= Hazards Identification ======================== Effects of Overexposure: CAUSES SEV EYE/SKIN BURNS. MAY CAUSE PERMANET INJURY TO EYE; VAPOR IS EXTREMELY IRRITATING. First Aid:GET MED ATTN, ANY CASE. ============ Fire Fighting Measures ========================= Flash Point:NONE Lowe r Limits:16.0 Upper Limits:25.0 Extinguishing Media:WATER,FOAM,DRY POWDER,CARBON DIOXIDE(CO*2) Fire Fighting Procedures: USE H*20 TO COOL EXPD CONTRS. USE SCBA & FULL PROT.CLTHG. Unusual Fire/Explosion Hazard: GIBES FLAMMABLE NH*3 AT ALL TEMP WHICH CAN BE EXPLOSIVE UNDER SOME CONDITIONS; KEEP PERSONS UPWIND. ======== Accidental Release Measures =========== Spill Release Procedures: ELIMINATE IGN SOURCES. USE PROTECTV EQUIP. KEEP UPWIND OF LEAK; EVACUATE AREA IF THERE IS POTENTIAL FOR EXCEEDING EXPOSURE LIMITS.FLUSH AREA WITH WATER SPRAY.AFTER DILUTION, WATER MAY BE NEUTRALIZE WITH D ILUTE HCL. ============ Handling and Storage =========================== Handling and Storage Precautions: STOREIN WELL VENTILATED AREA. KEEP

CONTAINERS TIGHTLY CLOSED.KEEP AWAY FROM HEAT, SPARKS, FLAME.WASH

Other Precautions: LOOSEN CLOSURES CAUTIOUSLY BEFORE OPENING. DO NOT GET

THOROUGHLY AFTER HANDLING.STORE AWAY FM HALOGN ACID

IN EYES, ON SKIN, OR CLOTHING. DO

DROXIDE (SARA III) CAS:1336-21-6

RTECS #:BQ9625000

NOT BREATH VAORS.BEFORE USING,READ DUPONT REAGENT DATA SHEET.

====== Exposure Controls/Personal Protection ======== Respiratory Protection: OSHA APPRVD CHEM CARTRIDGE RESP W/NH*3CARTRIDGE, SUPPLD AIR OR SCBA. Ventilation: USE ONLY W/VENTILATION ADEQUATE TO MAINTAIN EXPOSURE LIMITS Protective Gloves: RUBBER/PLASTIC Eye Protection: CHEM SPLASH GOGGLES Other Protective Equipment: WEAR APRON & SHOES; LONG SLEEVE SHIRT, WOOL OR **ORLON TROUSERS** Supplemental Safety and Health **INCOMP** ATABILITY: AVOID HALOGENS, GOLD, MERCURY, SILVER, THEIR SALTS, DIMETHYLSULFATE; FIRS AID: IF SWALLOWD, GIVE LARGE AMT OF WATE BUT DO NOT INDUCE VOMITG. GIVE AT LEAST 1 OZ OF VINEGE W/1 OZ OF H*20. ======== Physical/Chemical Properties =========== HCC:B1 Boiling Pt:=28.C, 82.4F B.P. Text:82.4F(28C) Vapor Pres:646 Vapor Density:0.6 Spec Gravity:0.9000 Evaporation Rate & Description Rate & Reference:>1(BU-ACETATE=1) Solubility in Water: COMPLETE Appearance and Odor: CLORLESS CLEAR LIQUID, VERY PUNGENT ODOR(CHOKING). Percent Volatiles by Volume:100 ======== Stability and Reactivity Data =========== Stability Indicator/Materials to Avoid:YES STRONG OXIDIZERS, HALOGENS, CAL HYPO BLEACHES, : SEE SUPP DATA Stability Condition to Avoid: INSTABLE W/HEAT.RELEASES NH*3 GAS; ALSO AVOID HALOGNTD ACIDS. Hazardous Decomposition Products: MAY RELEASE WH*32 &/OR OXIDES OF N. ======= Disposal Considerations ============

Waste Disposal Methods:MFR SPECIFIES I

F APPROVED DILUTE SOLUTIONS MAY BE FLUSHED TO WASTEWATER TREATMENT SYSTEM.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume res

ponsibility for the suitability of this information to their particular situation.