View NSN Online: https://aerobasegroup.co.il/nsn/5805-01-023-2684

PSI TELCO INC -- D PLUS, PART B -- 5805-01-023-2684

Product ID:D PLUS, PART B

MSDS Date:01/01/1990

FSC:5805

NIIN:01-023-2684

Kit Part:Y

MSDS Number: BGFFZ === Responsible Party ===

Company Name: PSI TELCO INC

Address:3333 N SAN FERNANDO BLVD

City:BURBANK

State:CA ZIP:91504 Country:US

Info Phone Num:818-843-7944

Emergency Phone Num:818-843-7944

CAGE:MO593

=== Co

ntractor Identification ===

Company Name: PSI TELCO INC

Address:3333 N SAN FERNANDO BLVD

Box:City:BURBANK

State:CA ZIP:91504 Country:US

Phone:818-843-7944

CAGE:MO593

Company Name: PSI TELCO INC.

Address:3333 N SAN FERNANDO BLVD

Box:City:BURBANK

State:CA ZIP:91504 Country:US

Phone:213-843-7944

CAGE:34261

Company Name: PSI TELECOMMUNICATIONS INC.

Phone:800-426-8688

CAGE:3V085

======= Composition/Information on Ingredients ========

Ingred Name: POLYMERIC POLYAROMATIC POLYISOCYANATES (MDI

) (SARA III) CAS:101-68-8

RTECS #:NQ9350000 Fraction by Wt: 20-25%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:C 0.02 PPM ACGIH TLV:0.005 PPM; 9495

EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingred Name: HIGHER MOLECULAR WEIGHT POLYMERS

Fraction by Wt: 20-25%

Other REC Limits: NONE RECOMMENDED

Ingred Name: PHTHALATE ESTERS OF LONG CHAIN ALCOHOLS

CAS:3648-20-2

Fraction by Wt: 35-40%

Other REC Limits: NONE RECOMMENDED

============= Hazards Identification =======================

Routes of Entry: Inha

lation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:CHRONIC: COULD LEAD TO BRONCHITIS, BRONCHIAL SPASM, PULMONARY EDEMA. ACUTE: IRRITATION OF RESPIRATORY MEMBRANES, RUNNY NOSE, SORE THROAT, PRODUCTIVE COUGH, AND REDUCED LUNG FUNCTION. EFFECTS ARE REVER SIBLE. SOME SENSITIVE INDIVIDUALS MAY EXPERIENCE ASTHMA-LIKE SYMPTOMS AT CONCENTRATIONS BELOW RECOMMENDED TLV.

Effects of Overexposure:SEE "HEALTH HAZARDS".

M

edical Cond Aggravated by Exposure:PRE-EXISTING UNSPECIFIC BRONCHIAL HYPERREACTIVELY SPECIFIC ISOCYANATE HYPERSENSITIVITY.

First Aid:WASH SKIN WITH SOAP AND WATER. FLUSH EYES THROUGHLY WITH WATER. FOR INHALATION, REMOVE TO AREA FREE OF FURTHER EXPOSURE. ASTHERRATIC TYPE SYMPTOMS MAY BE TREATED SYSTOMATICALLY. IF INGESTED, GIVE WATE R OR MILK AND CONSULT PHYSICIAN.

======== Fire Fighting Measures

=======================================
Flash Point Method:COC Flash Point:NONE Autoignition Temp:Autoignition Temp Text:NONE Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM. Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:AVOID WATER CONTMINATION IN CLOSED CONTAINERS. MATERIAL REACTS WITH WATER WITH THE EVOLUTION OF CARBON DIOXIDE. CLOSED CONTAINERS MAY RUPTURE.
========= Accidental Release Measures ==========
Spill Release Pr ocedures:ABSORB SPILL WITH ABSORBENT COMPOUND. REMOVE TO OPEN CONTAINERS. TREAT ABSORBED MATERIAL WITH MILD AMMONIA SOLUTION AND FLUSH SPILL AREA WITH SAME SOLUTION. LEAVE TREATED MATERIAL OPEN FOR 24-28 HOURS. Neutralizing Agent:AMMONIA SOLUTION.
============= Handling and Storage ==============
Handling and Storage Precautions:PROTECT FROM CONTAMINATION WITH MOISTURE OR OTHER ISOCYANATE REACTIVE MATERIALS. HANDLE UNDER ADEQUATE VENTILATION AND PROTECT F ROM CONTACT W/PRODUCT. Other Precautions:NONE STATED.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:USE AIR SUPPLIED RESPIRATOR WHERE AIR-BORNE CONCENTRATIONS ARE WELL ABOVE TLV. Ventilation:USE LOCA EXHAUST TO KEEP BELOW TLV. Protective Gloves:RUBBER OR PLASTIC. Eye Protection:SPLASH GOGGLES. Other Protective Equipment:NONE. Work Hygienic Practices:WASH AFTER HANDLING AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHING BE FORE REUSE. Supplemental Safety and Health KEY1:N1. PART B OF A TWO PART KIT.
========= Physical/Chemical Properties ===========

HCC:N1
Boiling Pt:B.P. Text:460F T0490F
Melt/Freeze Pt:M.P/F.P Text: