

GEORGIA PACIFIC CORPORATION -- METHANOL,METHYL ALCOHOL -- 6810-01-027-4771

=====
Product Identification
=====

Product ID:METHANOL,METHYL ALCOHOL
MSDS Date:01/01/1985
FSC:6810
NIIN:01-027-4771
MSDS Number: BGFRJ
=== Responsible Party ===
Company Name:GEORGIA PACIFIC CORPORATION
Address:7500 N WEST LN
Box:8040
City:STOCKTON
State:CA
ZIP:95210
Country:US
Emergency Phone Num:404-987-5190
CAGE:0802X

=== Contractor Identification ===

Company Name:GEORGIA PACIFIC CORP
Address:2861 MILLER ROAD
Box:8040
City:DECATUR
State:GA
ZIP:30035
Country:US
Phone:404-987-5190
CAGE:0802X
Company Name:GEORGIA-PACIFIC CORP CHEMICAL PACKAGING DIV
Address:7500 N WEST LN
Box:8040
City:STOCKTON
State:CA
ZIP:95210
Country:US
Phone:209-477-5189
CAGE:1F887

=====
Composition/Information on Ingredients
=====

Ingred Name:METHYL ALCOHOL (METHANOL) (SARA III)
CAS:67-56-1
RTECS #:PC1400000
Fraction b

y Wt: 100%
OSHA PEL:S,200PPM/250STEL
ACGIH TLV:S,200PPM/250STEL; 93
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

=====
===== Hazards Identification =====

Effects of Overexposure:INGESTED:MAY BE FATAL,BLINDNESS.INHALED OR REPEATED CONTACT:HARMFUL,EFFECTS MAY BE CUMULATIVE.

=====
===== First Aid Measures =====

First Aid:SKIN:WASH W.SOAP & H*2O EYES:FLUSH W. H*2O. INGESTED:GIVE 2 GLASSES H*2O; INDUCE VOMITING.CALL A PHYSICIAN. INH
ALE:REMOVE TO FRESH AIR. GIVE CPR/OXYGEN IF NEED. KEEP WARM & QUIET. REMOVE CONTAMINATED CLOTHING. IF UNCONS DO NOT TAKE ANYTHINGBY MOUTH.

=====
===== Fire Fighting Measures =====

Flash Point:54F/12C TCC
Lower Limits:7.3
Upper Limits:36
Extinguishing Media:SM:CO*2, DRY CHEM. LG:H*2O SPRAY,FOG OR FOAM
Fire Fighting Procedures:WEAR CHEMICAL PROTECTIVE SUIT WITH SELF CONTD BRTHG APP.
Unusual Fire/Explosion Hazard:EXTREMELY FLAMMABLE CONTAINER MAY EXPLO
DE.VAPOR IS EXPLOS HAZARD.VAPOR MAY SPREAD AWAY FROM SPILL.

=====
===== Accidental Release Measures =====

Spill Release Procedures:REMOVE IGNITION SOURCES,VENTILATE AREA WELL.ABSORB WITH VERMICULITE OR OTHER MATERIALS, SUCH AS SAWDUST,RAGS,PAPER & PLACE IN CLOSED CONTAINER. USE NON SPARKING TOOLS. WEAR PROPER PROTECTIVE EQUIPMENT DURING CLEAN UP-FLUSH AREA WITH WATER.

=====
===== Handling and Storage =====

Handling and Stora

ge Precautions:STORAGE TANKS & MATERIAL HANDLING
LINES SHOULD BE GROUMDED.STORE IN DRY,LOW FIRE RISK AREA.AVOID
ALKALI.

Other Precautions:NO SMOKING.AIR PRESSURE SHOULD NEVER BE USED FOR
UNLOADING TANK TRUCKS OF METHANOL.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:(1)SCBA(2)APPRVD INDUS. CANISTER TYPE GAS MASKS.

Ventilation:MECH(GEN)OR LOCAL EXHAUST THAT PROVIDES ADEQUATE
VENTILATION

Protective Gloves:RUBBER

Eye Protection:CUP/RUB

BER FRAMED GOGGLES

Other Protective Equipment:FACE SHIELDING

Supplemental Safety and Health

=====
Physical/Chemical Properties
=====

HCC:F2

Boiling Pt:B.P. Text:148F/64C

Vapor Pres:96

Vapor Density:0.79

Spec Gravity:0.1924

Evaporation Rate & Reference:NO INFO PER MFR.

Solubility in Water:COMPLETE

Appearance and Odor:MILD ODOR-NON-IRRITATING.

Percent Volatiles by Volume:100

=====
Stability and Reactivity Data
=====

Stability Indicator/

Materials to Avoid:YES

CAUSTIC(ALKALI)

Stability Condition to Avoid:HEAT,STATIC ELECTRICITY

Hazardous Decomposition Products:NONE NOTED,BUT EXPECT CO, CO*2, H*2O.

=====
Disposal Considerations
=====

Waste Disposal Methods:ELIMINATE IGNITION SOURCES. DESTROY BY LIQUID
INCINERATION. INCINERATION WILL BE EASIER BY MIXING WITH A MORE
FLAMMABLE SOLVENT. HANDLE & DISPOSE IN FULL COMPLIANCE WITH ALL
APPLICABLE INTERNATIONAL,F ED,STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.