

WALTRON LTD -- AQ-701 -- 6850-01-085-4719

===== Product Identification =====

Product ID:AQ-701
MSDS Date:09/24/1987
FSC:6850
NIIN:01-085-4719
MSDS Number: BGLCJ
=== Responsible Party ===
Company Name:WALTRON LTD
Address:50 TANNERY RD
Box:1070
City:WHITEHOUSE
State:NJ
ZIP:08888
Country:US
Info Phone Num:908-534-5100
Emergency Phone Num:908-534-5100
CAGE:71229

=== Contractor Identification ===

Co
Company Name:WALTRON LTD
Address:50 TANNERY RD
Box:70
City:WHITEHOUSE
State:NJ
ZIP:08888-0070
Country:US
Phone:908-534-5654/FAX: 908-534-5694
Contract Num:SP0450-00-M-D201
CAGE:71229
Company Name:WALTRON LTD
Address:50 TANNERY RD
Box:70
City:WHITEHOUSE
State:NJ
ZIP:08888-0070
Country:US
Phone:908-534-5654/FAX: 908-534-5694
Contract Num:SP0450-00-M-D796
CAGE:71229
Company Name:WALTRON LTD
Address:50 TANNERY RD
Box:70
City:WHITEHOUSE
State:NJ
ZIP:08888-0070
Country:US
Phone:908-534-5654/FAX: 908-534

-5694
Contract Num:SP0450-01-M-ZF20
CAGE:71229

=====
Composition/Information on Ingredients
=====

Ingred Name:SODIUM HYDROXIDE (CORROSIVE)
CAS:1310-73-2
RTECS #:WB4900000
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:SODIUM NITRITE (OXIDIZER)
CAS:7632-00-0
RTECS #:RA1225000
EPA Rpt Qty:100 LBS
DOT Rpt Qty:100 LBS

=====
Hazards Identification
=====

Health Hazards Acute and Chronic:SKIN CONTACT: CORROSIVE TO ALL
TISSUES. EYE CO
NTACT: CORROSIVE TO ALL TISSUES. INHALATION: DAMAGE
TO ENTIRE RESPIRATORY TRACT. INGESTION: VOMITING, PROSTRATION,
COLLAPSE. CONSTRICTIVE SCARRING MAY RE SULT.

=====
First Aid Measures
=====

First Aid:EYE OR SKIN CONTACT: RINSE IN COOL, FLOWING WATER FOR 15
MINUTES. INGESTION: DRINK LARGE QUANTITIES OF WATER OR MILK TO
DILUTE ALKALI. NEXT, DRINK DILUTE VINEGAR OR FRUIT FUICE TO
NEUTRALIZE. DO NOT I NDUCE VOMITING! INHALATION: REMOVE TO
FRESH
AIR. IN ALL CASES, GET MEDICAL ATTENTION IMMEDIATELY.

=====
Fire Fighting Measures
=====

Extinguishing Media:N/A.
Fire Fighting Procedures:FIREFIGHTERS SHOULD WEAR SELF-CONTAINED
BREATHING APPARATUS IN THE POSITIVE MODE WITH A FULL FACEPIECE WHEN
THERE IS A POSSIBILITY OF EXPOSURE TO SMOKE, FUMES OR AHZARDOUS
DECOMPOSITION PRODUCTS.
Unusual Fire/Explosion Hazard:NOT FLAMMABLE- EXTREME HEAT DECOMPOSES
PRODUCT TO OXIDES OF SULFUR.

==

===== Accidental Release Measures =====

Spill Release Procedures:USE SODIUM BICARBONATE TO NEUTRALIZE, THEN ABSORB ON SAND OR OTHER ABSORBENT MATERIAL. SHOVEL INTO CLOSABLE CONTAINER FOR DISPOSAL. WEAR PROTECTIVE EQUIPEMNT. FLUSH RESIDUE THOROUGHLY WITH WATER.

Neutralizing Agent:SODIUM BICARBONATE.

===== Handling and Storage =====

Handling and Storage Precautions:STORAGE: KEEP CONTAINER TIGHTLY CLOSED DURING TRANSPOR

T AND STORAGE. NORMAL HANDLING: KEEP CONTAINER TIGHTLY CLOSED DURING TRANSPORT AND STORAGE.

Other Precautions:FOR INDUSTRIAL USE ONLY. NEVER TATSE OR SWALLOW. AVOID EYE CONTACT OR PROLONGED OR REPEATED SKIN CONTACT. WASH THOROUGHLY AFTER HANDLING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED.

Ventilation:WORK IN WELL-VENTILATED AREAS.

Protective Gloves:WEAR ALKALINE-IMPERVIOUS GLOVES AS A STANDARD PRACTICE.

Eye Protect

ion:SPLASH-PROOF GOGGLES RECOMMENDED AS STANDARD PRACTICE.

Other Protective Equipment:WEAR GAUNLETS AND APRON, ESPECIALLY IF HANDLING LARGE QUANTITIES.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health

CHEMICAL NAME: MIXTURE OF INHIBITORS, DISPERSANTS, SURFACTANTS, ALKALINE SALTS.

===== Physical/Chemical Properties =====

HCC:B1

Boiling Pt:=102.2C, 216.F

Spec Gravity:1.01

pH:11.0

Solubility in Water:100 %;COMPLETE

Appearan

ce and Odor: BRIGHT RED CLEAR LIQUID, SLIGHT ODOR.

Percent Volatiles by Volume: 0.0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

PRODUCT IN NEAT FORM IS CORROSIVE TO ALUMINUM, TIN, ZINC AND ALLOYS OF THOSE METALS. PRODUCT IN USE FORM IS NOT CORROSIVE.

Stability Condition to Avoid: AVOID REDUCING REAGENTS SUCH AS CYANIDES.

Hazardous Decomposition Products: EXTREME THERMAL DECOMPOSITION MAY PRODUCE NITROGEN AND SODIUM OXIDE.

===== Toxicological Information =====

Toxicological Information: PERMISSIBLE CONCENTRATION: AIR; OSHA STD.-AIR: TWA 2 MG/M³. UNUSUAL CHRONIC TOXICITY: NONE.

===== Ecological Information =====

Ecological: PRODUCT IS BIODEGRADABLE EXCEPT FOR MOLYBDATE WHICH IS NON-TOXIC.

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

===== MSDS Transport Information =====

Transport Information: DOT CLASSIFICATION: NONE.

===== Regulatory Information =====

Federal Regulatory Information: SODIUM HYDROXIDE AND SODIUM NITRITE-BOTH LISTED IN EPA TSCA INVENTORY (1980).

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by eleme

nts of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.