

KINDT COLLINS CO THE -- WAX 060 -- 9160-01-086-0129

=====  
Product Identification  
=====

Product ID:WAX 060  
MSDS Date:11/01/1985  
FSC:9160  
NIIN:01-086-0129  
MSDS Number: BGLCT  
=== Responsible Party ===  
Company Name:KINDT COLLINS CO THE  
Address:12651 ELMWOOD AVE  
City:CLEVELAND  
State:OH  
ZIP:44111-5911  
Info Phone Num:216-252-4122  
Emergency Phone Num:216-252-4122  
Preparer's Name:PAUL A. GUINN  
CAGE:3362

9  
=== Contractor Identification ===  
Company Name:KINDT COLLINS CO  
Address:12651 ELMWOOD AVENUE  
Box:City:CLEVELAND  
State:OH  
ZIP:44111-5911  
Country:US  
Phone:216-252-4122/CHEMTREC 800-424-9300  
CAGE:33629

=====  
Composition/Information on Ingredients  
=====

Ingred Name:PRECISE COMPOSITION IS PROPRIETARY INFORMATION AVAILABLE TO  
A PHYSICIAN IN EVENT OF A MEDICAL EMERGENCY.  
RTECS #:9999999ZZ

Ingred Name:THIS PRODUCT IS NOT HAZARDOUS AS DEFINED BY THE OSHA HAZARD  
COMMUNICATIO  
N STANDARD, CFR TITLE 29 1910.1200.  
RTECS #:9999999ZZ

=====  
Hazards Identification  
=====

LD50 LC50 Mixture:N/K TLV/TWA FOR PARAFFIN WAX FUME=2MG/M3  
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:MOLTEN WAX FUMES MAY BE SLIGHTLY  
IRRITATING TO EYES AND RESPIRATORY TRACT. MOLTEN WAX WILL CAUSE  
BURNS ON CONTACT WITH SKIN.  
Explanation of Carcinogenicity:NOT LISTED.  
E

Effects of Overexposure: MOLTEN WAX FUMES MAY CAUSE SLIGHT IRRITATION TO EYES AND RESPIRATORY TRACT. MOLTEN WAX WILL CAUSE BURNS ON CONTACT WITH SKIN.

Medical Condition Aggravated by Exposure: NONE KNOWN

=====  
===== First Aid Measures =====

First Aid: FOR HOT WAX ON SKIN, COOL WITH WATER. APPLY ICE WATER OR PACKS TO BURNED AREA IF LESS THAN 10% OF THE BODY. DO NOT REMOVE WAX. GET MEDICAL ATTENTION. FOR EYE CONTACT, FLUSH WITH WATER FOR AT LEAST 15 MI

NUTES. GET MEDICAL ATTENTION. FOR INGESTION, CONSULT MEDICAL PERSONNEL. INHALATION: REMOVE VICTIM TO FRESH AIR. GET MEDICAL ATTENTION.

=====  
===== Fire Fighting Measures =====

Flash Point: NOT SPECIFIED

Extinguishing Media: USE WATER FOG, FOAM, DRY CHEMICAL OR CO2. DO NOT USE A DIRECT STREAM OF WATER. COOL FIRE-EXPOSED CONTAINERS WITH WATER.

Fire Fighting Procedures: DO NOT ENTER CONFINED FIRE SPACE WITHOUT PROPER PROTECTIVE EQUIPMENT INCLUDING A NI

OSH APPROVED

SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard: PRODUCT WILL FLOAT AND CAN BE REIGNITED ON SURFACE OF WATER. WAX MAY BURN ALTHOUGH NOT READILY IGNITABLE.

=====  
===== Accidental Release Measures =====

Spill Release Procedures: MAY BURN ALTHOUGH NOT READILY IGNITABLE. USE CAUTION WHEN CLEANING UP LARGE MOLTEN SPILLS. LARGE MOLTEN SPILL: SHUT OFF SOURCE OF LEAK IF SAFE TO DO SO. DIKE & CONTAIN. ALLOW WAX TO COOL & REMOVE AS A SOLID. SMALL AMOUNTS SHOULD BE ALLOWED TO COOL.

Neutralizing Agent: NONE

=====  
===== Handling and Storage =====

Handling and Storage Precautions: AVOID CONTACT WITH HOT MATERIAL, MINIMIZE BREATHING OF VAPORS, FUMES OR MIST.

Other Precautions: NONE

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection: USE A NIOSH APPROVED RESPIRATOR TO PREVENT OVEREXPOSURE, USE EITHER AN ATMOSPHERE-SUPPLYING RESPIRATOR OR AN AIR-P

URIFYING RESPIRATOR FOR PARTICULATES. MINIMIZE BREATHING OF VAPORS, FUMES OR MIST.

Ventilation:NOT NORMALLY REQUIRED.

Protective Gloves:AS APPROPRIATE TO PROTECT AGAINST HOTWAX

Eye Protection:SAFETY GLASSES OR GOGGLES

Other Protective Equipment:PROTECTIVE CLOTHING TO PROTECT SKIN AGAINST HOT MATERIAL.

Work Hygienic Practices:NOT SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

NONE

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text

:>600F,>315C

Vapor Pres:NIL

Spec Gravity:0.930

Solubility in Water:NEGLIGIBLE

Appearance and Odor:BLUE/GREEN SOLID WAX WITH CHARACTERISTIC ODOR

Percent Volatiles by Volume:0

Corrosion Rate:0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE AND UNIDENTIFIED ORGANIC COMPOUNDS MAY BE FORMED DURING COMBUSTION.

===== Disposal Considerations =====

Waste Disposal Methods:PLACE IN AN APPROPRIATE DISPOSAL FACILITY IN COMPLIANCE WITH LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this docum

ent should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.